v.2.0.2 09.2025

PRICE LIST 2025




IGLOO since 1986

IGLOO Stary Wiśnicz 289
32-720 Nowy Wiśnicz

tel +48 146621910

info@igloo.pl

IGLOO since 1986



IGLOO
since 1986

Table of Contents

serve over counters

BASIA NEO 9
LUZON 11
LUZON DEEP 13
MAXIM 15
MAXIM 2 15
MONIKA 17
MONIKA DEEP 19
PICO 21
PICO DEEP 23
PROXIMA 25
PROXIMA SQR 27
SAMOS 29
SAMOS DEEP 31
SANTIAGO 33
SANTIAGO DEEP 35
SUMBA 37
TATIANA 39
COSTA 43

multidecks

KING AT 45
KING EVO 47
KING INVERTER 49
LUNA 51
MAX 53
MIŁOSZ 53
NORDIQ NEW 55
PAROS 57
PROXIMA SLIM OPEN 59
RODOS 61
TOBAGO 2 63
TOBAGO 3 65
VARIANT 70 (PLUG-IN) 67
VARIANT 70 (REMOTE) 69
VARIANT 80 (PLUG IN) 71
VARIANT 80 (REMOTE) 73
VARIO 3 75
VARIO 3 VE 77
VARIO 80 79
VARIO 90 81
VARIO 100 83
VARIO 110 85

cooling cabinets

ARCTIQ NEW 89
EWA 1 91
EWA 500.1 BEVERAGES 93
EWA P 95
JOLA 1 97
JOLA 1 GASTRO 99
JOLA 700.1 BEVERAGES 101
JOLA P 103
JOLA P GASTRO 105
OLA 1400.2 BEVERAGES 107
OLA 2 109
OLA 2 GASTRO 111
OLA P 113
OLA P GASTRO 115
CHAMBER ODP 117

freezing cabinets

ARCTIQ M NEW 121
EWA 1 M 123
EWA P M 125
JOLA 1 M 127
JOLA 1 M GASTRO 129
JOLA P M 131
JOLA P M GASTRO 133
OLA 2 M 135
OLA 2 M GASTRO 137
OLA P M 139
OLA P M GASTRO 141

combi freezer and freezing island

ADVANTA 145
FROSTBOX NEW 147
ICEBOX NEW 149
ICECRAFT 151
LEVEL 153

freezing counters and islands

BASIA NEO M 157
SANTIAGO M 159
KING AT M 161
VARIO 3 M 163
VARIANT M 70 (PLUG IN) 165
VARIANT M 70 (REMOTE) 167
VARIANT M 80 (PLUG IN) 169
VARIANT M 80 (REMOTE) 171
VARIO M 173

pastry display counters

CUBE W 177
CUBE W OPEN 179
CUBE 2 181
CUBE 2 BAKE 183
CUBE 2 N 185
CUBE 2 OPEN 187
GASTROLINE CUBE (W) 189
GASTROLINE CUBE (W) OPEN 191
INNOVA 193
INNOVA N 195
INNOVA T 197
JAMAJKA W 199
JAMAJKA N 201
JAMAJKA W OPEN 203
JOLA 4 205
JULIA 207
JULIA NADSTAWKA 207
KAMELEO W 209
KAMELEO N 211
PARIS 213
PASTELLA W / FIRTELLA W 215
PASTELLA BAKE / FIRTELLA BAKE 217
PASTELLA N / FIRTELLA N 219
PASTELLA SWEET 221
PASTELLA SWEET N 223

ice-cream dispensers

ADRIA ICE 227
ARUBA 229
ARUBA 2 231
CUBE 2 DEEP ICE 233
CUBE 2 ICE 235
GELATO 2 237
INNOVA DEEP ICE 239
INNOVA ICE 241
KAMELEO ICE 243
WOJTEK 245

gastro display units

GASTROLINE 249
GASTROLINE PREMIUM 251
GASTROLINE PREMIUM EX 253
GASTROLINE PREMIUM SWEET 253
IBIZA 255
JULIA GASTRO 257
KASIA 259
PETRO 261
PETRO SELECT 263
WYSPA FRESH 265
ROBBEN (HEATED DISPLAY CASE) 267

cash counters & bakery display units

HORNADA 271
COUNTER BASIA NEO 273
COUNTER PICO 273
COUNTER MONIKA 275
COUNTER CUBE 2 LS 277
COUNTER CUBE 2 LS P 277
COUNTER GASTROLINE LS 279
COUNTER GASTROLINE PREMIUM LS 279
COUNTER INNOVA LS 281
COUNTER INNOVA LS P 281
COUNTER JAMAJKA 283
COUNTER SUMBA 283
COUNTER PARIS 285
COUNTER PASTELLA PS 287
COUNTER PASTELLA LS/P2 287
COUNTER PROXIMA 289
COUNTER SAMOS 289
COUNTER SANTIAGO 291
COUNTER LUZON 291
TADEUSZ 293

01


serve over counters

BASIA NEO 9
LUZON 11
LUZON DEEP 13
MAXIM 15
MAXIM 2 15
MONIKA 17
MONIKA DEEP 19
PICO 21
PICO DEEP 23
PROXIMA 25
PROXIMA SQR 27
SAMOS 29
SAMOS DEEP 31
SANTIAGO 33
SANTIAGO DEEP 35
SUMBA 37
TATIANA 39
COSTA 43



BASIA NEO

+1 / +10°C



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
BASIA NEO (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN-MOD
BN120	BASIA NEO 0.94 S	1020 / 940	115	0,7	2970	2710
BN130	BASIA NEO 1.25 S	1330 / 1250	155	1,0	3290	3030
BN140	BASIA NEO 1.56 S	1650 / 1560	193	1,2	3870	3610
BN150	BASIA NEO 1.88 S	1960 / 1875	233	1,4	4300	4040
BN160	BASIA NEO 2.50 S	2580 / 2500	310	1,9	5010	4760
BN170	BASIA NEO 3.13 S	3210 / 3125	388	2,4	6380	6120
BN180	BASIA NEO 3.75 S	3830 / 3750	465	2,9	7030	6770
BN190	BASIA NEO NW90 S	-	150	0,8	4520	4260
BN195W	BASIA NEO NZ90 W	-	170	1,0	-	4510
BASIA NEO (REMOTE)						
BN120-c	BASIA NEO 0.94 S-mod/C	938	115	0,7		2140
BN130-c	BASIA NEO 1.25 S-mod/C	1250	155	1		2540
BN140-c	BASIA NEO 1.56 S-mod/C	1563	193	1,2		3020
BN150-c	BASIA NEO 1.88 S-mod/C	1875	233	1,4		3410
BN160-c	BASIA NEO 2.50 S-mod/C	2500	310	1,9		3940
BN170-c	BASIA NEO 3.13 S-mod/C	3125	388	2,4		5050
BA180-c	BASIA NEO 3.75 S-mod/C	3750	465	2,9		5670
BN190-c	BASIA NEO NW90 S-mod/C	-	150	0,8		3820
BN195W-c	BASIA NEO NZ90 W-mod/C	-	170	1,0		4130

Devices variants		PLUG-IN	REMOTE	
W	dynamic cooling	+245	+245	€/meter
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers, dynamic cooling	+575	+575	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+355	_	€/meter
PG	heated display area, lamp panel with infrared halogens (+30 ÷ +60°C)	+355	_	€/meter

Standard equipment		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
static cooling	not included in model NZ90	+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
PES coated storage area	RAL9010	+	+	+
LED lighting	IGLOO pattern book	+	+	+
powder coated external housing	FRONT / SIDES - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
INOX worktop		+	+	+
curved front glass	openable	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
display area thermometer		+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS	IGLOO pattern book	+	-	-


Options	NZ90 [m]	NW90 [m]	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)			-	490	490	€/set
INOX external housing - REAR	0,5	2	245	245	245	€/meter
INOX external housing - FRONT / SIDES	2	0,5	290	290	290	€/meter
powder coated external housing - FRONT / SIDES - custom RAL *	2	0,5	90	90	90	€/meter
powder coated display area - (IGLOO pattern book)			0	0	0	€/meter
INOX AISI304 display area	1,5	1,5	100	100	100	€/meter
INOX display area – stepped – 2 steps	1,5	1,5	65	65	65	€/meter
INOX display area – stepped – 3 steps	1,5	1,5	75	75	75	€/meter
INOX storage area	1,5	1,5	160	160	160	€/meter
INOX AISI304 storage area	1,5	1,5	265	265	265	€/meter
powder coated evaporator	0,5	2	105	105	105	€/meter
sliding plexiglass covers	1	2	100	100	100	€/meter
granite worktop – grey	1	2	90	90	90	€/meter
granite worktop – balmoral	1	2	135	135	135	€/meter
granite worktop – black	1	2	230	230	230	€/meter
additional exposition glass shelf	1,5	1,5	115	115	115	€/meter
INOX shelf placed on the top of the front glass	2	1,5	110	110	110	€/meter
set of wheels (castors)			220	220	-	€/meter
electric heaters for evaporator defrost	0,5	2	125	125	125	€/meter
automatic evaporation of condensate			50	50	-	€/pcs
LED lighting of base front - (IGLOO pattern book)	2	0,5	90	90	90	€/meter
electronic temperature recorder + software (Igloo)			125	125	125	€/set
temperature recorder wire			45	45	45	€/pcs
socket 230V (unavailable for corners)			50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	2	-	135	135	135	€/meter
low movable partition of display area (glass)			75	75	75	€/pcs
high fixed partiton of display area (glass)			90	90	90	€/pcs
fixed partition of storage area (INOX)			65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm)			435	435	435	€/pcs
runner for small movable table	0,5	2	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)			230	230	230	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 (only with dynamic cooling)			530	530	530	€/set
box UVC - model 2.50 / 3.13 / 3.75 (only with dynamic cooling)			750	750	750	€/set
" * " please contact IGLOO Sales Department						

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



LUZON

+1 / +10°C



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
LUZON (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN-MOD
BA220	LUZON 0.94	1020 / 940	183	0,7	3030	2770
BA230	LUZON 1.25	1330 / 1250	243	1	3350	3090
BA240	LUZON 1.56	1650 / 1560	303	1,2	3860	3600
BA250	LUZON 1.88	1960 / 1875	366	1,4	4470	4210
BA260	LUZON 2.50	2580 / 2500	486	1,9	5220	4960
BA270	LUZON 3.13	3210 / 3125	609	2,4	6620	6370
BA280	LUZON 3.75	3830 / 3750	729	2,9	7170	6910
BA290	LUZON NW90	-	150	0,9	4730	4470
BA295	LUZON NZ90	-	150	0,9	-	4470
LUZON (REMOTE)						
BA220-c	LUZON 0.94-mod/C	940	183	0,7		2130
BA230-c	LUZON 1.25-mod/C	1250	243	1		2480
BA240-c	LUZON 1.56-mod/C	1560	303	1,2		2920
BA250-c	LUZON 1.88-mod/C	1875	366	1,4		3230
BA260-c	LUZON 2.50-mod/C	2500	486	1,9		3940
BA270-c	LUZON 3.13-mod/C	3125	609	2,4		5170
BA280-c	LUZON 3.75-mod/C	3750	729	2,9		5880
BA290-c	LUZON NW90-mod/C	-	150	0,9		3760
BA295-c	LUZON NZ90-mod/C	-	150	0,9		3760

Devices variants

		PLUG-IN	REMOTE	
W	dynamic cooling	+245	+245	€/meter
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers, dynamic cooling	+575	+575	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+355	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+355	-	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	-40	€/meter

Standard equipment

		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
static cooling	not included in model NZ90	+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
PES coated storage area	RAL9010	+	+	+
LED lighting	IGLOO pattern book	+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
INOX worktop		+	+	+
straight front glass	tilt down opening	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS	IGLOO pattern book	+	-	-

Options

	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	490	490	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	570	570	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	290	290	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	85	85	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
INOX display area – stepped – 2 steps	65	65	65	€/meter
INOX display area – stepped – 3 steps	75	75	75	€/meter
INOX storage area	160	160	160	€/meter
INOX AISI304 storage area	265	265	265	€/meter
powder coated evaporator	105	105	105	€/meter
sliding plexiglass covers	100	100	100	€/meter
granite worktop – grey	75	75	75	€/meter
granite worktop – balmoral	125	125	125	€/meter
granite worktop – black	220	220	220	€/meter
additional exposition glass shelf	115	115	115	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
LED lighting of base front - (IGLOO pattern book)	90	90	90	€/meter
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500mm)	230	230	230	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 (only with dynamic cooling)	530	530	530	€/set
box UVC - model 2.50 / 3.13 / 3.75 (only with dynamic cooling)	750	750	750	€/set
" * " please contact IGLOO Sales Department				


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



LUZON DEEP

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
LUZON DEEP (PLUG-IN)					PLUG-IN	PLUG-IN-MOD
BA220WG	LUZON DEEP 0.94	1020 / 940	140	0,9	3460	3210
BA230WG	LUZON DEEP 1.25	1330 / 1250	186	1,1	3900	3640
BA240WG	LUZON DEEP 1.56	1650 / 1560	232	1,4	4390	4130
BA250WG	LUZON DEEP 1.88	1960 / 1875	280	1,7	5060	4800
BA260WG	LUZON DEEP 2.50	2580 / 2500	372	2,3	5920	5660
BA270WG	LUZON DEEP 3.13	3210 / 3125	466	2,8	7370	7120
BA280WG	LUZON DEEP 3.75	3830 / 3750	558	3,4	8020	7770
BA290WG	LUZON DEEP NW90	-	-	1,1	5290	5040
BA295WG	LUZON DEEP NZ90	-	-	1,1	5290	5030
LUZON DEEP (REMOTE)						
BA220WG-c	LUZON DEEP 0.94-mod/C	940	140	0,9		2590
BA230WG-c	LUZON DEEP 1.25-mod/C	1250	186	1,1		2970
BA240WG-c	LUZON DEEP 1.56-mod/C	1560	232	1,4		3400
BA250WG-c	LUZON DEEP 1.88-mod/C	1875	280	1,7		4010
BA260WG-c	LUZON DEEP 2.50-mod/C	2500	372	2,3		4670
BA270WG-c	LUZON DEEP 3.13-mod/C	3125	466	2,8		5940
BA280WG-c	LUZON DEEP 3.75-mod/C	3750	558	3,4		6290
BA290WG-c	LUZON DEEP NW90-mod/C	-	-	1,1		4450
BA295WG-c	LUZON DEEP NZ90-mod/C	-	-	1,1		4440



Devices variants		PLUG--IN	REMO-TE	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVI-CE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers	+320	+320	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+385	-	€/meter
PG	heated exposition area, lamp panel with infrared halo-gens (+30 ÷ +60°C)	+385	-	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	-40	€/meter

Standard equipment		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
dynamic cooling		+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
PES coated storage area	RAL9010	+	+	+
LED lighting	IGLOO pattern book	+	+	+
energy saving EC fans		+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
INOX worktop		+	+	+
straight front glass	tilt down opening	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS		+	-	-

Options	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	490	490	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	570	570	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	290	290	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	85	85	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
powder coated display area – stepped – 1 step - (IGLOO pattern book)	120	120	120	€/meter
INOX display area – stepped – 1 step	175	175	175	€/meter
INOX AISI304 display area – stepped – 1 step	225	225	225	€/meter
powder coated display area – stepped – 2 steps - (IGLOO pattern book)	165	165	165	€/meter
INOX display area – stepped – 2 steps	245	245	245	€/meter
INOX AISI304 display area – stepped – 2 steps	305	305	305	€/meter
INOX storage area	160	160	160	€/meter
INOX AISI304 storage area	265	265	265	€/meter
powder coated evaporator	105	105	105	€/meter
sliding plexiglass covers	100	100	100	€/meter
granite worktop – grey	75	75	75	€/meter
granite worktop – balmoral	125	125	125	€/meter
granite worktop – black	220	220	220	€/meter
additional exposition glass shelf	115	115	115	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
LED lighting of base front - (IGLOO pattern book)	90	90	90	€/meter
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90	530	530	530	€/set
box UVC - model 2.50 / 3.13 / 3.75	750	750	750	€/set

„ * „ please contact IGLOO Sales Department

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




MAXIM


+2 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MAXIM (PLUG-IN)					
MXM125	MAXIM 1.25	1280	346	1,9	6 690
MXMS90	MAXIM SLIM 0.9	930	203	1,0	5 520
MXMS125	MAXIM SLIM 1.25	1280	282	1,4	6 470

MAXIM



MAXIM SLIM




Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
levels of adjustable shelves	glass - 2
AC fans	
powder coated external housing	IGLOO pattern book
price stripes	IGLOO pattern book
PCV front bumper	IGLOO pattern book
plexi side with screen printing	IGLOO pattern book
polyurethane thermal insulation CFC free	
condenser pollution alarm	

Options

	PLUG IN	
powder coated external housing - custom RAL *	95	€/meter
powder coated display area - custom RAL *	125	€/meter
INOX display area	430	€/meter
INOX AISI304 display area	685	€/meter
LED lighting - SIDES - (IGLOO pattern book)	150	€/set
thermometer of display area	40	€/pcs
electronic temperature recorder + software (IGLOO)	125	€/set
temperature recorder wire	45	€/pcs
set of wheels (castors)	260	€/set




MAXIM 2


+2 / +4°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MAXIM 2 (PLUG-IN)					
MX2120	MAXIM 2 1.0	1030	131	0,9	5 310
MX2130	MAXIM 2 1.25	1280	164	1,1	5 950

MAXIM 2



MAXIM 2 P



Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
AC fans	
powder coated external housing	IGLOO pattern book
price stripes	IGLOO pattern book
plexi side with screen printing	IGLOO pattern book
device with wheels	
polyurethane thermal insulation CFC free	
condenser pollution alarm	


Options

	PLUG IN	
powder coated external housing - custom RAL *	95	€/meter
INOX display area	95	€/meter
INOX AISI304 display area	145	€/meter
powder coated evaporator	105	€/meter
INOX front bumper	145	€/meter
set of sliding glass covers	785	€/meter
thermometer of display area	40	€/pcs

" * " please contact IGLOO Sales Department

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl





MONIKA

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MONIKA (PLUG-IN)					
MO100	MONIKA 2/1.0	1070	160	0,5	2460
MO101	MONIKA 2/1.3	1310	210	0,6	2720
MO102	MONIKA 2/1.5	1510	240	0,7	2880
MO103	MONIKA 2/1.7	1710	270	0,8	3110
MO104	MONIKA 2/2.05	2050	330	1	3370
MO105	MONIKA 2/2.5	2520	410	1,25	4150

Devices variants

		PLUG-IN	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+445	€/meter

Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
static cooling		+
automatic off-cycle defrosting		+
drainage of condensate into the container		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
LED lighting	IGLOO pattern book	+
powder coated external housing	FRONT - IGLOO pattern book	+
powder coated external housing	REAR – RAL9003	+
INOX worktop		+
curved front glass	tilt down opening	+
front bumper PCV	IGLOO pattern book	+
profile AL.	IGLOO pattern book	+
sides ABS	IGLOO pattern book	+
hinged rear storage doors		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+


Options

	PLUG-IN	
INOX external housing - REAR	245	€/meter
INOX external housing - FRONT	265	€/meter
powder coated external housing - FRONT - custom RAL *	85	€/meter
powder coated display area - (IGLOO pattern book)	0	€/meter
INOX AISI304 display area	65	€/meter
INOX storage area	125	€/meter
INOX AISI304 storage area	210	€/meter
powder coated evaporator	105	€/meter
sliding plexiglass covers	100	€/meter
granite worktop – grey	65	€/meter
granite worktop – balmoral	115	€/meter
granite worktop – black	195	€/meter
additional exposition glass shelf	115	€/meter
INOX shelf placed on the top of the front glass	100	€/meter
set of wheels (castors)	220	€/meter
electric heaters for evaporator defrost	125	€/meter
automatic evaporation of condensate	50	€/pcs
thermometer of display area	40	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
socket 230V	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	€/meter
low movable partition of display area (glass)	65	€/pcs
high fixed partiton of display area (glass)	75	€/pcs
fixed partition of storage area (INOX)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	€/pcs
" * " please contact IGLOO Sales Department		

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025





MONIKA DEEP

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MONIKA DEEP (PLUG-IN)					
MO100WG	MONIKA 2/1.0WG	1060	225	0,55	2880
MO101WG	MONIKA 2/1.3WG	1300	281	0,68	3170
MO102WG	MONIKA 2/1.5WG	1500	327	0,8	3350
MO103WG	MONIKA 2/1.7WG	1700	373	0,91	3570
MO104WG	MONIKA 2/2.05WG	2040	451	1,1	4090
MO105WG	MONIKA 2/2.5WG	2520	561	1,37	4780

Devices variants		PLUG-IN	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	€/meter

Standard equipment		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
drainage of condensate into the container		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
LED lighting	IGLOO pattern book	+
energy saving EC fans		+
powder coated external housing	FRONT - IGLOO pattern book	+
powder coated external housing	REAR – RAL9003	+
INOX worktop		+
curved front glass	tilt down opening	+
front bumper PCV	IGLOO pattern book	+
profile AL.	IGLOO pattern book	+
sides ABS	IGLOO pattern book	+
hinged rear storage doors		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options	PLUG-IN	
INOX external housing - REAR	245	€/meter
INOX external housing - FRONT	265	€/meter
powder coated external housing - FRONT - custom RAL *	85	€/meter
powder coated display area - (IGLOO pattern book)	0	€/meter
INOX AISI304 display area	65	€/meter
INOX storage area	125	€/meter
INOX AISI304 storage area	210	€/meter
powder coated evaporator	105	€/meter
sliding plexiglass covers	100	€/meter
granite worktop – grey	65	€/meter
granite worktop – balmoral	115	€/meter
granite worktop – black	195	€/meter
additional exposition glass shelf	115	€/meter
INOX shelf placed on the top of the front glass	100	€/meter
set of wheels (castors)	220	€/meter
electric heaters for evaporator defrost	125	€/meter
automatic evaporation of condensate	50	€/pcs
thermometer of display area	40	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
socket 230V	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	€/meter
low movable partition of display area (glass)	65	€/pcs
high fixed partiton of display area (glass)	75	€/pcs
fixed partition of storage area (INOX)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	€/pcs

„ * „ please contact IGLOO Sales Department

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




PICO

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PICO (PLUG-IN)					
MO200	PICO 0.98	1060	160	0,5	2510
MO201	PICO 1.22	1300	210	0,6	2780
MO202	PICO 1.42	1500	240	0,7	2970
MO203	PICO 1.62	1700	270	0,8	3150
MO204	PICO 1.96	2040	330	1	3390
MO205	PICO 2.44	2520	410	1,25	3990

Devices variants

		PLUG-IN	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+445	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	€/meter



Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
static cooling	not included in model NZ90	+
automatic off-cycle defrosting		+
drainage of condensate into the container		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
LED lighting	IGLOO pattern book	+
powder coated external housing	FRONT - IGLOO pattern book	+
powder coated external housing	REAR – RAL9003	+
INOX worktop		+
straight front glass	tilt down opening	+
front bumper PCV	IGLOO pattern book	+
profile AL.	IGLOO pattern book	+
sides ABS	IGLOO pattern book	+
hinged rear storage doors		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options

	PLUG-IN	
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	€/set
INOX external housing - REAR	245	€/meter
INOX external housing - FRONT	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	€/meter
powder coated display area - (IGLOO pattern book)	0	€/meter
INOX AISI304 display area	65	€/meter
INOX storage area	125	€/meter
INOX AISI304 storage area	210	€/meter
powder coated evaporator	105	€/meter
sliding plexiglass covers	100	€/meter
granite worktop – grey	65	€/meter
granite worktop – balmoral	115	€/meter
granite worktop – black	195	€/meter
additional exposition glass shelf	115	€/meter
set of wheels (castors)	220	€/meter
electric heaters for evaporator defrost	125	€/meter
automatic evaporation of condensate	50	€/pcs
LED lighting of base front - (IGLOO pattern book)	0	€/meter
thermometer of display area	40	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
socket 230V	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	€/meter
low movable partition of display area (glass)	75	€/pcs
high fixed partiton of display area (glass)	75	€/pcs
fixed partition of storage area (INOX)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	€/pcs
„ * „ please contact IGLOO Sales Department		

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




PICO DEEP

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PICO DEEP (PLUG-IN)					
MO200WG	PICO DEEP 0.98	1060	160	0,5	3050
MO201WG	PICO DEEP 1.22	1300	210	0,6	3270
MO202WG	PICO DEEP 1.42	1500	240	0,8	3500
MO203WG	PICO DEEP 1.62	1700	270	0,9	3740
MO204WG	PICO DEEP 1.96	2040	330	1,1	4110
MO205WG	PICO DEEP 2.44	2520	410	1,4	4790

Devices variants

		PLUG-IN	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	€/meter



Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
drainage of condensate into the container		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
LED lighting	IGLOO pattern book	+
energy saving EC fans		+
powder coated external housing	FRONT - IGLOO pattern book	+
powder coated external housing	REAR – RAL9003	+
INOX worktop		+
straight front glass	tilt down opening	+
front bumper PCV	IGLOO pattern book	+
profile AL.	IGLOO pattern book	+
sides ABS	IGLOO pattern book	+
hinged rear storage doors		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options

	PLUG-IN	
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	€/set
INOX external housing - REAR	245	€/meter
INOX external housing - FRONT	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	€/meter
powder coated display area - (IGLOO pattern book)	0	€/meter
INOX AISI304 display area	80	€/meter
INOX storage area	125	€/meter
INOX AISI304 storage area	210	€/meter
powder coated evaporator	105	€/meter
sliding plexiglass covers	100	€/meter
granite worktop – grey	65	€/meter
granite worktop – balmoral	115	€/meter
granite worktop – black	195	€/meter
additional exposition glass shelf	115	€/meter
set of wheels (castors)	220	€/meter
electric heaters for evaporator defrost	125	€/meter
automatic evaporation of condensate	50	€/pcs
LED lighting of base front - (IGLOO pattern book)	90	€/meter
thermometer of display area	40	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
socket 230V	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	€/meter
low movable partition of display area (glass)	75	€/pcs
high fixed partiton of display area (glass)	75	€/pcs
fixed partition of storage area (INOX)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	€/pcs
box UVC - model 0.98 / 1.22 / 1.42 / 1.62	530	€/set
box UVC - model 1.96 / 2.44	750	€/set
" * " please contact IGLOO Sales Department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



PROXIMA

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA					
PRX130	PROXIMA 1.25-mod/C	1250	264	1.1	4350
PRX140	PROXIMA 1.56 -mod/C	1563	340	1.4	5090
PRX150	PROXIMA 1.88-mod/C	1875	408	1.7	5430
PRX160	PROXIMA 2.50-mod/C	2500	552	2.3	6310
PRX180	PROXIMA 3.75-mod/C	3750	816	3.4	8880
PRXNW45	PROXIMA NW45-mod/C	-	110	0.56	5430
PRXNW90	PROXIMA NW90-mod/C	-	220	1,12	7130
PRXNZ45	PROXIMA NZ45-mod/C	-	110	0.56	5390
PRXNZ90	PROXIMA NZ90-mod/C	-	220	1,12	6960

Devices variants

		REMOTE	
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-120	€/meter
FISH	INOX AISI304 exposition tank, painted evaporator	+660	€/meter
GASTRO	INOX frame for GN containers	+320	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panelwith infrared halogens (+30 ÷ +90°C)	+1225	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+1225	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML)	+75	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR)	+95	€/meter

PROXIMA M (freezing counter)*

* Available in the lengths 1.25 / 1.88 / 2.50 - ask for details in the Customer Service Department



Standard equipment

		REMOTE
remote condensing unit / remote		+
dynamic cooling		+
automatic electric defrosting		+
siphoned condensate drain		-
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
LED lighting	IGLOO pattern book	+
AC fans		+
thermostatic expansion valve	HFC , HFO/HFC	+
powder coated external housing	FRONT - IGLOO pattern book	+
INOX worktop		+
curved front glass	lift-up opening	+
profile AL.	IGLOO pattern book	+
display area thermometer		+
polyurethane thermal insulation CFC free		+
INOX base column		+
front glass with anti-fog system		+

Options

	NZ45 [m]	NZ90 [m]	NW45 [m]	NW90 [m]	REMOTE	
combined sides glass with screen printing (L + R) - (IGLOO pattern book)					1330	€/set
INOX external housing - REAR	0,3	0,5	1,1	2,2	230	€/meter
INOX external housing - FRONT	1,2	2,3	0,5	0,8	100	€/meter
powder coated external housing - FRONT - custom RAL *					30	€/meter
powder coated base with full front cover - (IGLOO pattern book)					115	€/meter
powder coated display area - (IGLOO pattern book)					0	€/meter
INOX AISI304 display area					85	€/meter
powder coated display area – stepped – 1 step - (IGLOO pattern book)					120	€/meter
INOX display area – stepped – 1 step					175	€/meter
INOX AISI304 display area – stepped – 1 step					245	€/meter
powder coated display area – stepped – 2 steps - (IGLOO pattern book)					165	€/meter
INOX display area – stepped – 2 steps					225	€/meter
INOX AISI304 display area – stepped – 2 steps					305	€/meter
powder coated evaporator					105	€/meter
sliding plexiglass covers			1	2	100	€/meter
worktop INOX AISI304	1,1	2,2			80	€/meter
granite worktop – grey					80	€/meter
granite worktop – balmoral					110	€/meter
granite worktop – black					185	€/meter
INOX front bumper	0,5	0,5			185	€/meter
electronic temperature recorder + software (Igloo)					125	€/set
temperature recorder wire					45	€/pcs
socket 230V (unavailable for corners)					50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV					135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV					255	€/meter
low movable partition of display area (glass)					75	€/pcs
high fixed partiton of display area (glass)					90	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)					435	€/pcs
runner for small movable table	1,1	2,2			60	€/meter
small movable table for scale or cash register (400x500 mm)					230	€/pcs
temperature sensor NTC - 2 pcs. (not included electronic temperature controller)					-20	€/set
electronic expansion valve - EEV (not included electronic temperature controller) *					870	€/set
pressure transmitter (recommended for EEV) *					220	€/pcs
cooling system CO_2 (R744) (only with electronic expansion valve) *					445	€/meter
box UVC - model 0.94 / 1.25 / 1.88 / NW45 / NW90 / NZ45 / NZ90					530	€/set
box UVC - model 2.50 / 3.75					750	€/set
" * " please contact IGLOO Sales Department						

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



PROXIMA SQR

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA SQR					
PRX130SQ	PROXIMA 1.25 SQR-mod/C	1250	264	1.1	4 350
PRX140SQ	PROXIMA 1.56 SQR-mod/C	1563	340	1.4	5 090
PRX150SQ	PROXIMA 1.88 SQR-mod/C	1875	408	1.7	5 430
PRX160SQ	PROXIMA 2.50 SQR-mod/C	2500	552	2.3	6 310
PRX180SQ	PROXIMA 3.75 SQR-mod/C	3750	816	3.4	8 880
PRXNW45SQ	PROXIMA NW45 SQR-mod/C	-	110	0.56	5 430
PRXNW90SQ	PROXIMA NW90 SQR-mod/C	-	220	1.12	7 130
PRXNZ45SQ	PROXIMA NZ45 SQR-mod/C	-	110	0.56	5 390
PRXNZ90SQ	PROXIMA NZ90 SQR-mod/C	-	220	1.12	6 960


Devices variants

		REMOTE	
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-120	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+660	€/meter
GASTRO	stainless steel frame for GN containers	+320	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+1225	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+1225	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML)	+75	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR)	+95	€/meter
SU	hinged opening system of front glass (does not apply to NW) - IGLOO pattern book	+0	€/meter
BL	device without lamp profile (without lighting)	-70	€/meter


PROXIMA SQR M (freezing counter)*

* Available in the lengths **1.25 / 1.88 / 2.50** - ask for details in the Customer Service Department

PROXIMA SQR



PROXIMA SQR SP



Standard equipment

		REMOTE
remote condensing unit / remote		+
dynamic cooling		+
automatic electric defrosting		+
siphoned condensate drain		-
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
LED lighting	IGLOO pattern book	+
AC fans		+
thermostatic expansion valve	HFC , HFO/HFC	+
powder coated external housing	FRONT - IGLOO pattern book	+
INOX worktop		+
straight front glass	lift-up opening (not included in model NW90)	+
profile AL.	IGLOO pattern book	+
display area thermometer		+
polyurethane thermal insulation CFC free		+
INOX base column		+
front glass with anti-fog system		+

Options

	NZ45 [m]	NZ90 [m]	NW45 [m]	NW90 [m]	REMOTE	
combined sides glass with screen printing (L + R) - (IGLOO pattern book)					1330	€/set
INOX external housing - REAR	0,3	0,5	1,1	2,2	230	€/meter
INOX external housing - FRONT	1,2	2,3	0,5	0,8	100	€/meter
powder coated external housing - FRONT - custom RAL *					30	€/meter
powder coated base with full front cover - (IGLOO pattern book)					115	€/meter
powder coated display area - (IGLOO pattern book)					0	€/meter
INOX AISI304 display area					85	€/meter
powder coated display area – stepped – 1 step - (IGLOO pattern book)					120	€/meter
INOX display area – stepped – 1 step					175	€/meter
INOX AISI304 display area – stepped – 1 step					245	€/meter
powder coated display area – stepped – 2 steps - (IGLOO pattern book)					165	€/meter
INOX display area – stepped – 2 steps					225	€/meter
INOX AISI304 display area – stepped – 2 steps					305	€/meter
powder coated evaporator					105	€/meter
sliding plexiglass covers			1	2	100	€/meter
worktop INOX AISI304			1,1	2,2	80	€/meter
granite worktop – grey					80	€/meter
granite worktop – balmoral					110	€/meter
granite worktop – black					185	€/meter
INOX front bumper	0,5	0,5			185	€/meter
electronic temperature recorder + software (Igloo)					125	€/set
temperature recorder wire					45	€/pcs
socket 230V (unavailable for corners)					50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV					135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV					255	€/meter
low movable partition of display area (glass)					75	€/pcs
high fixed partiton of display area (glass)					90	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)					435	€/pcs
runner for small movable table	1,1	2,2			60	€/meter
small movable table for scale or cash register (400x500 mm)					230	€/pcs
temperature sensor NTC - 2 pcs. (not included electronic temperature controller)					-20	€/set
electronic expansion valve - EEV (not included electronic temperature controller) *					870	€/set
pressure transmitter (recommended for EEV) *					220	€/pcs
cooling system CO_2 (R744) (only with electronic expansion valve) *					445	€/meter
box UVC - model 0.94 / 1.25 / 1.88 / NW45 / NW90 / NZ45 / NZ90					530	€/set
box UVC - model 2.50 / 3.75					750	€/set
" * " please contact IGLOO Sales Department						

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




SAMOS


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
SAMOS (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN-MOD
SA220	SAMOS 0.94 S	1020 / 940	183	0,7	3760	3500
SA230	SAMOS 1.25 S	1330 / 1250	243	1	4120	3860
SA240	SAMOS 1.56 S	1650 / 1560	303	1,2	4670	4410
SA250	SAMOS 1.88 S	1960 / 1875	366	1,4	5380	5120
SA260	SAMOS 2.50 S	2580 / 2500	486	1,9	6550	6290
SA270	SAMOS 3.13 S	3210 / 3125	609	2,4	8300	8040
SA280	SAMOS 3.75 S	3830 / 3750	729	2,9	9080	8820
SA290	SAMOS NW90 S	-	150	0,9	5550	5290
SA295	SAMOS NZ90 W	-	150	0,9	-	5330
SA297	SAMOS NZ90 W P	-	-	-	-	5870
SAMOS (REMOTE)						
SA220-c	SAMOS 0.94 S -mod/C	940	183	0,7		2780
SA230-c	SAMOS 1.25 S -mod/C	1250	243	1		3210
SA240-c	SAMOS 1.56 S -mod/C	1560	303	1,2		3810
SA250-c	SAMOS 1.88 S -mod/C	1875	366	1,4		4350
SA260-c	SAMOS 2.50 S -mod/C	2500	486	1,9		5460
SA270-c	SAMOS 3.13 S -mod/C	3125	609	2,4		6860
SA280-c	SAMOS 3.75 S -mod/C	3750	729	2,9		7730
SA290-c	SAMOS NW90 S -mod/C	-	150	0,9		4530
SA-291-mod	SAMOS NW45 N-mod (AMBIENT)	-	-	-		3180
SA295-c	SAMOS NZ90 W -mod/C	-	150	0,9		4560
SA-296-mod	SAMOS NZ45 N-mod (AMBIENT)	-	-	-		3490
SA297-c	SAMOS NZ90 W P-mod/C	-	-	-		5580

SAMOS



SAMOS SP



Devices variants

		PLUG-IN	REMOTE	
W	dynamic cooling	+245	+245	€/meter
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-85	-85	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers, dynamic cooling	+575	+575	€/meter
BAIN-MA-RIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+385	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+385	-	€/meter

BL	device without lamp profile (without lighting)	-70	-70	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	+495	€/meter
SU	hinged opening system of front glass (does not apply to NW) - IGLOO pattern book	+0	+0	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	-40	€/meter

Standard equipment

		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
static cooling	not included in model NZ90	+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
INOX storage area		+	+	+
LED lighting	IGLOO pattern book	+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
granite worktop	grey	+	+	+
straight front glass	lift-up opening (not included in model NW90)	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
night blinds	plexi	+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS		+	-	-

Options

	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	490	490	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	570	570	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	290	290	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	85	85	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
INOX display area – stepped – 2 steps	65	65	65	€/meter
INOX display area – stepped – 3 steps	75	75	75	€/meter
INOX AISI304 storage area	145	145	145	€/meter
powder coated evaporator	105	105	105	€/meter
granite worktop – balmoral	75	75	75	€/meter
granite worktop – black	175	175	175	€/meter
INOX worktop	0	0	0	€/meter
additional exposition glass shelf with LED light - (IGLOO pattern book)	255	255	255	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
LED lighting of base front - (IGLOO pattern book)	90	90	90	€/meter
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
electric lock for front glass opening (only for SU version)	90	90	90	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 / NZ90 P (only with dynamic cooling)	530	530	530	€/set
box UVC - model 2.50 / 3.13 / 3.75 (only with dynamic cooling)	750	750	750	€/set
" * " please contact IGLOO Sales Department				

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




SAMOS DEEP


+1 / +10°C

Id	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
SAMOS DEEP (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN--MOD
SA220WG	SAMOS DEEP 0.94	1020 / 940	140	0,9	4270	4010
SA230WG	SAMOS DEEP 1.25	1330 / 1250	186	1,1	4670	4410
SA240WG	SAMOS DEEP 1.56	1650 / 1560	232	1,4	5290	5030
SA250WG	SAMOS DEEP 1.88	1960 / 1875	280	1,7	6130	5870
SA260WG	SAMOS DEEP 2.50	2580 / 2500	372	2,3	7370	7110
SA270WG	SAMOS DEEP 3.13	3210 / 3125	466	2,8	9130	8880
SA280WG	SAMOS DEEP 3.75	3830 / 3750	558	3,4	10080	9820
SA290WG	SAMOS DEEP NW90	-	-	1,1	6190	5940
SA295WG	SAMOS DEEP NZ90	-	-	1,1	6240	5980
SA297WG	SAMOS DEEP NZ90 P	-	-	-	6810	6550
SAMOS DEEP (REMOTE)						
SA220WG-c	SAMOS DEEP 0.94 -mod/C	940	140	0,9		3360
SA230WG-c	SAMOS DEEP 1.25 -mod/C	1250	186	1,1		3690
SA240WG-c	SAMOS DEEP 1.56 -mod/C	1560	232	1,4		4200
SA250WG-c	SAMOS DEEP 1.88 -mod/C	1875	280	1,7		4970
SA260WG-c	SAMOS DEEP 2.50 -mod/C	2500	372	2,3		6130
SA270WG-c	SAMOS DEEP 3.13 -mod/C	3130	466	2,8		7700
SA280WG-c	SAMOS DEEP 3.75 -mod/C	3750	558	3,4		8620
SA290WG-c	SAMOS DEEP NW90-mo-d/C	-	-	1,1		5150
SA291WG-c	SAMOS DEEP NW45N-mod (AMBIENT)	-	-	-		3550
SA295WG-c	SAMOS DEEP NZ90-mod/C	-	-	1,1		5210
SA296WG-c	SAMOS DEEP NZ45N-mod (AMBIENT)	-	-	-		3960
SA297WG-c	SAMOS DEEP NZ90 P-mod/C	-	-	-		6190

SAMOS DEEP



SAMOS DEEP SP



Devices variants

		PLUG-IN	REMO-TE	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-85	-85	€/meter
SELF SERVICE READY	front glass on guides	+175	+175	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers	+320	+320	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+385	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+385	-	€/meter

L	device with height of 1160 mm (lower base)	-	0	€/meter
BL	device without lamp profile (without lighting)	-70	-70	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	+495	€/meter
SU	hinged opening system of front glass (does not apply to NW) - IGLOO pattern book	+0	+0	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	-40	€/meter

Standard equipment

		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
dynamic cooling		+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
INOX storage area		+	+	+
LED lighting	IGLOO pattern book	+	+	+
energy saving EC fans		+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
granite worktop	grey	+	+	+
straight front glass	lift-up opening (not included in model NW90)	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
night blinds	plexi	+	+	+
hinged rear storage doors	not included in model NZ90, NZ90 STRAIGHT	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS	IGLOO pattern book	+	-	-

Options

	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	490	490	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	570	570	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	290	290	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	85	85	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
powder coated display area – stepped – 1 step - (IGLOO pattern book)	120	120	120	€/meter
INOX display area – stepped – 1 step	175	175	175	€/meter
INOX AISI304 display area – stepped – 1 step	245	245	245	€/meter
powder coated display area – stepped – 2 steps - (IGLOO pattern book)	165	165	165	€/meter
INOX display area – stepped – 2 steps	225	225	225	€/meter
INOX AISI304 display area – stepped – 2 steps	305	305	305	€/meter
INOX AISI304 storage area	145	145	145	€/meter
powder coated evaporator	105	105	105	€/meter
granite worktop – balmoral	75	75	75	€/meter
granite worktop – black	175	175	175	€/meter
INOX worktop	0	0	0	€/meter
additional exposition glass shelf with LED light - (IGLOO pattern book)	255	255	255	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
LED lighting of base front - (IGLOO pattern book)	90	90	90	€/meter
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
electric lock for front glass opening (only for SU version)	90	90	90	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
electronic expansion valve - EEV (not included electronic temperature controller) *	-	-	870	€/set
pressure transmitter (recommended for EEV) *	-	-	220	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 / NZ90 P	530	530	530	€/set
box UVC - model 2.50 / 3.13 / 3.75	750	750	750	€/set
" * " please contact IGLOO Sales Department				


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



SANTIAGO

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
SANTIAGO (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN--MOD
SA100	SANTIAGO 1.1 S	1040 / 960	170	0,8	3700	3430
SA101	SANTIAGO 1.4 S	1370 / 1290	220	1	4210	3940
SA102	SANTIAGO 1.7 S	1670 / 1590	270	1,2	4890	4610
SA103	SANTIAGO 2.1 S	2000 / 1920	325	1,5	5640	5370
SA104	SANTIAGO 2.5 S	2540 / 2460	420	1,9	6380	6100
SA180	SANTIAGO 3.75 S	3830 / 3750	640	2,9	8740	8470
SA107	SANTIAGO NW90 S	-	150	0,9	6030	5750
SA106W	SANTIAGO NZ90 W	-	170	1,1	-	6190
SANTIAGO (REMOTE)						
SA100-c	SANTIAGO 1.1 S -mod/C	960	170	0,8		2950
SA101-c	SANTIAGO 1.4 S -mod/C	1290	220	1		3360
SA102-c	SANTIAGO 1.7 S -mod/C	1590	270	1,2		3990
SA103-c	SANTIAGO 2.1 S -mod/C	1920	325	1,5		4620
SA104-c	SANTIAGO 2.5 S -mod/C	2460	420	1,9		5350
SA180-c	SANTIAGO 3.75 S -mod/C	3750	640	2,9		7300
SA107-c	SANTIAGO NW90 S -mod/C	-	150	0,9		5300
SA106W-c	SANTIAGO NZ90 W -mod/C	-	170	1,1		5170



Devices variants		PLUG-IN	REMOTE	
W	dynamic cooling	+245	+245	€/meter
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-85	-85	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers, dynamic cooling	+575	+575	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+385	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+385	-	€/meter
ML	wooden melamine front + base panel (IGLOO pattern book - ML), without bumper	+370	+370	€/meter
DRE	wooden front + base panel (IGLOO pattern book - DC / DR / TR), without bumper	+495	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, powder coated base - (IGLOO pattern book))	-40	-40	€/meter

Standard equipment		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
static cooling	not included in model NZ90	+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
INOX storage area		+	+	+
LED lighting	IGLOO pattern book	+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
granite worktop	grey	+	+	+
curved front glass	lift-up opening	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
night blinds	plexi	+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS		+	-	-


Options	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	530	530	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	610	610	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	315	315	315	€/meter
powder coated external housing - FRONT - custom RAL *	90	90	90	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
INOX display area – stepped – 2 steps	65	65	65	€/meter
INOX display area – stepped – 3 steps	75	75	75	€/meter
INOX AISI304 storage area	145	145	145	€/meter
powder coated evaporator	105	105	105	€/meter
granite worktop – balmoral	75	75	75	€/meter
granite worktop – black	175	175	175	€/meter
INOX worktop	0	0	0	€/meter
additional exposition glass shelf	115	115	115	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
box UVC - model 1.1 / 1.4 / 1.7 / NW90 / NZ90 (only with dynamic cooling)	530	530	530	€/set
box UVC - model 2.1 / 2.5 / 3.75 (only with dynamic cooling)	690	690	690	€/set
" * " please contact IGLOO Sales Department				

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



SANTIAGO DEEP

+1 / +10°C



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
SANTIAGO DEEP (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN-MOD
SA100WG	SANTIAGO 1.1 WG	1040 / 960	143	0,86	4240	3960
SA101WG	SANTIAGO 1.4 WG	1370 / 1290	192	1,16	4860	4590
SA102WG	SANTIAGO 1.7 WG	1670 / 1590	237	1,43	5740	5470
SA103WG	SANTIAGO 2.1 WG	2000 / 1920	286	1,73	6600	6330
SA104WG	SANTIAGO 2.5 WG	2540 / 2460	366	2,21	7430	7160
SA180WG	SANTIAGO 3.75 WG	3830 / 3750	558	3,38	9890	9620
SA107WG	SANTIAGO NW90WG	-	-	1,1	6920	6650
SA106WG	SANTIAGO NZ90WG	-	-	1	6790	6510
SANTIAGO DEEP (REMOTE)						
SA100WG-c	SANTIAGO 1.1 WG--mod/C	960	143	0,86		3360
SA101WG-c	SANTIAGO 1.4 WG--mod/C	1290	192	1,16		3830
SA102WG-c	SANTIAGO 1.7 WG--mod/C	1590	237	1,43		4720
SA103WG-c	SANTIAGO 2.1 WG--mod/C	1920	286	1,73		5540
SA104WG-c	SANTIAGO 2.5 WG--mod/C	2460	366	2,21		6110
SA180WG-c	SANTIAGO 3.75 WG--mod/C	3750	558	3,38		8400
SA107WG-c	SANTIAGO NW90WG--mod/C	-	-	1,1		6250
SA106WG-c	SANTIAGO NZ90WG--mod/C	-	-	1		6120

Devices variants		PLUG-IN	REMOTE	
SM	device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	+365	+170	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-85	-85	€/meter
FISH	INOX AISI304 exposition tank, powder coated evaporator	+495	+495	€/meter
GASTRO	INOX frame for GN containers	+320	+320	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with infrared halogens (+30 ÷ +90°C)	+385	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (+30 ÷ +60°C)	+385	-	€/meter
ML	wooden melamine front + base panel (IGLOO pattern book - ML), without bumper	+370	+370	€/meter
DRE	wooden front + base panel (IGLOO pattern book - DC / DR / TR), without bumper	+495	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, powder coated base - (IGLOO pattern book))	-40	-40	€/meter

Standard equipment		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
dynamic cooling		+	+	+
automatic off-cycle defrosting		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
INOX storage area		+	+	+
LED lighting	IGLOO pattern book	+	+	+
energy saving EC fans		+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
powder coated external housing	REAR – RAL9003	+	+	+
granite worktop	grey	+	+	+
curved front glass	lift-up opening	+	+	+
front bumper PCV	IGLOO pattern book	+	+	+
profile AL.	IGLOO pattern book	+	+	+
night blinds	plexi	+	+	+
hinged rear storage doors	not included in model NZ90	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS		+	-	-

Options	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	530	530	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	610	610	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	315	315	315	€/meter
powder coated external housing - FRONT - custom RAL *	90	90	90	€/meter
powder coated external housing - REAR - custom RAL *	65	65	65	€/meter
powder coated display area - (IGLOO pattern book)	0	0	0	€/meter
INOX AISI304 display area	100	100	100	€/meter
powder coated display area – stepped – 1 step - (IGLOO pattern book)	125	125	125	€/meter
INOX display area – stepped – 1 step	175	175	175	€/meter
INOX AISI304 display area – stepped – 1 step	245	245	245	€/meter
powder coated display area – stepped – 2 steps - (IGLOO pattern book)	175	175	175	€/meter
INOX display area – stepped – 2 steps	225	225	225	€/meter
INOX AISI304 display area – stepped – 2 steps	305	305	305	€/meter
INOX AISI304 storage area	145	145	145	€/meter
powder coated evaporator	105	105	105	€/meter
granite worktop – balmoral	75	75	75	€/meter
granite worktop – black	175	175	175	€/meter
INOX worktop	0	0	0	€/meter
additional exposition glass shelf	115	115	115	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
automatic evaporation of condensate	50	50	-	€/pcs
thermometer of display area	40	40	40	€/pcs
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	75	75	75	€/pcs
high fixed partiton of display area (glass)	90	90	90	€/pcs
fixed partition of storage area (INOX)	65	65	65	€/pcs
fixed insulated partition panel (increases the modlue lenght by 30 mm) - (IGLOO pattern book)	435	435	435	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
box UVC - model 1.1 / 1.4 / 1.7	530	530	530	€/set
box UVC - model 2.1 / 2.5 / 3.75	750	750	750	€/set
" * " please contact IGLOO Sales Department				

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



SUMBA


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
SUMBA (PLUG-IN) / (PLUG-IN-MOD)					PLUG-IN	PLUG-IN--MOD
SU100	SUMBA 1.0	980	120	0,65	3560	3300
SU101	SUMBA 1.5	1420	195	0,95	4280	4020
SU102	SUMBA 2.0	1960	260	1,3	5130	4870
SU103	SUMBA 2.5	2440	335	1,61	5900	5640
SU104	SUMBA NW90	-	185	0,88	5420	5160
SU105	SUMBA NZ	-	414	1,97	10120	9870
SUMBA (REMOTE)						
SU100-c	SUMBA 1.0–mod/C	980	215	0,65		2670
SU101-c	SUMBA 1.5–mod/C	1420	333	0,95		3520
SU102-c	SUMBA 2.0–mod/C	1960	451	1,3		4210
SU103-c	SUMBA 2.5–mod/C	2440	573	1,61		5000
SU104-c	SUMBA NW-mod/C	-	185	0,88		4660
SU105-c	SUMBA NZ-mod/C	-	414	1,97		8300


Devices variants

		PLUG-IN	REMOTE	
SU	hinged opening system of front glass	+170	+170	€/meter
ML	wooden melamine front panel (IGLOO pattern book - ML), INOX base, without bumper	+370	+370	€/meter
DRE	wooden front panel (IGLOO pattern book - DC / DR / TR) , INOX base, without bumper	+495	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, INOX base)	-40	-40	€/meter

SUMBA



SUMBA SU



Standard equipment

		PLUG-IN	PLUG-IN MOD	REMOTE
built-in condensing unit / plug-in		+	+	-
remote condensing unit / remote		-	-	+
static cooling	not included in model NZ90	+	+	+
automatic evaporation of condensate		+	+	+
drainage of condensate into the container		+	+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+	+
INOX display area		+	+	+
PES coated storage area		+	+	+
LED lighting	IGLOO pattern book	+	+	+
powder coated external housing	FRONT - IGLOO pattern book	+	+	+
PES coated external housing	REAR – RAL9010	+	+	+
granite worktop	grey	+	+	+
straight front glass	tilt down opening	+	+	+
profile AL.	IGLOO pattern book	+	+	+
night blinds	plexi	+	+	+
sliding rear storage doors	model 1.0, NZ90, NW90 - hinged	+	+	+
polyurethane thermal insulation CFC free		+	+	+
condenser pollution alarm		+	+	-
sides ABS		+	-	-

Options

	PLUG-IN	PLUG-IN MOD	REMOTE	
ABS sides + glass sides (L+R) - (IGLOO pattern book)	-	470	470	€/set
wooden sides + glass sides (L+R) - (IGLOO pattern book - DR / TR)	+90	560	560	€/set
INOX external housing - REAR	245	245	245	€/meter
INOX external housing - FRONT	290	290	290	€/meter
powder coated external housing - FRONT - custom RAL *	85	85	85	€/meter
INOX AISI304 display area	95	95	95	€/meter
INOX display area – stepped – 1 step	115	115	115	€/meter
INOX AISI304 display area – stepped – 1 step	185	185	185	€/meter
INOX display area – stepped – 2 steps	145	145	145	€/meter
INOX AISI304 display area – stepped – 2 steps	245	245	245	€/meter
INOX storage area	125	125	125	€/meter
INOX AISI304 storage area	210	210	210	€/meter
powder coated evaporator	175	175	175	€/meter
granite worktop – balmoral	75	75	75	€/meter
granite worktop – black	170	170	170	€/meter
INOX worktop	0	0	0	€/meter
additional exposition glass shelf with LED light - (IGLOO pattern book)	230	230	230	€/meter
set of wheels (castors)	220	220	-	€/meter
electric heaters for evaporator defrost	125	125	125	€/meter
electronic temperature recorder + software (Igloo)	125	125	125	€/set
temperature recorder wire	45	45	45	€/pcs
socket 230V (unavailable for corners)	50	50	50	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	135	135	135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	255	255	255	€/meter
low movable partition of display area (glass)	85	85	85	€/pcs
high fixed partiton of display area (glass)	95	95	95	€/pcs
runner for small movable table	60	60	60	€/meter
small movable table for scale or cash register (400x500 mm)	230	230	230	€/pcs
" * " please contact IGLOO Sales Department				

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




TATIANA

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TATIANA (PLUG-IN)					
TA100	TATIANA 1.0	990	90	0,5	1980
TA101	TATIANA 1.3	1300	120	0,67	2420
TA102	TATIANA 1.5	1500	140	0,77	2600
TA103	TATIANA 1.7	1700	160	0,88	2730

Devices variants


		PLUG-IN	
S	device with oblique top housing	0	€/meter
Z	device with cooled storage chamber with sliding doors (Tatiana 1.0 - storage chamber with hinged doors)	+560	€/meter
N	top over counter (device with straight top housing)	-50	€/meter
NS	top over counter (device with oblique top housing)	-50	€/meter
N2	top over counter (device with straight top housing and compressor pleaced on the side of the device)	-50	€/meter




TATIANA




TATIANA Z



TATIANA N



TATIANA NS



TATIANA N2

Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
static cooling		+
automatic off-cycle defrosting		+
drainage of condensate into the container		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
LED lighting	IGLOO pattern book	+
powder coated external housing	IGLOO pattern book	+
INOX worktop		+
curved front glass	tilt down opening	+
profile AL.	IGLOO pattern book	+
night blinds	plexi	+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options

	PLUG-IN	
powder coated external housing - custom RAL *	175	€/meter
INOX external housing	265	€/meter
INOX AISI304 display area	75	€/meter
INOX AISI304 worktop	65	€/meter
additional exposition glass shelf	100	€/meter
set of wheels (castors)	220	€/meter
automatic evaporation of condensate	50	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
low movable partition of display area (glass)	65	€/pcs
" * " please contact IGLOO Sales Department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

02

multidecks


KING AT 45
KING EVO 47
KING INVERTER 49
LUNA 51
MAX 53
MIŁOSZ 53
NORDIQ NEW 55
PAROS 57
PROXIMA SLIM OPEN 59
RODOS 61
TOBAGO 2 63
TOBAGO 3 65
VARIANT 70 (PLUG-IN) 67
VARIANT 70 (REMOTE) 69
VARIANT 80 (PLUG IN) 71
VARIANT 80 (REMOTE) 73
VARIO 3 75
VARIO 3 VE 77
VARIO 80 79
VARIO 90 81
VARIO 100 83
VARIO 110 85



COSTA

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
COSTA (REMOTE)					
PA101-c/dp	COSTA 1.3-mod/C	1230	780	2,6	4080
PA104-c/dp	COSTA 2.5-mod/C	2460	1500	5,2	6760



Standard equipment

	REMOTE
powered only by external aggregate	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
sliding door with insulated glass - self-closing	+
base sheet and bottom front panel with coloured sheet - selectable colour (Igloo pattern book)	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+
side interior lighting - fluorescent LED (selectable colour - white, confectionery or pink)	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
reinforced display shelves with adjustable height and suspension angle	+
price stripes – different colors available (Igloo pattern book)	+
bumper – different colors available (Igloo pattern book)	+
automatic defrost	+
electronic temperature controller with digital display (Igloo/Carel)	+

Options

	REMOTE	
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	875	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	€/set
insulated side panels made of stainless steel	1030	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	20	€/meter
base panel made of stainless steel	45	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	65	€/meter
front panel made of stainless steel	140	€/meter
base and front panel made of coated steel - selectable colour (Igloo pattern book)	0	€/meter
top full panel made of stainless steel	95	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	€/meter
good securing fence	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	€/meter of shelf
top mirrors	95	€/meter
meat hooks – long	125	€/meter
powder painted evaporator	100	€/meter
electric heaters for evaporator defrost	130	€/meter
fixed partition made of PETG (plexiglass)	205	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
top outlets of the cooling circuitry	85	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




KING AT

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING AT (PLUG-IN)					
KG100AT	KING 1.0 AT	1000	748	2,8	5950
KG101AT	KING 1.3 AT	1310	966	3,7	6740
KG102AT	KING 1.6 AT	1610	1208	4,6	7530
KG103AT	KING 1.9 AT	1920	1449	5,5	8640
KG104AT	KING 2.5 AT	2540	1944	7,4	10610
KING AT (REMOTE)					
KG100AT-c	KING 1.0 AT	920	748	2,8	2960
KG101AT-c	KING 1.3 AT	1230	966	3,7	3410
KG102AT-c	KING 1.6 AT	1530	1208	4,6	3990
KG103AT-c	KING 1.9 AT	1840	1449	5,5	4630
KG104AT-c	KING 2.5 AT	2460	1944	7,4	5660

Devices variants		PLUG-IN	REMOTE	
DP	self – closing sliding doors with combined glass	+910	+910	€/meter


KING AT DP




KING AT



KING AT DP REMOTE



KING AT REMOTE



Standard equipment		PLUG-IN	REMOTE
built-in condensing unit / plug-in		+	-
remote condensing unit / remote		-	+
dynamic cooling		+	
automatic off-cycle defrosting		+	
automatic evaporation of condensate	pump	+	
electronic temperature controller with digital display	IGLOO / CAREL	+	
powder coated display area	IGLOO pattern book	+	
levels of adjustable shelves		6	
LED lighting	upper internal - IGLOO pattern book	+	
AC fans		+	
thermostatic expansion valve	HFC, HFO/HFC	-	+
powder coated external housing	IGLOO pattern book	+	
LED lighting top panel	HIPS - IGLOO pattern book	+	
price stripes	IGLOO pattern book	+	
manual night blind	not included for variants DP	+	
powder coated side panels	IGLOO pattern book	+	-
back bottom outlets of the cooling circuitry		-	+
polyurethane thermal insulation CFC free		+	
condenser pollution alarm		+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-405	S	€/set
insulated side panels made of white coated steel - thickness : 40 mm (Igloo pattern book)	S	855	€/set
side panels made of double combined tempered glass	230	230	€/set
side panels made of double combined mirror	335	335	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	145	1030	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	65	65	€/meter
front panel made of stainless steel	170	170	€/meter
base and front panel made of coated steel (Igloo pattern book)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	125	125	€/meter
device interior and exposition shelves made of stainless steel	435	435	€/meter
device interior and exposition shelves made of acid resistant stainless steel	760	760	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or pink)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
fixed partition made of PETG (plexiglass)	215	215	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
automatic condenser vaporization (electric evaporator)	380	-	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



KING EVO


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING EVO (PLUG-IN)					
KG200AT	KING EVO 1.0 AT	1000	748	2,8	6 240
KG201AT	KING EVO 1.3 AT	1310	966	3,7	6 960
KG202AT	KING EVO 1.6 AT	1610	1208	4,6	7 810
KG203AT	KING EVO 1.9 AT	1920	1449	5,5	9 110
KG204AT	KING EVO 2.5 AT	2540	1944	7,4	10 780
KING EVO MOD/C (REMOTE)					
KG200AT-c	KING EVO 1.0 AT-c	920	748	2,8	3 470
KG201AT-c	KING EVO 1.3 AT-c	1230	966	3,7	3 960
KG202AT-c	KING EVO 1.6 AT-c	1530	1208	4,6	4 700
KG203AT-c	KING EVO 1.9 AT-c	1840	1449	5,5	5 210
KG204AT-c	KING EVO 2.5 AT-c	2460	1944	7,4	6 320
KG280AT-c	KING EVO 3.75 AT-c	3750	2910	11,2	9 810


Devices variants

		PLUG-IN	REMOTE	
DP	sliding door with insulated glass with DP soft closing system (blind excluded from the standard)	+960	+960	€/meter
DU	hinged door with DU insulated glass (blind excluded from the standard)	+1060	+1060	€/meter


KING EVO




KING EVO DU




KING EVO DP




KING EVO REMOTE



KING EVO DU REMOTE



KING EVO DP REMOTE



Standard equipment

		PLUG-IN	REMOTE
built-in condensing unit / plug-in		+	-
remote condensing unit / remote		-	+
dynamic cooling		+	
automatic off-cycle defrosting		+	
automatic evaporation of condensate	pump	+	
electronic temperature controller with digital display	IGLOO / CAREL	+	
powder coated display area	IGLOO pattern book	+	
levels of adjustable shelves		6	
LED lighting	upper internal - IGLOO pattern book	+	
energy saving EC fans		+	
thermostatic expansion valve	HFC, HFO/HFC	-	+
powder coated external housing	IGLOO pattern book	+	
price stripes	IGLOO pattern book	+	
manual night blind	not included for variants DP/DU	+	
shelf fence	PETG	+	
powder coated side panels	IGLOO pattern book	+	-
back bottom outlets of the cooling circuitry		-	+
polyurethane thermal insulation CFC free		+	
condenser pollution alarm		+	-

Options

	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-385	S	€/set
insulated sides with silkscreen print	695	1515	€/set
the sides combined with a mirror (ext. glass with full silkscreen, int. mirror)	395	1235	€/set
insulated side panels made of white coated steel with a mirror glass on the inside - selectable colour (Igloo pattern book)	S	880	€/set
insulated side panels made of stainless steel with a mirror glass on the inside	130	950	€/set
custom colour of full insulated sides (after consultation with the Igloo Sales Department)	75	75	€/set
custom bottom panel colour (after consultation with the Igloo Sales Department)	40	40	€/meter
custom upper panel colour with aluminium profile (after consultation with the Igloo Sales Department)	40	40	€/meter
bottom stainless steel panel	175	175	€/meter
custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)	125	125	€/meter
device interior and exposition shelves made of stainless steel	415	415	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	720	720	€/meter
additional shelf backlight - magnetic LED profile with changeable position	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	140	140	€/meter
fixed partition made of PETG (plexiglass)	215	215	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
automatic condenser vaporization (electric evaporator)	320	-	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




KING INVERTER

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING INVERTER DUT (PLUG-IN)					
KGI120DU	KING INVERTER 1.0 DUT	1070	803	2,4	8 050
KGI130DU	KING INVERTER 1.25 DUT	1320	1004	3,1	8 740
KGI140DU	KING INVERTER 1.6 DUT	1670	1286	3,9	9 960
KGI150DU	KING INVERTER 1.88 DUT	1945	1507	4,6	11 660
KGI160DU	KING INVERTER 2.50 DUT	2570	2009	6,2	14 040
KING INVERTER DPT (PLUG-IN)					
KGI120DP	KING INVERTER 1.0 DPT	1070	803	2,4	7 870
KGI130DP	KING INVERTER 1.25 DPT	1320	1004	3,1	8 740
KGI140DP	KING INVERTER 1.6 DPT	1670	1286	3,9	10 110
KGI150DP	KING INVERTER 1.88 DPT	1945	1507	4,6	11 840
KGI160DP	KING INVERTER 2.50 DPT	2570	2009	6,2	14 300

Devices variants		PLUG IN	
DUST	SLIM transparent hinged door system with double glazed glass	+825	€/meter

KING INVERTER DUT



KING INVERTER DPT



Standard equipment		PLUG IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic drain of condensate		+
electronic temperature controller with digital display	CAREL	+
powder coated display area	IGLOO pattern book	+
rows of adjustable shelves		5
LED lighting	upper internal - IGLOO pattern book	+
energy saving EC fans		+
powder coated external housing	IGLOO pattern book	+
price stripes	IGLOO pattern book	+
shelf fence	PETG	+
powder coated side panels	IGLOO pattern book	+
transparent hinged/sliding door system with double glazed glass	DUT / DPT	+
electronic expansion valve		+
polyurethane thermal insulation CFC free		+

Options	PLUG IN	
device without side panels prepared for multiplexing (MOD/A)	-385	€/set
powder coated side panels with mirror - selectable colour (IGLOO pattern book)	555	€/set
double combined glass side panels - selectable colour (IGLOO pattern book)	710	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	710	€/pcs
fixed partition made of plexiglass	225	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	130	€/meter
INOX display area	530	€/meter
INOX AISI304 display area	790	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	65	€/meter
INOX external housing	195	€/meter
INOX AISI304 external housing	230	€/meter
additional shelf LED lighting - selectable colour (Igloo pattern book)	105	€/meter of shelf
additional vertical LED lighting (variants DP/DU)- selectable colour (Igloo pattern book) model 1.0 / 1.25 - 2 pcs. ; 1.6 / 1.88 / 2.50 - 4 pcs. ; 3.75 - 6 pcs.	210	€/pcs
top mirrors	95	€/meter
meat hooks – long	125	€/meter
set of wheels (model 1.0 / 1.25 / 1.6)	245	€/set
powder painted evaporator	100	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




LUNA

+2 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LUNA (PLUG-IN)					
BL101.144	LUNA 60	600	180	0,79	3850
BL102.144	LUNA 90	900	270	1,19	4130
BL103.144	LUNA 120	1200	370	1,64	4840
BL105.144	LUNA 188	1930	600	2,66	7860
BL106.144	LUNA 313	3180	1000	4,44	11410
BL107.144	LUNA 375	3800	1200	5,33	13010
BL102.144.DP	LUNA 90.DP	900	270	1,19	5330
BL103.144.DP	LUNA 120.DP	1200	370	1,64	6140
BL105.144.DP	LUNA 188.DP	1930	600	2,66	9980
BL106.144.DP	LUNA 313.DP	3180	1000	4,44	14390
BL107.144.DP	LUNA 375.DP	3800	1200	5,33	17070

ID	Name	Length [mm]	Price €
LUNA - CORNER NEUTRAL			
BLNZ90NP	LUNA NZ90N right	710	640
BLNZ90NL	LUNA NZ90N left	710	640
BLNZ180N	LUNA NZ180N	-	1360


LUNA



LUNA DP



LUNA CORNER



Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
levels of adjustable shelves	
LED lighting	IGLOO pattern book
AC fans	
powder coated external housing	IGLOO pattern book
price stripes	IGLOO pattern book
manual night blind	
double combined side glass with screen printing	IGLOO pattern book
polyurethane thermal insulation CFC free	
condenser pollution alarm	

Options

	PLUG-IN	
custom colors of external housing (after consultation with the IGLOO Sales Department)	145	€/meter
external housing made of stainless steel	315	€/meter
custom colors of interior (after consultation with the IGLOO Sales Department)	105	€/meter
interior made of stainless steel sheet	275	€/meter
custom colors of exposition shelves (after consultation with the IGLOO Sales Department)	55	€/meter
exposition shelves made of stainless steel	85	€/meter
rear panel made of coated steel - selectable colour (Igloo pattern book)	140	€/meter
powder painted evaporator	100	€/meter
electronic temperature recorder + software (Igloo)	120	€/set
temperature recorder wire	50	€/pcs
set of wheels (for models 0.6 / 0.9 / 1.2 / 1.88)	125	€/set
set of wheels (for models 3.13 / 3.75)	265	€/set

Standard equipment

	LUNA CORNER
left or right version	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
exposition shelves on frame made of powder painted steel – different colors available (IGLOO pattern book)	+
price stripes – different colors available (IGLOO pattern book)	+

Options

	LUNA CORNER	
external housing made of stainless steel	+150	€/pcs
stainless steel frame	+125	€/pcs
exposition shelves made of stainless steel	+145	€/set

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl


v.2.0.2 | 09.2025



MAX

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MAX (PLUG-IN)					
MX100	MAX	600	118	1,2	2090



Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
levels of adjustable shelves	glass - 3
LED lighting	upper internal - IGLOO pattern book
AC fans	
powder coated external housing	IGLOO pattern book
ABS side panels	IGLOO pattern book
polyurethane thermal insulation CFC free	
condenser pollution alarm	

Options


	PLUG-IN	
custom colors of top front panel (after consultation with the Igloo Sales Department)	30	€/pcs
top full panel made of stainless steel	50	€/pcs
custom front panel color (after consultation with the Igloo Sales Department)	25	€/pcs
front panel made of stainless steel	40	€/pcs
custom base panel color (after consultation with the Igloo Sales Department)	30	€/pcs
base made of stainless steel	50	€/pcs
custom interior colour (after consultation with the Igloo Sales Department)	50	€/pcs
interior made of stainless steel	100	€/pcs
interior made of acid resistant steel	170	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
set of wheels (castors)	120	€/set



MIŁOSZ

+6 / +12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MIŁOSZ 2 (REMOTE)					
MI200	MIŁOSZ 2 1.0	920	150	0,9	2450
MI201	MIŁOSZ 2 1.3	1230	200	1,1	2790
MI202	MIŁOSZ 2 1.6	1530	260	1,7	3440
MI203	MIŁOSZ 2 1.9	1840	310	2	3850
MI204	MIŁOSZ 2 2.5	2460	410	2,3	4410



Standard equipment

remote condensing unit / remote	
dynamic cooling	
automatic off-cycle defrosting	
electronic temperature controller with digital display	IGLOO / CAREL
INOX display area	
levels of hooks	2
LED lighting	upper internal - IGLOO pattern book
AC fans	
thermostatic expansion valve	HFC, HFO/HFC
LED lighting canopy	HIPS - IGLOO pattern book
polyurethane thermal insulation CFC free	

Options

	REMOTE	
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	405	€/set
side panels made of double combined tempered glass or double combined mirror	175	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	475	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	115	€/set
insulated side panels made of stainless steel	605	€/set
base and front panel made of white coated steel - selectable colour (Igloo pattern book)	0	€/meter
top full panel made of stainless steel	70	€/meter
interior made of acid resistant steel	280	€/meter
night roller blind	125	€/meter
powder painted evaporator	100	€/meter
electric heaters for evaporator defrost	130	€/meter
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




NORDIQ

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
NORDIQ (PLUG IN) NEW					
NRQ-125	NORDIQ 1.25	1310	764	3,2	5580
NRQ-188	NORDIQ 1.88	1935	1147	4,8	8500
NRQ-250	NORDIQ 2.50	2560	1529	6,5	10090



NORDIQ 1.25 NORDIQ 1.88 NORDIQ 2.50



Standard equipment

built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic evaporation of condensate		+
electronic temperature controller with digital display	CAREL	+
powder coated display area	RAL9005	+
rows of adjustable shelves		5
LED lighting	upper internal + shelves	+
energy saving EC fans		+
powder coated external housing	RAL9005	+
price stripes	black	+
transparent hinged doors		+
shelf fence		+
double glazed sides glass		+
polyurethane thermal insulation CFC free		+


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




PAROS

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PAROS (PLUG-IN)					
PA100	PAROS 1.0	1000	500	1,7	4310
PA101	PAROS 1.3	1310	670	2,2	4790
PA102	PAROS 1.6	1610	840	2,8	5665
PA103	PAROS 1.9	1920	1000	3,4	6440
PA104	PAROS 2.5	2540	1280	4,5	7850
PAROS (REMOTE)					
PA100-c	PAROS 1.0-mod/C	920	580	2	2620
PA101-c	PAROS 1.3-mod/C	1230	780	2,6	3040
PA102-c	PAROS 1.6-mod/C	1530	970	3,4	3640
PA103-c	PAROS 1.9-mod/C	1840	1170	4	4160
PA104-c	PAROS 2.5-mod/C	2460	1500	5,4	5225





Standard equipment

	PLUG-IN	REMOTE
cooling system adapted to factor: R448A / R449A	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
insulated plastic side walls + glass side panels - different colors available (Igloo pattern book)	+	O
ecological polyurethane foam insulation	+	+
base and front panel with coloured sheet - selectable colour (Igloo pattern book)	+	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+	+
interior illumination - LED lights - different colors available (Igloo pattern book)	+	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+	+
exposition shelves with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
bumper – different colors available (IGLOO pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options

	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-330	S	€/pcs
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	S	605	€/set
side panels made of double combined tempered glass or double combined mirror	170	170	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	295	875	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	440	1030	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel (after consultation with the IGLOO Sales Department)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	725	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




PROXIMA SLIM OPEN


+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA SLIM OPEN (PLUG-IN)					
PRXS100	PROXIMA SLIM OPEN 1.25	1250	358	2	4455
PRXS101	PROXIMA SLIM OPEN 1.88	1880	536	3	6020
PRXS102	PROXIMA SLIM OPEN 2.50	2500	715	4	7285
PRXS103	PROXIMA SLIM OPEN 3.75	3750	1073	6	10130
PROXIMA SLIM OPEN (REMOTE)					
PRXS100-c	PROXIMA SLIM OPEN 1.25-mod/C	1250	358	2	1960
PRXS101-c	PROXIMA SLIM OPEN 1.88-mod/C	1880	536	3	3595
PRXS102-c	PROXIMA SLIM OPEN 2.50-mod/C	2500	715	4	4855
PRXS103-c	PROXIMA SLIM OPEN 3.75-mod/C	3750	1073	6	7740

PROXIMA SLIM OPEN



PROXIMA SLIM OPEN SELECT



Standard equipment		PLUG-IN	REMOTE
built-in condensing unit / plug-in		+	-
remote condensing unit / remote		-	+
dynamic cooling		+	
automatic off-cycle defrosting		+	
automatic evaporation of condensate		+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	
powder coated display area	IGLOO pattern book	+	
levels of adjustable shelves		2	
LED lighting	each shelf - IGLOO pattern book	+	
AC fans		+	
thermostatic expansion valve	HFC, HFO/HFC	-	+
powder coated external housing	IGLOO pattern book	+	
price stripes	IGLOO pattern book	+	
shelf fence	PETG	+	
PCV front bumper	grey or black	+	
double combined side glass with screen printing	IGLOO pattern book	+	-
back bottom outlets of the cooling circuitry		-	+
polyurethane thermal insulation CFC free		+	
condenser pollution alarm		+	-

Options	PLUG-IN	REMOTE	
external glass elements made of combined glass with black, white or gray RAL7042 silkscreen	S	1250	€/set.
bottom shelf made of stainless steel	100	100	€/meter
bottom shelf made of acid-resistant stainless steel	155	155	€/meter
exposition shelves on frame ,with height and angle adjustment, made of stainless steel	85	85	€/meter of shelf
exposition shelves on frame ,with height and angle adjustment, made of acid-resistant stainless steel	120	120	€/meter of shelf
frame and device internal made of stainless steel	130	130	€/meter
frame and device internal made of acid-resistant stainless steel	230	230	€/meter
front panel made of stainless steel	95	95	€/meter
base made of stainless steel	100	100	€/meter
electronic temperature recorder + software (IGLOO)	115	115	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-25	-25	€/set
electronic expansion valve - EEV (not included electronic temperature controller)*		820	€/set
pressure sensor (recommended for EEV)*		210	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*		420	€/meter
*more information - IGLOO sales department			


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




RODOS

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
RODOS (PLUG-IN)					
RS100	RODOS 1.0	1000	500	1,7	4375
RS101	RODOS 1.3	1310	670	2,2	4855
RS102	RODOS 1.6	1610	840	2,8	5740
RS103	RODOS 1.9	1920	1000	3,4	6465
RS104	RODOS 2.5	2540	1280	4,5	7965
RODOS (REMOTE)					
RS100-c	RODOS 1.0-mod/C	920	580	2	2705
RS101-c	RODOS 1.3-mod/C	1230	780	2,6	3145
RS102-c	RODOS 1.6-mod/C	1530	970	3,4	3750
RS103-c	RODOS 1.9-mod/C	1840	1170	4	4300
RS104-c	RODOS 2.5-mod/C	2460	1500	5,4	5380





Standard equipment	PLUG-IN	REMOTE
cooling system adapted to factor: R448A / R449A	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
insulated plastic sides with insulated glass - selectable colour (Igloo pattern book)	+	O
ecological polyurethane foam insulation	+	+
base and front panel with coloured sheet - selectable colour (Igloo pattern book)	+	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+	+
interior illumination - LED lights - different colors available (Igloo pattern book)	+	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+	+
exposition shelves with height and angle adjustment	+	+
price stripes – different colors available (Igloo pattern book)	+	+
bumper – different colors available (Igloo pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-390	S	€/pcs
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	S	700	€/set
side panels made of double combined tempered glass or double combined mirror	205	205	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	295	920	€/set
custom colours of side panels made of coated steel (after consultation with the Igloo Sales Department)	65	65	€/set
insulated side panels made of stainless steel	440	1030	€/set
custom base panel color (after consultation with the Igloo Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the Igloo Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel (after consultation with the Igloo Sales Department)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	725	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



TOBAGO 2

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TOBAGO 2 (REMOTE)					
TB230	TOBAGO 2/1.25-mod/C	1250	440	2,1	4220
TB250	TOBAGO 2/1.88-mod/C	1875	660	3,2	5385
TB260	TOBAGO 2/2.50-mod/C	2500	880	4,3	6740
TB280	TOBAGO 2/3.75-mod/C	3750	1320	6,4	9105
TB200E	TOBAGO 2 HEAD-mod/C	1960	660	3,2	8120



Standard equipment

remote condensing unit / remote	
dynamic cooling	
automatic off-cycle defrosting	
siphoned condensate drain	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
levels of adjustable shelves	3
LED lighting	upper internal - IGLOO pattern book
energy saving EC fans	
thermostatic expansion valve	HFC, HFO/HFC
powder coated external housing	IGLOO pattern book
INOX base plinth	
price stripes	IGLOO pattern book
manual night blind	
back bottom outlets of the cooling circuitry	
polyurethane thermal insulation CFC free	

Options

	REMOTE	
side panels made of double combined tempered glass or double combined mirror (TOBAGO 2 HEAD as standard)	1430	€/set
custom colors of top front panel (after consultation with the IGLOO Sales Department)	55	€/meter
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	405	€/meter
device interior and exposition shelves made of acid – resistant stainless steel	645	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
good securing fence	25	€/meter of shelf
fixed partition made of PETG (plexiglass)	215	€/pcs
front buffer with stainless steel profile	175	€/meter
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-20	€/set
electric heaters for evaporator defrost	140	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	820	€/set
pressure sensor (recommended for EEV)*	210	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



TOBAGO 3


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TOBAGO 3 (REMOTE)					
TB330	TOBAGO 3/1.25-mod/C	1250	440	2,1	4350
TB350	TOBAGO 3/1.88-mod/C	1875	660	3,2	5645
TB360	TOBAGO 3/2.50-mod/C	2500	880	4,3	7040
TB380	TOBAGO 3/3.75-mod/C	3750	1320	6,4	9530
TB300E	TOBAGO 3/HEAD-mod/C *	1960	660	3,2	7935


* including a set of sides

Devices variants		REMOTE	
DP-Clear	Sliding doors with combined glass full transparent – door soft closing system (DP)	+845	€/meter

TOBAGO 3



TOBAGO 3 DP



Standard equipment

remote condensing unit / remote	
dynamic cooling	
automatic off-cycle defrosting	
siphoned condensate drain	
electronic temperature controller with digital display	IGLOO / CAREL
powder coated display area	IGLOO pattern book
levels of adjustable shelves	3
LED lighting	upper internal - IGLOO pattern book
energy saving EC fans	
thermostatic expansion valve	HFC, HFO/HFC
powder coated external housing	IGLOO pattern book
INOX base plinth	
price stripes	IGLOO pattern book
manual night blind	
shelf fence	PETG
back bottom outlets of the cooling circuitry	
polyurethane thermal insulation CFC free	

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1430	€/set
custom colors of top front panel (after consultation with the IGLOO Sales Department)	55	€/meter
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	405	€/meter
device interior and exposition shelves made of acid resistant stainless steel	645	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
fixed partition made of PETG (plexiglass)	215	€/pcs
INOX front bumper	180	€/meter
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-25	€/set
electric heaters for evaporator defrost	140	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	820	€/set
pressure sensor (recommended for EEV)*	210	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIANT 70 (PLUG-IN)


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT 70 L (PLUG IN)					
VT100.700L	VARIANT 1.0 70L	1070	563	2,0	4955
VT101.700L	VARIANT 1.25 70L	1320	703	2,5	5580
VT102.700L	VARIANT 1.6 70L	1670	900	3,2	7390
VT103.700L	VARIANT 1.88 70L	1945	1058	3,8	8105
VT104.700L	VARIANT 2.50 70L	2570	1407	5,0	9115
VT105.700L	VARIANT 3.75 70L	3820	2110	7,6	15210
VT100.700L.DP	VARIANT 1.0 70L.DP	1070	563	2,1	5855
VT101.700L.DP	VARIANT 1.25 70L.DP	1320	703	2,6	6695
VT102.700L.DP	VARIANT 1.6 70L.DP	1670	900	3,3	8440
VT103.700L.DP	VARIANT 1.88 70L.DP	1945	1058	3,9	9715
VT104.700L.DP	VARIANT 2.50 70L.DP	2570	1407	5,2	11360
VT105.700L.DP	VARIANT 3.75 70L.DP	3820	2110	7,8	15720
VT100.700L.DU	VARIANT 1.0 70L.DU	1070	563	2,1	5855
VT101.700L.DU	VARIANT 1.25 70L.DU	1320	703	2,6	6695
VT102.700L.DU	VARIANT 1.6 70L.DU	1670	900	3,3	8440
VT103.700L.DU	VARIANT 1.88 70L.DU	1945	1058	3,9	9715
VT104.700L.DU	VARIANT 2.50 70L.DU	2570	1407	5,2	11360
VT105.700L.DU	VARIANT 3.75 70L.DU	3820	2110	7,8	15720
VARIANT 70 H (PLUG IN)					
VT100.700H	VARIANT 1.0 70H	1070	627	2,4	5090
VT101.700H	VARIANT 1.25 70H	1320	784	3,0	5705
VT102.700H	VARIANT 1.6 70H	1670	1003	3,9	7530
VT103.700H	VARIANT 1.88 70H	1945	1179	4,5	8345
VT104.700H	VARIANT 2.50 70H	2570	1568	6,1	9260
VT105.700H	VARIANT 3.75 70H	3820	2352	9,1	15710
VT100.700H.DP	VARIANT 1.0 70H.DP	1070	627	2,5	5930
VT101.700H.DP	VARIANT 1.25 70H.DP	1320	784	3,1	6780
VT102.700H.DP	VARIANT 1.6 70H.DP	1670	1003	4,0	8560
VT103.700H.DP	VARIANT 1.88 70H.DP	1945	1179	4,6	9870
VT104.700H.DP	VARIANT 2.50 70H.DP	2570	1568	6,2	11525
VT105.700H.DP	VARIANT 3.75 70H.DP	3820	2352	9,3	15985
VT100.700H.DU	VARIANT 1.0 70H.DU	1070	627	2,5	5930
VT101.700H.DU	VARIANT 1.25 70H.DU	1320	784	3,1	6780
VT102.700H.DU	VARIANT 1.6 70H.DU	1670	1003	4,0	8560
VT103.700H.DU	VARIANT 1.88 70H.DU	1945	1179	4,6	9870
VT104.700H.DU	VARIANT 2.50 70H.DU	2570	1568	6,2	11525
VT105.700H.DU	VARIANT 3.75 70H.DU	3820	2352	9,3	15985


VARIANT 70L




VARIANT 70L.DU




VARIANT 70L.DP




VARIANT 70H



VARIANT 70H.DU



VARIANT 70H.DP



Devices variants		L	H	
DR	manual shutter doors with lock (possible only with side panels)	+615	+615	€/meter

Standard equipment		L	H
built-in condensing unit / plug-in		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
automatic evaporation of condensate		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
rows of adjustable shelves		4	5
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
price stripes	IGLOO pattern book	+	+
manual night blind	not included for variants DP/DU/DR	+	+
shelf fence	PETG	+	+
powder coated side panels	IGLOO pattern book	+	+
polyurethane thermal insulation CFC free		+	+
condenser pollution alarm		+	+

Options		L	H	
device without side panels prepared for multiplexing (MOD/A)		-370	-405	€/set
powder coated side panels with mirror - selectable colour (IGLOO pattern book)		530	590	€/set
double combined glass side panels - selectable colour (IGLOO pattern book)		650	750	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)		670	750	€/pcs
fixed partition made of plexiglass		220	245	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)		125	135	€/meter
INOX display area		490	560	€/meter
INOX AISI304 display area		730	840	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)		75		€/meter
INOX external housing		205		€/meter
INOX AISI304 external housing		245		€/meter
additional shelf LED lighting - selectable colour (Igloo pattern book)		110		€/meter
additional vertical LED lighting (variants DP/DU)- selectable colour (Igloo pattern book) pcs. ; 1.6 / 1.88 / 2.50 - 4 pcs. ; 3.75 - 6 pcs.	model 1.0 / 1.25 - 2	225		€/pcs
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)		105		€/meter
top mirrors		100		€/meter
meat hooks – long		135		€/meter
set of wheels (model 1.0 / 1.25 / 1.6)		260		€/set
electric night blind		420		€/meter
powder painted evaporator		105		€/meter
electric heaters for evaporator defrost		135		€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIANT 70 (REMOTE)


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT 70 L (REMOTE)					
VT100.700L-c	VARIANT 1.0 70L-mod/C	1000	563	2,3	3680
VT101.700L-c	VARIANT 1.25 70L-mod/C	1250	703	2,9	3900
VT102.700L-c	VARIANT 1.6 70L-mod/C	1600	900	3,7	4690
VT103.700L-c	VARIANT 1.88 70L-mod/C	1875	1058	4,4	4815
VT104.700L-c	VARIANT 2.50 70L-mod/C	2500	1407	5,8	5830
VT105.700L-c	VARIANT 3.75 70L-mod/C	3750	2110	8,7	7965
VT100.700L.DP-c	VARIANT 1.0 70L.DP-mod/C	1000	563	2,4	4700
VT101.700L.DP-c	VARIANT 1.25 70L.DP-mod/C	1250	703	3,0	5070
VT102.700L.DP-c	VARIANT 1.6 70L.DP-mod/C	1600	900	3,8	6315
VT103.700L.DP-c	VARIANT 1.88 70L.DP-mod/C	1875	1058	4,5	6725
VT104.700L.DP-c	VARIANT 2.50 70L.DP-mod/C	2500	1407	5,9	8045
VT105.700L.DP-c	VARIANT 3.75 70L.DP-mod/C	3750	2110	8,9	11375
VT100.700L.DU-c	VARIANT 1.0 70L.DU-mod/C	1000	563	2,4	4700
VT101.700L.DU-c	VARIANT 1.25 70L.DU-mod/C	1250	703	3,0	5070
VT102.700L.DU-c	VARIANT 1.6 70L.DU-mod/C	1600	900	3,8	6315
VT103.700L.DU-c	VARIANT 1.88 70L.DU-mod/C	1875	1058	4,5	6725
VT104.700L.DU-c	VARIANT 2.50 70L.DU-mod/C	2500	1407	5,9	8045
VT105.700L.DU-c	VARIANT 3.75 70L.DU-mod/C	3750	2110	8,9	11375
VARIANT 70 H (REMOTE)					
VT100.700H-c	VARIANT 1.0 70H-mod/C	1000	627	2,8	3825
VT101.700H-c	VARIANT 1.25 70H-mod/C	1250	784	3,5	4000
VT102.700H-c	VARIANT 1.6 70H-mod/C	1600	1003	4,4	4875
VT103.700H-c	VARIANT 1.88 70H-mod/C	1875	1179	5,2	5090
VT104.700H-c	VARIANT 2.50 70H-mod/C	2500	1568	6,9	5965
VT105.700H-c	VARIANT 3.75 70H-mod/C	3750	2352	10,4	8070
VT100.700H.DP-c	VARIANT 1.0 70H.DP-mod/C	1000	627	2,9	4895
VT101.700H.DP-c	VARIANT 1.25 70H.DP-mod/C	1250	784	3,6	5325
VT102.700H.DP-c	VARIANT 1.6 70H.DP-mod/C	1600	1003	4,5	6610
VT103.700H.DP-c	VARIANT 1.88 70H.DP-mod/C	1875	1179	5,3	7130
VT104.700H.DP-c	VARIANT 2.50 70H.DP-mod/C	2500	1568	7,1	8500
VT105.700H.DP-c	VARIANT 3.75 70H.DP-mod/C	3750	2352	10,6	12015
VT100.700H.DU-c	VARIANT 1.0 70H.DU-mod/C	1000	627	2,9	4895
VT101.700H.DU-c	VARIANT 1.25 70H.DU-mod/C	1250	784	3,6	5325
VT102.700H.DU-c	VARIANT 1.6 70H.DU-mod/C	1600	1003	4,5	6610
VT103.700H.DU-c	VARIANT 1.88 70H.DU-mod/C	1875	1179	5,3	7130
VT104.700H.DU-c	VARIANT 2.50 70H.DU-mod/C	2500	1568	7,1	8500
VT105.700H.DU-c	VARIANT 3.75 70H.DU-mod/C	3750	2352	10,6	12015


VARIANT 70L




VARIANT 70L.DU




VARIANT 70L.DP




VARIANT 70H



VARIANT 70H.DU



VARIANT 70H.DP



Devices variants

		L	H	
DR	manual shutter doors with lock (possible only with side panels)	+615	+615	€/meter

Standard equipment

		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
rows of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
powder coated external housing	IGLOO pattern book	+	+
price stripes	IGLOO pattern book	+	+
manual night blind	not included for variants DP/DU/DR	+	+
shelf fence	PETG	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options

	L	H	
powder coated side panels - selectable colour (IGLOO pattern book)	770	830	€/set
powder coated side panels with mirror - selectable colour (IGLOO pattern book)	1015	1255	€/set
double combined glass side panels - selectable colour (IGLOO pattern book)	1415	1520	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	710	790	€/pcs
fixed partition made of plexiglass	235	260	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	135	150	€/meter
INOX display area	690	750	€/meter
INOX AISI304 display area	975	1085	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
additional shelf LED lighting - selectable colour (Igloo pattern book)	110		€/meter
additional vertical LED lighting (variants DP/DU) - selectable colour (Igloo pattern book) model 1.0 / 1.25 - 2 pcs. ; 1.6 / 1.88 / 2.50 - 4 pcs. ; 3.75 - 6 pcs.	225		€/pcs
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
top mirrors	100		€/meter
meat hooks – long	135		€/meter
electric night blind	420		€/meter
powder painted evaporator	105		€/meter
electric heaters for evaporator defrost	135		€/meter
condensate pump (up to 0,6m height)	340		€/pcs
top outlets of the cooling circuitry	90		€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	870		€/set
pressure sensor (recommended for EEV)*	220		€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445		€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




VARIANT 80 (PLUG IN)


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT 80 L (PLUG IN)					
VT100.800L	VARIANT 1.0 80L	1070	563	2,3	5175
VT101.800L	VARIANT 1.25 80L	1320	703	2,9	5865
VT102.800L	VARIANT 1.6 80L	1670	900	3,7	7660
VT103.800L	VARIANT 1.88 80L	1945	1058	4,4	8440
VT104.800L	VARIANT 2.50 80L	2570	1407	5,8	9585
VT105.800L	VARIANT 3.75 80L	3820	2110	8,7	15595
VT100.800L.DP	VARIANT 1.0 80L.DP	1070	563	2,4	6070
VT101.800L.DP	VARIANT 1.25 80L.DP	1320	703	3,0	6930
VT102.800L.DP	VARIANT 1.6 80L.DP	1670	900	3,8	8710
VT103.800L.DP	VARIANT 1.88 80L.DP	1945	1058	4,5	10100
VT104.800L.DP	VARIANT 2.50 80L.DP	2570	1407	5,9	11795
VT105.800L.DP	VARIANT 3.75 80L.DP	3820	2110	8,9	16100
VT100.800L.DU	VARIANT 1.0 80L.DU	1070	563	2,4	6070
VT101.800L.DU	VARIANT 1.25 80L.DU	1320	703	3,0	6930
VT102.800L.DU	VARIANT 1.6 80L.DU	1670	900	3,8	8710
VT103.800L.DU	VARIANT 1.88 80L.DU	1945	1058	4,5	10100
VT104.800L.DU	VARIANT 2.50 80L.DU	2570	1407	5,9	11795
VT105.800L.DU	VARIANT 3.75 80L.DU	3820	2110	8,9	16100
VARIANT 80 H (PLUG IN)					
VT100.800H	VARIANT 1.0 80H	1070	627	2,8	5310
VT101.800H	VARIANT 1.25 80H	1320	784	3,5	5995
VT102.800H	VARIANT 1.6 80H	1670	1003	4,4	7800
VT103.800H	VARIANT 1.88 80H	1945	1179	5,2	8685
VT104.800H	VARIANT 2.50 80H	2570	1568	6,9	9755
VT105.800H	VARIANT 3.75 80H	3820	2352	10,4	16090
VT100.800H.DP	VARIANT 1.0 80H.DP	1070	627	2,9	6145
VT101.800H.DP	VARIANT 1.25 80H.DP	1320	784	3,6	7040
VT102.800H.DP	VARIANT 1.6 80H.DP	1670	1003	4,5	8825
VT103.800H.DP	VARIANT 1.88 80H.DP	1945	1179	5,3	10230
VT104.800H.DP	VARIANT 2.50 80H.DP	2570	1568	7,1	11960
VT105.800H.DP	VARIANT 3.75 80H.DP	3820	2352	10,6	16370
VT100.800H.DU	VARIANT 1.0 80H.DU	1070	627	2,9	6145
VT101.800H.DU	VARIANT 1.25 80H.DU	1320	784	3,6	7040
VT102.800H.DU	VARIANT 1.6 80H.DU	1670	1003	4,5	8825
VT103.800H.DU	VARIANT 1.88 80H.DU	1945	1179	5,3	10230
VT104.800H.DU	VARIANT 2.50 80H.DU	2570	1568	7,1	11960
VT105.800H.DU	VARIANT 3.75 80H.DU	3820	2352	10,6	16370


VARIANT 80L




VARIANT 80L.DU




VARIANT 80L.DP




VARIANT 80H



VARIANT 80H.DU



VARIANT 80H.DP



Devices variants

		L	H	
DR	manual shutter doors with lock (possible only with side panels)	+615	+615	€/meter

Standard equipment

		L	H
built-in condensing unit / plug-in		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
automatic evaporation of condensate		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
rows of adjustable shelves		4	5
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
price stripes	IGLOO pattern book	+	+
manual night blind	not included for variants DP/DU/DR	+	+
shelf fence	PETG	+	+
powder coated side panels	IGLOO pattern book	+	+
polyurethane thermal insulation CFC free		+	+
condenser pollution alarm		+	+

Options

	L	H	
device without side panels prepared for multiplexing (MOD/A)	-405	-450	€/set
powder coated side panels with mirror - selectable colour (IGLOO pattern book)	570	630	€/set
double combined glass side panels - selectable colour (IGLOO pattern book)	690	790	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	730	830	€/pcs
fixed partition made of plexiglass	235	260	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	130	145	€/meter
INOX display area	570	640	€/meter
INOX AISI304 display area	810	920	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
additional shelf LED lighting - selectable colour (Igloo pattern book)	110		€/meter
additional vertical LED lighting (variants DP/DU)- selectable colour (Igloo pattern book) - 2 pcs. ; 1.6 / 1.88 / 2.50 - 4 pcs. ; 3.75 - 6 pcs. — model 1.0 / 1.25	225		€/pcs
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
top mirrors	100		€/meter
meat hooks – long	135		€/meter
set of wheels (model 1.0 / 1.25 / 1.6)	260		€/set
electric night blind	420		€/meter
powder painted evaporator	105		€/meter
electric heaters for evaporator defrost	135		€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



VARIANT 80 (REMOTE)

+1 / +10°C


VARIANT 80 L (REMOTE)

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VT100.800L-c	VARIANT 1.0 80L-mod/C	1000	705	2,8	3745
VT101.800L-c	VARIANT 1.25 80L-mod/C	1250	882	3,5	3985
VT102.800L-c	VARIANT 1.6 80L-mod/C	1600	1129	4,4	4775
VT103.800L-c	VARIANT 1.88 80L-mod/C	1875	1326	5,2	5050
VT104.800L-c	VARIANT 2.50 80L-mod/C	2500	1763	6,9	5935
VT105.800L-c	VARIANT 3.75 80L-mod/C	3750	2645	10,4	8085
VT100.800L.DP-c	VARIANT 1.0 80L.DP-mod/C	1000	705	2,8	4765
VT101.800L.DP-c	VARIANT 1.25 80L.DP-mod/C	1250	882	3,5	5155
VT102.800L.DP-c	VARIANT 1.6 80L.DP-mod/C	1600	1129	4,5	6395
VT103.800L.DP-c	VARIANT 1.88 80L.DP-mod/C	1875	1326	5,3	6960
VT104.800L.DP-c	VARIANT 2.50 80L.DP-mod/C	2500	1763	7,1	8155
VT105.800L.DP-c	VARIANT 3.75 80L.DP-mod/C	3750	2645	10,6	11495
VT100.800L.DU-c	VARIANT 1.0 80L.DU-mod/C	1000	705	2,8	4765
VT101.800L.DU-c	VARIANT 1.25 80L.DU-mod/C	1250	882	3,5	5155
VT102.800L.DU-c	VARIANT 1.6 80L.DU-mod/C	1600	1129	4,5	6395
VT103.800L.DU-c	VARIANT 1.88 80L.DU-mod/C	1875	1326	5,3	6960
VT104.800L.DU-c	VARIANT 2.50 80L.DU-mod/C	2500	1763	7,1	8155
VT105.800L.DU-c	VARIANT 3.75 80L.DU-mod/C	3750	2645	10,6	11495


VARIANT 80 H (REMOTE)

VT100.800H-c	VARIANT 1.0 80H-mod/C	1000	778	3,2	3895
VT101.800H-c	VARIANT 1.25 80H-mod/C	1250	972	4,0	4085
VT102.800H-c	VARIANT 1.6 80H-mod/C	1600	1244	5,2	4955
VT103.800H-c	VARIANT 1.88 80H-mod/C	1875	1462	6,0	5325
VT104.800H-c	VARIANT 2.50 80H-mod/C	2500	1944	8,1	6070
VT105.800H-c	VARIANT 3.75 80H-mod/C	3750	2916	12,1	8190
VT100.800H.DP-c	VARIANT 1.0 80H.DP-mod/C	1000	778	3,3	4965
VT101.800H.DP-c	VARIANT 1.25 80H.DP-mod/C	1250	972	4,1	5405
VT102.800H.DP-c	VARIANT 1.6 80H.DP-mod/C	1600	1244	5,2	6695
VT103.800H.DP-c	VARIANT 1.88 80H.DP-mod/C	1875	1462	6,1	7360
VT104.800H.DP-c	VARIANT 2.50 80H.DP-mod/C	2500	1944	8,2	8610
VT105.800H.DP-c	VARIANT 3.75 80H.DP-mod/C	3750	2916	12,3	12135
VT100.800H.DU-c	VARIANT 1.0 80H.DU-mod/C	1000	778	3,3	4965
VT101.800H.DU-c	VARIANT 1.25 80H.DU-mod/C	1250	972	4,1	5405
VT102.800H.DU-c	VARIANT 1.6 80H.DU-mod/C	1600	1244	5,2	6695
VT103.800H.DU-c	VARIANT 1.88 80H.DU-mod/C	1875	1462	6,1	7360
VT104.800H.DU-c	VARIANT 2.50 80H.DU-mod/C	2500	1944	8,2	8610
VT105.800H.DU-c	VARIANT 3.75 80H.DU-mod/C	3750	2916	12,3	12135


VARIANT 80L




VARIANT 80L.DU




VARIANT 80L.DP




VARIANT 80H



VARIANT 80H.DU



VARIANT 80H.DP



Devices variants

		L	H	
DR	manual shutter doors with lock (possible only with side panels)	+615	+615	€/meter

Standard equipment

		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
rows of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
powder coated external housing	IGLOO pattern book	+	+
price stripes	IGLOO pattern book	+	+
manual night blind	not included for variants DP/DU/DR	+	+
shelf fence	PETG	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options

	L	H	
powder coated side panels - selectable colour (IGLOO pattern book)	830	910	€/set
powder coated side panels with mirror - selectable colour (IGLOO pattern book)	1075	1335	€/set
double combined glass side panels - selectable colour (IGLOO pattern book)	1500	1600	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	770	870	€/pcs
fixed partition made of plexiglass	255	285	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	145	155	€/meter
INOX display area	770	830	€/meter
INOX AISI304 display area	1055	1165	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
additional shelf LED lighting - selectable colour (Igloo pattern book)	110		€/meter
additional vertical LED lighting (variants DP/DU) - selectable colour (Igloo pattern book) model 1.0 / 1.25 - 2 pcs. ; 1.6 / 1.88 / 2.50 - 4 pcs. ; 3.75 - 6 pcs.	225		€/pcs
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
top mirrors	100		€/meter
meat hooks – long	135		€/meter
electric night blind	420		€/meter
powder painted evaporator	105		€/meter
electric heaters for evaporator defrost	135		€/meter
condensate pump (up to 0,6m height)	340		€/pcs
top outlets of the cooling circuitry	90		€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	870		€/set
pressure sensor (recommended for EEV)*	220		€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445		€/meter
*more information - IGLOO sales department			

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



VARIO 3


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 L (REMOTE)					
VR330.900L	VARIO 3 1.25 90L-mod/C	1250	888	2,7	5415
VR350.900L	VARIO 3 1.88 90L-mod/C	1875	1332	4,1	7855
VR360.900L	VARIO 3 2.50 90L-mod/C	2500	1777	5,5	8820
VR370.900L	VARIO 3 3.13 90L-mod/C	3125	2224	6,9	10435
VR380.900L	VARIO 3 3.75 90L-mod/C	3750	2665	8,2	10540
VR330.1100L	VARIO 3 1.25 110L-mod/C	1250	1292	4,2	5610
VR350.1100L	VARIO 3 1.88 110L-mod/C	1875	1938	6,4	8130
VR360.1100L	VARIO 3 2.50 110L-mod/C	2500	2584	8,5	9090
VR370.1100L	VARIO 3 3.13 110L-mod/C	3125	3235	10,6	10590
VR380.1100L	VARIO 3 3.75 110L-mod/C	3750	3876	12,7	10780
VARIO 3 H (REMOTE)					
VR330.900H	VARIO 3 1.25 90H-mod/C	1250	1004	3,2	5660
VR350.900H	VARIO 3 1.88 90H-mod/C	1875	1510	4,8	8185
VR360.900H	VARIO 3 2.50 90H-mod/C	2500	2008	6,4	9145
VR370.900H	VARIO 3 3.13 90H-mod/C	3125	2514	8,0	10750
VR380.900H	VARIO 3 3.75 90H-mod/C	3750	3012	9,5	10815
VR330.1100H	VARIO 3 1.25 110H-mod/C	1250	1460	4,9	5855
VR350.1100H	VARIO 3 1.88 110H-mod/C	1875	2190	7,4	8460
VR360.1100H	VARIO 3 2.50 110H-mod/C	2500	2920	9,9	9410
VR370.1100H	VARIO 3 3.13 110H-mod/C	3125	3656	12,3	10955
VR380.1100H	VARIO 3 3.75 110H-mod/C	3750	4380	14,8	11145


Devices variants

		REMOTE	
DP	Sliding doors with combined glass – door soft closing system (IGLOO DP)	+960	€/meter
DU	Hinged doors with combined glass - door soft closing system (IGLOO DU)	+1060	€/meter
DP-Clear	Sliding doors with combined glass full transparent – door soft closing system (DP)	+1135	€/meter
DU-Clear	Hinged doors with combined glass full transparent - door soft closing system (DU)	+1230	€/meter


VARIO 3 90L




VARIO 3 110L



VARIO 3 90H



VARIO 3 110H



Standard equipment

		L	H
remote condensing unit / remote		+	
dynamic cooling		+	
automatic off-cycle defrosting		+	
siphoned condensate drain		+	
electronic temperature controller with digital display	IGLOO / CAREL	+	
powder coated display area	IGLOO pattern book	+	
levels of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	
energy saving EC fans		+	
thermostatic expansion valve	HFC, HFO/HFC	+	
powder coated external housing	IGLOO pattern book	+	
INOX base plinth		+	
price stripes	IGLOO pattern book	+	
shelf fence	PETG	+	
top outlets of the cooling circuitry		+	
polyurethane thermal insulation CFC free		+	

Options

	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1695	€/set
insulated side panels made of coated steel with a glass mirror on the inside - selectable colour (Igloo pattern book)	1280	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1505	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	75	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	35	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	130	€/meter
device interior and exposition shelves made of stainless steel	665	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1065	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
top mirrors	115	€/meter
powder painted evaporator	100	€/meter
fixed partition made of PETG (plexiglass)	240	€/pcs
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-20	€/set
electric heaters for evaporator defrost	140	€/meter
night roller blind – electric	395	€/meter
night roller blind – manual	165	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	820	€/set
pressure sensor (recommended for EEV)*	210	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




VARIO 3 VE


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 VE L (REMOTE)					
VR330.900L.VE	VARIO 3 1.25 VE 90L-mod/C	1250	888	1,9	5555
VR350.900L.VE	VARIO 3 1.88 VE 90L-mod/C	1875	1332	2,9	8020
VR360.900L.VE	VARIO 3 2.50 VE 90L-mod/C	2500	1777	3,9	9010
VR370.900L.VE	VARIO 3 3.13 VE 90L-mod/C	3125	2224	4,9	10645
VR380.900L.VE	VARIO 3 3.75 VE 90L-mod/C	3750	2665	5,8	10780
VR330.1100L.VE	VARIO 3 1.25 VE 110L-mod/C	1250	1292	2,7	5770
VR350.1100L.VE	VARIO 3 1.88 VE 110L-mod/C	1875	1938	4,0	8320
VR360.1100L.VE	VARIO 3 2.50 VE 110L-mod/C	2500	2584	5,4	9305
VR370.1100L.VE	VARIO 3 3.13 VE 110L-mod/C	3125	3235	6,7	10830
VR380.1100L.VE	VARIO 3 3.75 VE 110L-mod/C	3750	3876	8,1	11045
VARIO 3 VE H (REMOTE)					
VR330.900H.VE	VARIO 3 1.25 VE 90H-mod/C	1250	1004	1,9	5855
VR350.900H.VE	VARIO 3 1.88 VE 90H-mod/C	1875	1510	2,9	8405
VR360.900H.VE	VARIO 3 2.50 VE 90H-mod/C	2500	2008	3,9	9380
VR370.900H.VE	VARIO 3 3.13 VE 90H-mod/C	3125	2514	4,9	11015
VR380.900H.VE	VARIO 3 3.75 VE 90H-mod/C	3750	3012	5,8	11100
VR330.1100H.VE	VARIO 3 1.25 VE 110H-mod/C	1250	1460	2,7	6070
VR350.1100H.VE	VARIO 3 1.88 VE 110H-mod/C	1875	2190	4,0	8705
VR360.1100H.VE	VARIO 3 2.50 VE 110H-mod/C	2500	2920	5,4	9680
VR370.1100H.VE	VARIO 3 3.13 VE 110H-mod/C	3125	3656	6,7	11250
VR380.1100H.VE	VARIO 3 3.75 VE 110H-mod/C	3750	4380	8,1	11460


VARIO 3 VE L 90




VARIO 3 VE L 110



VARIO 3 VE H 90



VARIO 3 VE H 110



Standard equipment		L	H
remote condensing unit / remote			+
dynamic cooling			+
automatic off-cycle defrosting			+
siphoned condensate drain			+
electronic temperature controller with digital display	IGLOO / CAREL		+
powder coated display area	IGLOO pattern book		+
levels of adjustable shelves		2	3
LED lighting	upper internal - IGLOO pattern book		+
energy saving EC fans			+
thermostatic expansion valve	HFC, HFO/HFC		+
powder coated external housing	IGLOO pattern book		+
INOX base plinth			+
upper interior mirror			+
price stripes	IGLOO pattern book		+
top outlets of the cooling circuitry			+
polyurethane thermal insulation CFC free			+

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1800	€/set
insulated side panels made of coated steel with a glass mirror on the inside - selectable colour (Igloo pattern book)	1360	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1595	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	135	€/meter
device interior and exposition shelves made of stainless steel	705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1130	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	110	€/meter of shelf
powder painted evaporator	105	€/meter
fixed partition made of PETG (plexiglass)	255	€/pcs
display space thermometer	40	€/pcs
electronic temperature recorder + software (Igloo)	125	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-30	€/set
electric heaters for evaporator defrost	150	€/meter
night roller blind – electric	420	€/meter
night roller blind – manual	175	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	€/set
pressure sensor (recommended for EEV)*	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIO 80


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 80 L (REMOTE)					
VR130.800L	VARIO 1.25 80L-mod/C	1250	975	3,39	4870
VR150.800L	VARIO 1.88 80L-mod/C	1875	1463	5,08	6985
VR160.800L	VARIO 2.50 80L-mod/C	2500	1951	6,78	7505
VR170.800L	VARIO 3.13 80L-mod/C	3125	2438	8,47	9295
VR180.800L	VARIO 3.75 80L-mod/C	3750	2926	10,16	9355
VR800EL	VARIO HEAD 80L-mod/C	1700	1264	4,39	10530
VR130.800L.DP	VARIO 1.25 80L.DP -mod/C	1250	975	3,5	6065
VR150.800L.DP	VARIO 1.88 80L.DP-mod/C	1875	1463	5,2	8780
VR160.800L.DP	VARIO 2.50 80L.DP-mod/C	2500	1951	6,9	9895
VR170.800L.DP	VARIO 3.13 80L.DP-mod/C	3125	2438	8,6	12290
VR180.800L.DP	VARIO 3.75 80L.DP-mod/C	3750	2926	10,3	12940
VR800EL.DP	VARIO HEAD 80L.DP-mod/C	1700	1264	4,5	12155
VR130.800L.DU	VARIO 1.25 80L.DU -mod/C	1250	975	3,5	6190
VR150.800L.DU	VARIO 1.88 80L.DU-mod/C	1875	1463	5,2	8970
VR160.800L.DU	VARIO 2.50 80L.DU-mod/C	2500	1951	6,9	10145
VR170.800L.DU	VARIO 3.13 80L.DU-mod/C	3125	2438	8,6	12595
VR180.800L.DU	VARIO 3.75 80L.DU-mod/C	3750	2926	10,3	13310
VR800EL.DU	VARIO HEAD 80L.DU-mod/C	1700	1264	4,5	12320
VARIO 80 H (REMOTE)					
VR130.800H	VARIO 1.25 80H-mod/C	1250	975	3,4	5010
VR150.800H	VARIO 1.88 80H-mod/C	1875	1463	5,1	7210
VR160.800H	VARIO 2.50 80H-mod/C	2500	1951	6,8	7705
VR170.800H	VARIO 3.13 80H-mod/C	3125	2438	8,5	9535
VR180.800H	VARIO 3.75 80H-mod/C	3750	2926	10,2	9615
VR800EH	VARIO HEAD 80H-mod/C	1700	1429	5,1	10755
VR130.800H.DP	VARIO 1.25 80H.DP -mod/C	1250	975	3,5	6210
VR150.800H.DP	VARIO 1.88 80H.DP-mod/C	1875	1463	5,2	9005
VR160.800H.DP	VARIO 2.50 80H.DP-mod/C	2500	1951	6,9	10095
VR170.800H.DP	VARIO 3.13 80H.DP-mod/C	3125	2438	8,6	12520
VR180.800H.DP	VARIO 3.75 80H.DP-mod/C	3750	2926	10,3	13195
VR800EH.DP	VARIO HEAD 80H.DP-mod/C	1700	1429	5,2	12380
VR130.800H.DU	VARIO 1.25 80H.DU -mod/C	1250	975	3,5	6330
VR150.800H.DU	VARIO 1.88 80H.DU-mod/C	1875	1463	5,2	9190
VR160.800H.DU	VARIO 2.50 80H.DU-mod/C	2500	1951	6,9	10340
VR170.800H.DU	VARIO 3.13 80H.DU-mod/C	3125	2438	8,6	12830
VR180.800H.DU	VARIO 3.75 80H.DU-mod/C	3750	2926	10,3	13570
VR800EH.DU	VARIO HEAD 80H.DU-mod/C	1700	1429	5,2	12550


VARIO 80L




VARIO 80L.DU




VARIO 80L.DP




VARIO 80H



VARIO 80H.DU



VARIO 80H.DP



Devices variants		L	H	
VE	vegetables version	+125	+125	€/meter

Standard equipment		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
levels of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
INOX base plinth		+	+
price stripes	IGLOO pattern book	+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options	L	H	
side panels made of double combined tempered glass or double combined mirror	1800	1800	€/set
insulated side panels made of coated steel with a glass mirror on the inside – different colors available (Igloo pattern book)	1440	1440	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1690	1690	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	85	85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	40	€/meter
custom colors of device interior and exposition shelves	135	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	40	€/meter
device interior and exposition shelves made of stainless steel	705	705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1130	1130	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	110	110	€/meter of shelf
good securing fence	30	30	€/meter of shelf
top mirrors	125	125	€/meter
meat hooks – long	135	135	€/meter
powder painted evaporator	105	105	€/meter
fixed partition made of PETG (plexiglass)	255	255	€/pcs
front buffer with stainless steel profile	185	185	€/meter
display space thermometer	40	40	€/pcs
electronic temperature recorder + software (IGLOO)	125	125	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-30	-30	€/set
electric heaters for evaporator defrost	150	150	€/meter
night roller blind – electric	420	420	€/meter
night roller blind – manual	175	175	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	870	€/set
pressure sensor (recommended for EEV)*	220	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	445	€/meter
top outlets of the cooling circuitry	90	90	€/pcs
*more information - IGLOO sales department			

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIO 90


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 90 L (REMOTE)					
VR130.900L	VARIO 1.25 90L-mod/C	1250	1167	4,0	4980
VR150.900L	VARIO 1.88 90L-mod/C	1875	1750	5,9	7185
VR160.900L	VARIO 2.50 90L-mod/C	2500	2333	7,9	7705
VR170.900L	VARIO 3.13 90L-mod/C	3125	2917	9,9	9485
VR180.900L	VARIO 3.75 90L-mod/C	3750	3500	11,9	9580
VR900EL	VARIO HEAD 90L-mod/C	1900	1699	5,6	10815
VR130.900L.DP	VARIO 1.25 90L.DP -mod/C	1250	1167	4,0	6180
VR150.900L.DP	VARIO 1.88 90L.DP-mod/C	1875	1750	6,0	8980
VR160.900L.DP	VARIO 2.50 90L.DP-mod/C	2500	2333	8,0	10095
VR170.900L.DP	VARIO 3.13 90L.DP-mod/C	3125	2917	10,0	12480
VR180.900L.DP	VARIO 3.75 90L.DP-mod/C	3750	3520	12,0	13160
VR900EL.DP	VARIO HEAD 90L.DP-mod/C	1900	1699	5,7	12630
VR130.900L.DU	VARIO 1.25 90L.DU -mod/C	1250	1167	4,0	6305
VR150.900L.DU	VARIO 1.88 90L.DU-mod/C	1875	1750	6,0	9165
VR160.900L.DU	VARIO 2.50 90L.DU-mod/C	2500	2333	8,0	10340
VR170.900L.DU	VARIO 3.13 90L.DU-mod/C	3125	2917	10,0	12785
VR180.900L.DU	VARIO 3.75 90L.DU-mod/C	3750	3520	12,0	13530
VR900EL.DU	VARIO HEAD 90L.DU-mod/C	1900	1699	5,7	12820
VARIO 90 H (REMOTE)					
VR130.900H	VARIO 1.25 90H-mod/C	1250	1167	4,0	5130
VR150.900H	VARIO 1.88 90H-mod/C	1875	1750	5,9	7385
VR160.900H	VARIO 2.50 90H-mod/C	2500	2333	7,9	7895
VR170.900H	VARIO 3.13 90H-mod/C	3125	2917	9,9	9775
VR180.900H	VARIO 3.75 90H-mod/C	3750	3500	11,9	9840
VR900EH	VARIO HEAD 90H-mod/C	1900	1606	6,5	11035
VR130.900H.DP	VARIO 1.25 90H.DP -mod/C	1250	1167	4,0	6325
VR150.900H.DP	VARIO 1.88 90H.DP-mod/C	1875	1750	6,0	9180
VR160.900H.DP	VARIO 2.50 90H.DP-mod/C	2500	2333	8,0	10285
VR170.900H.DP	VARIO 3.13 90H.DP-mod/C	3125	2917	10,0	12760
VR180.900H.DP	VARIO 3.75 90H.DP-mod/C	3750	3520	12,0	13425
VR900EH.DP	VARIO HEAD 90H.DP-mod/C	1900	1699	6,6	12855
VR130.900H.DU	VARIO 1.25 90H.DU -mod/C	1250	1167	4,0	6450
VR150.900H.DU	VARIO 1.88 90H.DU-mod/C	1875	1750	6,0	9360
VR160.900H.DU	VARIO 2.50 90H.DU-mod/C	2500	2333	8,0	10530
VR170.900H.DU	VARIO 3.13 90H.DU-mod/C	3125	2917	10,0	13065
VR180.900H.DU	VARIO 3.75 90H.DU-mod/C	3750	3520	12,0	13795
VR900EH.DU	VARIO HEAD 90H.DU-mod/C	1900	1699	6,6	13040


VARIO 90L




VARIO 90L.DU




VARIO 90L.DP




VARIO 90H



VARIO 90H.DU



VARIO 90H.DP



Devices variants		L	H	
VE	vegetables version	+125	+125	€/meter

Standard equipment		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
levels of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
INOX base plinth		+	+
price stripes	IGLOO pattern book	+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options	L	H	
side panels made of double combined tempered glass or double combined mirror	1800	1800	€/set
insulated side panels made of coated steel with a glass mirror on the inside – different colors available (Igloo pattern book)	1440	1440	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1690	1690	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	85	85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	40	€/meter
custom colors of device interior and exposition shelves	135	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	40	€/meter
device interior and exposition shelves made of stainless steel	705	705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1130	1130	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	110	110	€/meter of shelf
good securing fence	30	30	€/meter of shelf
top mirrors	125	125	€/meter
meat hooks – long	135	135	€/meter
powder painted evaporator	105	105	€/meter
fixed partition made of PETG (plexiglass)	255	255	€/pcs
front buffer with stainless steel profile	185	185	€/meter
display space thermometer	40	40	€/pcs
electronic temperature recorder + software (IGLOO)	125	125	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-30	-30	€/set
electric heaters for evaporator defrost	150	150	€/meter
night roller blind – electric	420	420	€/meter
night roller blind – manual	175	175	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	870	€/set
pressure sensor (recommended for EEV)*	220	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	445	€/meter
top outlets of the cooling circuitry	90	90	€/pcs
*more information - IGLOO sales department			

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIO 100


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 100 L (REMOTE)					
VR130.1000L	VARIO 1.25 100L-mod/C	1250	1358	4,3	5130
VR150.1000L	VARIO 1.88 100L-mod/C	1875	2037	6,4	7385
VR160.1000L	VARIO 2.50 100L-mod/C	2500	2716	8,5	7895
VR170.1000L	VARIO 3.13 100L-mod/C	3125	3395	10,7	9745
VR180.1000L	VARIO 3.75 100L-mod/C	3750	4074	12,8	9850
VR1000EL	VARIO HEAD 100L-mod/C	2100	2194	6,9	11130
VR130.1000L.DP	VARIO 1.25 100L.DP -mod/C	1250	1358	4,3	6325
VR150.1000L.DP	VARIO 1.88 100L.DP-mod/C	1875	2037	6,5	9180
VR160.1000L.DP	VARIO 2.50 100L.DP-mod/C	2500	2716	8,7	10285
VR170.1000L.DP	VARIO 3.13 100L.DP-mod/C	3125	3395	10,8	12730
VR180.1000L.DP	VARIO 3.75 100L.DP-mod/C	3750	4074	13,0	13435
VR1000EL.DP	VARIO HEAD 100L.DP-mod/C	2100	2194	7,0	13135
VR130.1000L.DU	VARIO 1.25 100L.DU -mod/C	1250	1358	4,3	6450
VR150.1000L.DU	VARIO 1.88 100L.DU-mod/C	1875	2037	6,5	9360
VR160.1000L.DU	VARIO 2.50 100L.DU-mod/C	2500	2716	8,7	10530
VR170.1000L.DU	VARIO 3.13 100L.DU-mod/C	3125	3395	10,8	13040
VR180.1000L.DU	VARIO 3.75 100L.DU-mod/C	3750	4074	13,0	13805
VR1000EL.DU	VARIO HEAD 100L.DU-mod/C	2100	2194	7,0	13350
VARIO 100 H (REMOTE)					
VR130.1000H	VARIO 1.25 100H-mod/C	1250	1358	4,3	5275
VR150.1000H	VARIO 1.88 100H-mod/C	1875	2037	6,4	7575
VR160.1000H	VARIO 2.50 100H-mod/C	2500	2716	8,5	8120
VR170.1000H	VARIO 3.13 100H-mod/C	3125	3395	10,7	10050
VR180.1000H	VARIO 3.75 100H-mod/C	3750	4074	12,8	10130
VR1000EH	VARIO HEAD 100H-mod/C	2100	1782	7,9	11355
VR130.1000H.DP	VARIO 1.25 100H.DP-mod/C	1250	1358	4,3	6470
VR150.1000H.DP	VARIO 1.88 100H.DP-mod/C	1875	2037	6,5	9375
VR160.1000H.DP	VARIO 2.50 100H.DP-mod/C	2500	2716	8,7	10515
VR170.1000H.DP	VARIO 3.13 100H.DP-mod/C	3125	3395	10,8	13035
VR180.1000.DPH	VARIO 3.75 100H.DP-mod/C	3750	4074	13,0	13710
VR1000EH.DP	VARIO HEAD 100H.DP-mod/C	2100	2194	7,0	13365
VR130.1000H.DU	VARIO 1.25 100H.DU-mod/C	1250	1358	4,3	6595
VR150.1000H.DU	VARIO 1.88 100H.DU-mod/C	1875	2037	6,5	9555
VR160.1000H.DU	VARIO 2.50 100H.DU-mod/C	2500	2716	8,7	10760
VR170.1000H.DU	VARIO 3.13 100H.DU-mod/C	3125	3395	10,8	13345
VR180.1000H.DU	VARIO 3.75 100H.DU-mod/C	3750	4074	13,0	14085
VR1000EH.DU	VARIO HEAD 100H.DU-mod/C	2100	2194	7,0	13575


VARIO 100L




VARIO 100L.DU




VARIO 100L.DP




VARIO 100H



VARIO 100H.DU



VARIO 100H.DP



Standard equipment

		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
levels of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
INOX base plinth		+	+
price stripes	IGLOO pattern book	+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options

	L	H	
side panels made of double combined tempered glass or double combined mirror	1800	1800	€/set
insulated side panels made of coated steel with a glass mirror on the inside – different colors available (Igloo pattern book)	1440	1440	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1690	1690	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	85	85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	40	€/meter
custom colors of device interior and exposition shelves	135	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	40	€/meter
device interior and exposition shelves made of stainless steel	705	705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1130	1130	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	110	110	€/meter of shelf
good securing fence	30	30	€/meter of shelf
top mirrors	125	125	€/meter
meat hooks – long	135	135	€/meter
powder painted evaporator	105	105	€/meter
fixed partition made of PETG (plexiglass)	255	255	€/pcs
front buffer with stainless steel profile	185	185	€/meter
display space thermometer	40	40	€/pcs
electronic temperature recorder + software (IGLOO)	125	125	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-30	-30	€/set
electric heaters for evaporator defrost	150	150	€/meter
night roller blind – electric	420	420	€/meter
night roller blind – manual	175	175	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	870	€/set
pressure sensor (recommended for EEV)*	220	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	445	€/meter
top outlets of the cooling circuitry	90	90	€/pcs

*more information - IGLOO sales department

Devices variants

		L	H	
VE	vegetables version	+125	+125	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




VARIO 110


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 110 L (REMOTE)					
VR130.1100L	VARIO 1.25 110L-mod/C	1250	1549	4,9	5275
VR150.1100L	VARIO 1.88 110L-mod/C	1875	2324	7,3	7555
VR160.1100L	VARIO 2.50 110L-mod/C	2500	3098	9,8	8095
VR170.1100L	VARIO 3.13 110L-mod/C	3125	3873	12,2	10005
VR180.1100L	VARIO 3.75 110L-mod/C	3750	4647	14,7	10095
VR1100EL	VARIO HEAD 110L-mod/C	2300	2751	8,7	11430
VR130.1100L.DP	VARIO 1.25 110L.DP-mod/C	1250	1549	5,0	6470
VR150.1100L.DP	VARIO 1.88 110L.DP-mod/C	1875	2324	7,4	9345
VR160.1100L.DP	VARIO 2.50 110L.DP-mod/C	2500	3098	9,9	10485
VR170.1100L.DP	VARIO 3.13 110L.DP-mod/C	3125	3873	12,4	12995
VR180.1100L.DP	VARIO 3.75 110L.DP-mod/C	3750	4647	14,8	13680
VR1100EL.DP	VARIO HEAD 110L.DP-mod/C	2300	2751	8,8	13630
VR130.1100L.DU	VARIO 1.25 110L.DU-mod/C	1250	1549	5,0	6595
VR150.1100L.DU	VARIO 1.88 110L.DU-mod/C	1875	2324	7,4	9535
VR160.1100L.DU	VARIO 2.50 110L.DU-mod/C	2500	3098	9,9	10735
VR170.1100L.DU	VARIO 3.13 110L.DU-mod/C	3125	3873	12,4	13305
VR180.1100L.DU	VARIO 3.75 110L.DU-mod/C	3750	4647	14,8	14050
VR1100EL.DU	VARIO HEAD 110L.DU-mod/C	2300	2751	8,8	13860
VARIO 110 H (REMOTE)					
VR130.1100H	VARIO 1.25 110H-mod/C	1250	1549	4,9	5400
VR150.1100H	VARIO 1.88 110H-mod/C	1875	2324	7,3	7775
VR160.1100H	VARIO 2.50 110H-mod/C	2500	3098	9,8	8315
VR170.1100H	VARIO 3.13 110H-mod/C	3125	3873	12,2	10290
VR180.1100H	VARIO 3.75 110H-mod/C	3750	4647	14,7	10370
VR1100EH	VARIO HEAD 110H-mod/C	2300	1959	10,0	11670
VR130.1100H.DP	VARIO 1.25 110H.DP-mod/C	1250	1549	5,0	6595
VR150.1100H.DP	VARIO 1.88 110H.DP-mod/C	1875	2324	7,4	9570
VR160.1100H.DP	VARIO 2.50 110H.DP-mod/C	2500	3098	9,9	10705
VR170.1100H.DP	VARIO 3.13 110H.DP-mod/C	3125	3873	12,4	13280
VR180.1100H.DP	VARIO 3.75 110H.DP-mod/C	3750	4647	14,8	13955
VR1100EH.DP	VARIO HEAD 110H.DP-mod/C	2300	1959	10,1	13865
VR130.1100H.DU	VARIO 1.25 110H.DU-mod/C	1250	1549	5,0	6720
VR150.1100H.DU	VARIO 1.88 110H.DU-mod/C	1875	2324	7,4	9755
VR160.1100H.DU	VARIO 2.50 110H.DU-mod/C	2500	3098	9,9	10955
VR170.1100H.DU	VARIO 3.13 110H.DU-mod/C	3125	3873	12,4	13585
VR180.1100H.DU	VARIO 3.75 110H.DU-mod/C	3750	4647	14,8	14325
VR1100EH.DU	VARIO HEAD 110H.DU-mod/C	2300	1959	10,1	14100


VARIO 110L




VARIO 110L.DU




VARIO 110L.DP




VARIO 110H



VARIO 110H.DU



VARIO 110H.DP



Devices variants		L	H	
VE	vegetables version	+125	+125	€/meter

Standard equipment		L	H
remote condensing unit / remote		+	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
siphoned condensate drain		+	+
electronic temperature controller with digital display	IGLOO / CAREL	+	+
powder coated display area	IGLOO pattern book	+	+
levels of adjustable shelves		5	6
LED lighting	upper internal - IGLOO pattern book	+	+
energy saving EC fans		+	+
powder coated external housing	IGLOO pattern book	+	+
INOX base plinth		+	+
price stripes	IGLOO pattern book	+	+
mechanical expansion valve	HFC, HFO/HFC	+	+
bottom outlets of the cooling circuitry		+	+
polyurethane thermal insulation CFC free		+	+

Options	L	H	
side panels made of double combined tempered glass or double combined mirror	1800	1800	€/set
insulated side panels made of coated steel with a glass mirror on the inside – different colors available (Igloo pattern book)	1440	1440	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1690	1690	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	85	85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	40	€/meter
custom colors of device interior and exposition shelves	135	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	40	€/meter
device interior and exposition shelves made of stainless steel	705	705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1130	1130	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	110	110	€/meter of shelf
good securing fence	30	30	€/meter of shelf
top mirrors	125	125	€/meter
meat hooks – long	135	135	€/meter
powder painted evaporator	105	105	€/meter
fixed partition made of PETG (plexiglass)	255	255	€/pcs
front buffer with stainless steel profile	185	185	€/meter
display space thermometer	40	40	€/pcs
electronic temperature recorder + software (IGLOO)	125	125	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-30	-30	€/set
electric heaters for evaporator defrost	150	150	€/meter
night roller blind – electric	420	420	€/meter
night roller blind – manual	175	175	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	870	€/set
pressure sensor (recommended for EEV)*	220	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	445	€/meter
top outlets of the cooling circuitry	90	90	€/pcs
*more information - IGLOO sales department			

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl

03

cooling cabinets

ARCTIQ NEW 89
EWA 1 91
EWA 500.1 BEVERAGES 93
EWA P 95
JOLA 1 97
JOLA 1 GASTRO 99
JOLA 700.1 BEVERAGES 101
JOLA P 103
JOLA P GASTRO 105
OLA 1400.2 BEVERAGES 107
OLA 2 109
OLA 2 GASTRO 111
OLA P 113
OLA P GASTRO 115
CHAMBER ODP 117




ARCTIQ

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ARCTIQ NEW					
AQ-126	ARCTIQ 1.26	1253	809	3,16	2990
AQ-188	ARCTIQ 1.88	1880	1246	4,74	4280
AQ-250	ARCTIQ 2.5	2508	1683	6,33	5690

Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	CAREL
PES coated display area	RAL9003
rows of adjustable wire shelves	5
LED lighting	internal vertical
AC fans	
powder coated external housing	RAL7015
shelf fence	
hinged doors	
polyurethane thermal insulation CFC free	



IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




EWA 1

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 1					
EW100.1	EWA 500.1	620	500	1,4	2550
EWA 1 AG					
EW100.1/AG	EWA 500.1 AG	620	500	1,4	2450

Devices variants		EWA 1	EWA 1 AG	
S	device with static cooling	+105	+105	€/pcs
2	device with glass door and glass back	+95	-	€/pcs

EWA 1



EWA 1 AG



Standard equipment	EWA 1	EWA 1 AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors with combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
codenser outlet to container	+	+
single vertical interior lighting – LED light	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	EWA 1	EWA 1 AG	
external housing color – different colors available (IGLOO pattern book)	+210	+210	€/pcs
external housing made of stainless steel	+290	+290	€/pcs
interior made of stainless steel	+235	+235	€/pcs
horizontally divided doors	+165	+165	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
plastified strengthened shelves	+80	+80	€/set
chrome reticulated shelves	+120	+120	€/set
chrome reticulated strengthened shelves	+180	+180	€/set
additional plastified reticulated shelf + handle set	+40	+40	€/pcs
additional plastified reticulated strengthened shelf + handle set	+60	+60	€/pcs
additional chrome reticulated shelf + handle set	+70	+70	€/pcs
additional chrome reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
internal frame with 9 stainless steel drawers (excludes the interior lighting)	+1145	+1145	€/set
automatic condensate vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



EWA 500.1 BEVERAGES

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 500.1 BEVERAGES					
EW100.1	EWA 500.1	620	500	1,4	2740



Standard equipment

	EWA 1 NAP
dynamic cooling (ventilated)	+
internal cooling aggregate placed on the bottom	+
external housing made of black coated steel	+
interior housing made of black coated steel	+
hinged doors with combined glass – choice of door opening direction	+
hinged doors self-closer	+
ecological polyurethane foam insulation	+
5 pcs. (levels) perforated shelves made of black coated sheet metal	+
black price strips	+
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
innovative vertical interior lighting - LED profiles color 5700K - 2pcs.	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options

	EWA 1 NAP	
door lock with key	+75	€/pcs
additional shelve made of perforated black coated steel + handle set	+65	€/set
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




EWA P

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA P					
EW100.P	EWA 500.P	620	500	1,4	2420
EWA P AG					
EW100.P/AG	EWA 500.P AG	620	500	1,4	2360

Devices variants		EWA P	EWA P AG	
S	device with static cooling	+110	+110	€/pcs

EWA P



EWA P AG



Standard equipment	EWA P	EWA P AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
codenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	EWA P	EWA P AG	
external housing color – different colors available (IGLOO pattern book)	+235	+235	€/pcs
external housing made of stainless steel	+315	+315	€/pcs
interior made of stainless steel	+245	+245	€/pcs
horizontally divided doors	+155	+155	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
plastified strengthened shelves	+80	+80	€/set
chrome reticulated shelves	+120	+120	€/set
chrome reticulated strengthened shelves	+180	+180	€/set
additional plastified reticulated shelf + handle set	+40	+40	€/pcs
additional plastified reticulated strengthened shelf + handle set	+60	+60	€/pcs
additional chrome reticulated shelf + handle set	+70	+70	€/pcs
additional chrome reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
internal frame with 9 stainless steel drawers (excludes the interior lighting)	+1145	+1145	€/set
automatic condenser vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




JOLA 1

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1					
JO100.1	JOLA 700.1	820	700	2,2	2720
JOLA 1 AG					
JO100.1/AG	JOLA 700.1 AG	820	700	2,2	2620

Devices variants		JOLA 1	JOLA 1 AG	
S	device with static cooling	+125	+125	€/pcs
2	device with glass doors and glass back	+110	-	€/pcs

JOLA 1



JOLA 1 AG



Standard equipment	JOLA 1	JOLA 1 AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors with combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
codenser outlet to container	+	+
single vertical interior lighting – LED light	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	JOLA 1	JOLA 1 AG	
external housing color – different colors available (IGLOO pattern book)	+225	+225	€/pcs
external housing made of stainless steel	+300	+300	€/pcs
interior made of stainless steel	+245	+245	€/pcs
horizontally divided doors	+165	+165	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
plastified strengthened shelves	+110	+110	€/set
chrome reticulated shelves	+165	+165	€/set
chrome reticulated strengthened shelves	+225	+225	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
internal frame with 9 stainless steel drawers (excludes the interior lighting)	+1265	+1265	€/set
automatic condenser vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




JOLA 1 GASTRO


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1 GASTRO					
JO100.1/GASTRO	JOLA 700.1 GASTRO	700	700	2.1	3170
JOLA 1 AG GASTRO					
JO100.1/AG/GASTRO	JOLA 700.1 AG GASTRO	700	700	2.1	3060

JOLA 1 GASTRO



JOLA 1 AG GASTRO



Standard equipment	JOLA 1 GASTRO	JOLA 1 AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors with combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
codenser outlet to container	+	+
single vertical interior lighting – LED light	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	JOLA 1 GASTRO	JOLA 1 AG GASTRO	
external housing color – different colors available (IGLOO pattern book)	+225	+225	€/pcs
external housing made of stainless steel	+300	+300	€/pcs
interior made of acid resistant steel	+205	+205	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
chrome reticulated strengthened shelves	+85	+85	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
automatic condenser vaporization	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



JOLA 700.1 BEVERAGES

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 700.1 BEVERAGES					
JO100.1	JOLA 700.1	820	700	2,2	2910



Standard equipment

	JOLA 1 NAP
dynamic cooling (ventilated)	+
internal cooling aggregate placed on the bottom	+
external housing made of black coated steel	+
interior housing made of black coated steel	+
hinged doors with combined glass – choice of door opening direction	+
hinged doors self-closer	+
ecological polyurethane foam insulation	+
5 pcs. (levels) perforated shelves made of black coated sheet metal	+
black price strips	+
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
innovative vertical interior lighting - LED profiles color 5700K - 2pcs.	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options

	JOLA 1 NAP	
door lock with key	+75	€/pcs
additional shelve made of perforated black coated steel + handle set	+75	€/set
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




JOLA P

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P					
JO100.P	JOLA 700.P	820	700	2,2	2570
JOLA P AG					
JO100.P/AG	JOLA 700.P AG	820	700	2,2	2490

Devices variants		JOLA P	JOLA P AG	
S	device with static cooling	+125	+125	€/pcs

JOLA P



JOLA P AG



Standard equipment	JOLA P	JOLA P AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
codenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	JOLA P	JOLA P AG	
external housing color – different colors available (IGLOO pattern book)	+245	+245	€/pcs
external housing made of stainless steel	+325	+325	€/pcs
interior made of stainless steel	+260	+260	€/pcs
horizontally divided doors	+155	+155	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
plastified strengthened shelves	+110	+110	€/set
chrome reticulated shelves	+165	+165	€/set
chrome reticulated strengthened shelves	+225	+225	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
internal frame with 9 stainless steel drawers (excludes the interior lighting)	+1265	+1265	€/set
automatic condenser vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




JOLA P GASTRO


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P GASTRO					
JO100.P/GASTRO	JOLA 700.P GASTRO	700	700	2,1	3040
JOLA P AG GASTRO					
JO100.P/AG/GASTRO	JOLA 700.P AG GASTRO	700	700	2,1	2970

JOLA P GASTRO



JOLA P AG GASTRO



Standard equipment	JOLA P GASTRO	JOLA P AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
codenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+

Options	JOLA P GASTRO	JOLA P AG GASTRO	
external housing color – different colors available (IGLOO pattern book)	+245	+245	€/pcs
external housing made of stainless steel	+325	+325	€/pcs
interior made of acid resistant steel	+210	+210	€/pcs
hinged doors self-closer	+50	+50	€/pcs
door lock with key	+75	+75	€/pcs
fan stopping switch	+35	+35	€/pcs
chrome reticulated strengthened shelves	+85	+85	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+580	+580	€/pcs
automatic condenser vaporization	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




OLA 1400.2 BEVERAGES


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 1400 BEVERAGES					
OL100.2N	OLA 1400.2 NAP	1635	1400	4,4	4750
OL100.3N	OLA 1400.3 NAP	1635	1400	4,4	5540


Devices variants		OLA 2 NAP	
DP	device with sliding doors	+165	€/pcs



OLA 1400.2 NAP



OLA 1400.3 NAP



Standard equipment		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic evaporation of condensate		+
electronic temperature controller with digital display	IGLOO / CAREL	+
PES coated storage area	RAL9005	+
LED lighting	LED01 - cold white	
AC fans		+
powder coated external housing	RAL9005	+
hinged doors with combined glass	OLA 1400.2 NAP - 2 pcs OLA 1400.3 NAP - 3 pcs	+
hinged doors self-closer		+
perforated shelves powder coated	RAL9005 OLA 1400.2 NAP - 10 pcs OLA 1400.3 NAP - 15 pcs	+
price strips	LCP08 - black	+
top panel illuminated with LED light	PP03 - white	+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options	OLA 2 NAP	OLA 3 NAP	
door lock with key	+145	+215	€/set
additional shelve made of perforated black coated steel + handle set	+75	+65	€/set
set of wheels (castors)	+260		€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




OLA 2


+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2					
OL100.2	OLA 1400.2	1635	1400	4,4	4300
OLA 2 AG					
OL100.2/AG	OLA 1400.2 AG	1635	1400	4,4	4130


Devices variants		OLA 2	OLA 2 AG	
S	device with static cooling	+205	+205	€/pcs
4	device with glass doors and glass back	+190	-	€/pcs
DP	device with sliding doors	+165	-	€/pcs



OLA 2



OLA 2 AG



Standard equipment	OLA 2	OLA 2 AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors with combined glass	+	+
ecological polyurethane foam insulation	+	+
10 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
codenser outlet to container	+	+
double vertical LED illumination	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA 2	OLA 2 AG	
external housing color – different colors available (IGLOO pattern book)	+290	+290	€/pcs
external housing made of stainless steel	+520	+520	€/pcs
interior made of stainless steel	+405	+405	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
horizontally divided doors	+325	+325	€/set
hinged doors self-closer	+95	+95	€/set
door lock with key	+140	+140	€/set
fan stopping switch	+65	+65	€/set
plastified strengthened shelves	+210	+210	€/set
chrome reticulated shelves	+325	+325	€/set
chrome reticulated strengthened shelves	+445	+445	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
internal frame with 9 stainless steel drawers (excludes the interior lighting)	+2455	+2455	€/set
automatic condenser vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+695	+695	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




OLA 2 GASTRO

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 GASTRO					
OL100.2/GASTRO	OLA 1400.2 GASTRO	1400	1400	4,3	5000
OLA 2 AG GASTRO					
OL100.2/AG/GASTRO	OLA 1400.2 AG GASTRO	1400	1400	4,3	4820



OLA 2 GASTRO



OLA 2 AG GASTRO




Standard equipment	OLA 2 GASTRO	OLA 2 AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors with combined glass	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
codenser outlet to container	+	+
double upper LED illumination	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+


Options	OLA 2	OLA 2 AG	
external housing color – different colors available (IGLOO pattern book)	+290	+290	€/pcs
external housing made of stainless steel	+520	+520	€/pcs
interior made of acid resistant steel	+375	+375	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
hinged doors self-closer	+95	+95	€/set
door lock with key	+140	+140	€/set
fan stopping switch	+65	+65	€/set
chrome reticulated strengthened shelves	+160	+160	€/set
additional plastified reticulated shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated shelf + set of rails	+110	+110	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+695	+695	€/pcs
automatic condenser vaporization	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl






OLA P



OLA P AG



OLA P

+1 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P					
OL100.P	OLA 1400.P	1635	1400	4,4	4010
OLA P AG					
OL100.P/AG	OLA 1400.P AG	1635	1400	4,4	3890

Devices variants		OLA P	OLA P AG	
S	device with static cooling	+205	+205	€/pcs
DP	device with sliding doors	+165	-	€/pcs

Standard equipment	OLA P	OLA P AG
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
10 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
codenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA P	OLA P AG	
external housing color – different colors available (IGLOO pattern book)	+300	+300	€/pcs
external housing made of stainless steel	+530	+530	€/pcs
interior made of stainless steel	+420	+420	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
horizontally divided doors	+300	+300	€/set
hinged doors self-closer	+95	+95	€/set
door lock with key	+140	+140	€/set
fan stopping switch	+65	+65	€/set
plastified strengthened shelves	+210	+210	€/set
chrome reticulated shelves	+325	+325	€/set
chrome reticulated strengthened shelves	+445	+445	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
internal rack with 18 drawers (9 levels) in stainless steel (excludes interior lighting)	+2455	+2455	€/set
automatic condenser vaporization	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+695	+695	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




OLA P GASTRO

+1 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P GASTRO					
OL100.P/GASTRO	OLA 1400.P GASTRO	1400	1400	4,3	4520
OLA P AG GASTRO					
OL100.P/AG/GASTRO	OLA 1400.P AG GASTRO	1400	1400	4,3	4390



OLA P GASTRO



OLA P AG GASTRO



Standard equipment	OLA P GASTRO	OLA P AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
codenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA P GASTRO	OLA P AG GASTRO	
external housing color – different colors available (IGLOO pattern book)	+300	+300	€/pcs
external housing made of stainless steel	+530	+530	€/pcs
interior made of acid resistant steel	+405	+405	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
hinged doors self-closer	+95	+95	€/set
door lock with key	+140	+140	€/set
fan stopping switch	+65	+65	€/set.
chrome reticulated strengthened shelves	+160	+160	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
device with temperature range from -6 °C to 0 °C	+695	+695	€/pcs
automatic condenser vaporization	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




CHAMBER ODP

+4 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	Price €
CHAMBER ODP (PLUG-IN)				
KO02	CHAMBER ODP 1	1000	480	3550
KO01	CHAMBER ODP 2	1670	1000	4860





Standard equipment

	PLUG-IN
cooling aggregate placed on the side (monoblock)	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
external and internal stainless steel housing	+
automatic defrost	+
doors and hatches openable	+
automatic condenser vaporization	+
electronic temperature controller with digital display	+

Options

	CHAMBER ODP	
plastic waste box (capacity 120L)	+165	€/pcs
plastic waste box (capacity 240L)	+175	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl

04

freezing cabinets

ARCTIQ M NEW 121
EWA 1 M 123
EWA P M 125
JOLA 1 M 127
JOLA 1 M GASTRO 129
JOLA P M 131
JOLA P M GASTRO 133
OLA 2 M 135
OLA 2 M GASTRO 137
OLA P M 139
OLA P M GASTRO 141




ARCTIQ M

-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ARCTIQ M NEW					
AQM-126	ARCTIQ M 1.26	1253	702	3,16	5480
AQM-188	ARCTIQ M 1.88	1880	1090	4,74	7160

Standard equipment

built-in condensing unit / plug-in	
dynamic cooling	
automatic hot gas defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	CAREL
PES coated display area	RAL9003
rows of adjustable wire shelves	5
LED lighting	internal vertical
AC fans	
powder coated external housing	RAL7015
shelf fence	
hinged doors	
polyurethane thermal insulation CFC free	



IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




EWA 1 M


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 1 M					
EW100.1M	EWA 500.1 M	660	500	1,4	4190
EWA 1 AG M					
EW100.1/AG/M	EWA 500.1 AG M	660	500	1,4	4070

EWA 1 M



EWA 1 AG M



Standard equipment	EWA 1 M	EWA 1 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self – closing hinged doors with heated combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting – LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	EWA 1	EWA 1 AG	
external housing color – different colors available (IGLOO pattern book)	+210	+210	€/pcs
external housing made of stainless steel	+290	+290	€/pcs
interior made of stainless steel	+235	+235	€/pcs
door lock with key	+75	+75	€/pcs
plastified strengthened shelves	+80	+80	€/set
chrome reticulated shelves	+120	+120	€/set
chrome reticulated strengthened shelves	+180	+180	€/set
additional plastified reticulated shelf + handle set	+40	+40	€/pcs
additional plastified reticulated strengthened shelf + handle set	+60	+60	€/pcs
additional chrome reticulated shelf + handle set	+70	+70	€/pcs
additional chrome reticulated strengthened shelf + handle set	+75	+75	€/pcs
internal side illumination – LED lights	+130	+130	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




EWA P M


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA P M					
EW100.P/M	EWA 500.P M	660	500	1,4	3540
EWA P AG M					
EW100.P/AG/M	EWA 500.P AG M	660	500	1,4	3450

EWA P M



EWA P AG M



Standard equipment	EWA P M	EWA P AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	EWA P M	EWA P AG M	
external housing color – different colors available (IGLOO pattern book)	+235	+235	€/pcs
external housing made of stainless steel	+315	+315	€/pcs
interior made of stainless steel	+245	+245	€/pcs
door lock with key	+75	+75	€/pcs
plastified strengthened shelves	+80	+80	€/set
chrome reticulated shelves	+120	+120	€/set
chrome reticulated strengthened shelves	+180	+180	€/set
additional plastified reticulated shelf + handle set	+40	+40	€/pcs
additional plastified reticulated strengthened shelf + handle set	+60	+60	€/pcs
additional chrome reticulated shelf + handle set	+70	+70	€/pcs
additional chrome reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




JOLA 1 M


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1 M					
JO100.1M	JOLA 700.1 M	820	700	2,2	4610
JOLA 1 AG M					
JO100.1/AG/M	JOLA 700.1 AG M	820	700	2,2	4480

JOLA 1 M



JOLA 1 AG M



Standard equipment

	JOLA 1 M	JOLA 1 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self – closing hinged doors with heated combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting – LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options

	JOLA 1 M	JOLA 1 AG M	
external housing color – different colors available (IGLOO pattern book)	+225	+225	€/pcs
external housing made of stainless steel	+300	+300	€/pcs
interior made of stainless steel	+245	+245	€/pcs
door lock with key	+75	+75	€/pcs
plastified strengthened shelves	+110	+110	€/set
chrome reticulated shelves	+165	+165	€/set
chrome reticulated strengthened shelves	+225	+225	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
internal side illumination – LED lighting	+130	+130	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




JOLA 1 M GASTRO


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1 M GASTRO					
JO100.1/M/GASTRO	JOLA 700.1 M GASTRO	700	700	2,1	4870
JOLA 1 AG M GASTRO					
JO100.1/AG/M/GASTRO	JOLA 700.1 AG M GASTRO	700	700	2,1	4720

JOLA 1 M GASTRO



JOLA 1 AG M GASTRO



Standard equipment	JOLA 1 M GASTRO	JOLA 1 AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
self – closing hinged doors with heated combined glass – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting – LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	JOLA 1 M GASTRO	JOLA 1 AG M GASTRO	
external housing color – different colors available (IGLOO pattern book)	+225	+225	€/pcs
external housing made of stainless steel	+300	+300	€/pcs
interior made of acid resistant steel	+205	+205	€/pcs
door lock with key	+75	+75	€/pcs
chrome reticulated strengthened shelves	+85	+85	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




JOLA P M


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P M					
JO100.P/M	JOLA 700.P M	820	700	2,2	3720
JOLA P AG M					
JO100.P/AG/M	JOLA 700.P AG M	820	700	2,2	3620

JOLA P M



JOLA P AG M



Standard equipment

	JOLA P M	JOLA P AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options

	JOLA P M	JOLA P AG M	
external housing color – different colors available (IGLOO pattern book)	+245	+245	€/pcs
external housing made of stainless steel	+325	+325	€/pcs
interior made of stainless steel	+260	+260	€/pcs
door lock with key	+75	+75	€/pcs
plastified strengthened shelves	+110	+110	€/set
chrome reticulated shelves	+165	+165	€/set
chrome reticulated strengthened shelves	+225	+225	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




JOLA P M GASTRO


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P M GASTRO					
JO100.P/M/GASTRO	JOLA 700.P M GASTRO	700	700	2,1	4010
JOLA P AG M GASTRO					
JO100.P/AG/M/GASTRO	JOLA 700.P AG M GASTRO	700	700	2,1	3900

JOLA P M GASTRO



JOLA P AG M GASTRO



Standard equipment	JOLA P M GASTRO	JOLA P AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors – choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	JOLA P GASTRO	JOLA P AG GASTRO	
external housing color – different colors available (IGLOO pattern book)	+245	+245	€/pcs
external housing made of stainless steel	+325	+325	€/pcs
interior made of acid resistant steel	+210	+210	€/pcs
door lock with key	+75	+75	€/pcs
chrome reticulated strengthened shelves	+85	+85	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




OLA 2 M

-18 / -12°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 M					
OL100.2/M	OLA 1400.2 M	1675	1400	4,4	7310
OLA 2 AG M					
OL100.2/AG/M	OLA 1400.2 AG M	1675	1400	4,4	7090



OLA 2 M



OLA 2 AG M



Standard equipment	OLA 2 M	OLA 2 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self – closing hinged doors with heated combined glass	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
10 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
double upper LED illumination	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA 2 M	OLA 2 AG M	
external housing color – different colors available (IGLOO pattern book)	+290	+290	€/pcs
external housing made of stainless steel	+520	+520	€/pcs
interior made of stainless steel	+405	+405	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
door lock with key	+140	+140	€/set
plastified strengthened shelves	+210	+210	€/set
chrome reticulated shelves	+325	+325	€/set
chrome reticulated strengthened shelves	+445	+445	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




OLA 2 M GASTRO

-18 / -12°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 M GASTRO					
OL100.2/M/GASTRO	OLA 1400.2 M GASTRO	1400	1400	4,3	7600
OLA 2 AG M GASTRO					
OL100.2/AG/M/GASTRO	OLA 1400.2 AG M GASTRO	1400	1400	4,3	7380



OLA 2 M GASTRO



OLA 2 AG M GASTRO



Standard equipment	OLA 2 M GASTRO	OLA 2 AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
self – closing hinged doors with heated combined glass	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
double upper LED illumination	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA 2 M GASTRO	OLA 2 AG M GASTRO	
external housing color – different colors available (IGLOO pattern book)	+290	+290	€/pcs
external housing made of stainless steel	+520	+520	€/pcs
interior made of acid resistant steel	+395	+395	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
hinged doors self-closer	+95	+95	€/set
door lock with key	+140	+140	€/set
chrome reticulated strengthened shelves	+160	+160	€/set
additional plastified reticulated shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated shelf + set of rails	+110	+110	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




OLA P M

-18 / -12°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P M					
OL100.P/M	OLA 1400.P M	1675	1400	4,4	4870
OLA P AG M					
OL100.P/AG/M	OLA 1400.P AG M	1675	1400	4,4	4740



OLA P M



OLA P AG M



Standard equipment	OLA P M	OLA P AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
10 pcs of plastified reticulated shelves, with height adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA P M	OLA P AG M	
external housing color – different colors available (IGLOO pattern book)	+300	+300	€/pcs
external housing made of stainless steel	+530	+530	€/pcs
interior made of stainless steel	+420	+420	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
door lock with key	+140	+140	€/set
plastified strengthened shelves	+210	+210	€/set
chrome reticulated shelves	+325	+325	€/set
chrome reticulated strengthened shelves	+445	+445	€/set
additional plastified reticulated shelf + handle set	+45	+45	€/pcs
additional plastified reticulated strengthened shelf + handle set	+75	+75	€/pcs
additional chrome reticulated shelf + handle set	+80	+80	€/pcs
additional chrome reticulated strengthened shelf + handle set	+95	+95	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




OLA P M GASTRO

-18 / -12°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P M GASTRO					
OL100.P/M/GASTRO	OLA 1400.P M GASTRO	1400	1400	4,3	5530
OLA P AG M GASTRO					
OL100.P/AG/M/GASTRO	OLA 1400.P AG M GASTRO	1400	1400	4,3	5390



OLA P M GASTRO



OLA P AG M GASTRO



Standard equipment	OLA P M GASTRO	OLA P AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	OLA P M GASTRO	OLA P AG M GASTRO	
external housing color – different colors available (IGLOO pattern book)	+300	+300	€/pcs
external housing made of stainless steel	+530	+530	€/pcs
interior made of acid resistant steel	+405	+405	€/pcs
fixed stainless steel partition panel (not tight)	+150	+150	€/pcs
door lock with key	+140	+140	€/set
chrome reticulated strengthened shelves	+160	+160	€/set
additional plastified reticulated strengthened shelf + set of rails	+90	+90	€/pcs
additional chrome reticulated strengthened shelf + set of rails	+110	+110	€/pcs
additional LED lighting - internal side	+130	+130	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+35	+35	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+50	+50	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
SMS alarm modlue + temperature recorder with emergency power supply	+750	+750	€/set
USB-MGSM TTL wire for SMS modlue programming	+75	+75	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl


05

combi freezer and freezing island

ADVANTA 145
FROSTBOX NEW 147
ICEBOX NEW 149
ICECRAFT 151
LEVEL 153







ADVANTA

-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ADVANTA (REMOTE)					
ADV150	ADVANTA 1.88-mod/C	1875	525	1,5	7 600
ADV160	ADVANTA 2.50-mod/C	2500	700	2,1	9 100
ADV180	ADVANTA 3.75-mod/C	3750	1045	3,1	11 540
ADV100E	ADVANTA HEAD-mod/C *	2100	550	1,6	12 270


* including a set of sides

Standard equipment		REMOTE
remote condensing unit / remote		+
dynamic cooling		+
automatic electric defrosting		+
siphoned condensate drain		+
electronic temperature controller with digital display	CAREL	+
powder coated display area	IGLOO pattern book	+
LED lighting	IGLOO pattern book	+
AC fans		+
thermostatic expansion valve	(HFC ; HFO/HFC)	+
powder coated external housing	IGLOO pattern book	+
combined straight front glass with silk-screen printing	IGLOO pattern book	+
set of sliding glass covers		+
INOX base plinth		+
display area thermometer		+
polyurethane thermal insulation CFC free		+

Options	REMOTE	
combined sides glass with screen printing to create an island	2845	€/set
combined sides glass with screen printing	0	€/set
assembly parts to create an island	205	€/meter
powder coated external housing - custom RAL - (after consultation with the IGLOO Sales Department)	35	€/meter
INOX external housing	100	€/meter
INOX display area	305	€/meter
INOX AISI304 display area	485	€/meter
movable partition of display area (wire) - powder coated (IGLOO pattern book)	90	€/pcs
movable partition of display area (wire) - chromed	140	€/pcs
INOX front bumper	185	€/meter
no thermostat - 2 x temperature sensor NTC [10kΩ]	-35	€/set
powder coated evaporator	105	€/meter
electronic expansion valve - EEV (not included electronic temperature controller)*	870	€/set
pressure sensor (recommended for EEV)*	220	€/pcs
cooling system ready for refrigerant R744 (CO2) (only with electronic expansion valve)*	445	€/meter
*more information - IGLOO Sales Department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl





FROSTBOX

-24 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
FROSTBOX (PLUG-IN) NEW					
FB-187H	FROSTBOX 1.85H	1870	560	1	2820
FB-215	FROSTBOX 2.10	2155	680	1,35	2950
FB-250	FROSTBOX 2.5	2500	805	1,59	3440
FROSTBOX VS (PLUG-IN) NEW					
FB-185HVS	FROSTBOX 1.85H VS	1870	560	1	3520
FB-210VS	FROSTBOX 2.10 VS	2155	680	1,35	3700
FB-250VS	FROSTBOX 2.5 VS	2500	805	1,59	4480

Standard equipment

built-in condensing unit / plug-in	
static cooling	
automatic hot gas defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	DIXELL
PES coated storage area	RAL9010
plastic coated wire baskets	RAL7040
LED lighting	cool white
powder coated external housing	RAL7015
price stripe	
PCV front bumper	gray
set of sliding glass covers	
polyurethane thermal insulation CFC free	

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



ICEBOX

-30 / -10°C

ID	Name	Dimensions [mm]	Capacity [dm3]	Baskets number [pcs]	Price €
ICEBOX SG (PLUG-IN) NEW					
ISG-152	ICEBOX ISG-152	584x694x927	112	1	810
ISG-180	ICEBOX ISG-180	756x656x845	122	3	850
ISG-280	ICEBOX ISG-280	986x656x876	177	4	900
ISG-330	ICEBOX ISG-330	1224x654x820	214	5	1040
ISG-516	ICEBOX ISG-516	1510x695x850	360	7	1590
ISG-576	ICEBOX ISG-576	1685x695x850	456	7	1760
ICEBOX SP (PLUG-IN) NEW					
ISP-300	ICEBOX ISP-300	1014x694x830	223	1	980
ISP-400	ICEBOX ISP-400	1224x694x830	296	1	1230
ISP-500	ICEBOX ISP-500	1434x694x830	359	1	1340

Standard equipment

Inner Liner	PCM
Glass Door	Single-layer tempered coated glass
Frame Color	Grey/Blue



ICEBOX ISG-152



ICEBOX ISG-180



ICEBOX ISG-280



ICEBOX ISG-330



ICEBOX ISG-516



ICEBOX ISG-576



ICEBOX ISP-300



ICEBOX ISP-400



ICEBOX ISP-500


IGLOO since 1986

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland

tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025

e-mail: info@igloo.pl





Standard equipment

	PLUG-IN
internal condensing unit	+
dynamic cooling	+
automatic hot gas defrosting	+
automatic evaporation of condensate	+
electronic temperature controller with digital display	+
powder coated exposition area - selectable colour (IGLOO pattern book)	+
AC fans	+
sliding glass lids system	+
LED lighting - selectable colour - white, confectionery, pink	+
side glazing units screen-printed in black or grey	+
solar thermometer	+

Options

	PLUG IN	
movable wire divider coated	80	€/pcs
front bumper stainless steel profile	185	€/meter
powder coated evaporator	105	€/meter
set of wheels (castors)	260	€/set
powder coated external housing - custom RAL - (after consultation with the IGLOO Sales Department)	285	€/meter

ICECRAFT

-24 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ICECRAFT (PLUG-IN)					
ICC120	ICECRAFT 1.2	1200	224	0,85	7 890
ICC130	ICECRAFT 1.6	1600	309	1,2	10 390
ICC140	ICECRAFT 2.0	2000	395	1,5	10 890
ICC150	ICECRAFT 2.5	2 500	501	1,9	13 150

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




LEVEL


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LEVEL L (REMOTE)					
LVL160L	LEVEL 2.50 L-mod/C	2500	745 670	2.83 1.98	15 500
LVL180L	LEVEL 3.75 L-mod/C	3750	1120 1010	4.24 2.96	20 900
LEVEL H (REMOTE)					
LVL160H	LEVEL 2.50 H-mod/C	2500	930 670	3.78 1.98	17 690
LVL180H	LEVEL 3.75 H-mod/C	3750	1390 1010	5.66 2.96	23 790

LEVEL L



LEVEL H



Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
a system of low-emission tilting doors with triple glazing in the upper section of the counter	+
set of sliding glass covers	+
quadruple glazing front pane with screen printing in the bottom section of the counter	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
display space with coloured sheet - selectable colour (Igloo pattern book)	+
2 levels of rack shelves with possibility to change hanging height + base shelf	+
price stripes - different colors available (IGLOO pattern book)	+
innovative LED lighting (selectable light color: white confectionery or meat)	+
electronic temperature controller with digital display (Carel IR33)	+
2 x display space thermometer	+
automatic defrost (electric heaters)	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 agent*	+


Options	REMOTE	
insulated side panels made of coated steel - different colors available (Igloo pattern book)	1310	€/set
customizable colour of side panels made of coated steel (contact the Igloo sales department)	150	€/set
insulated side panels made of stainless steel	1640	€/set
custom colors of top front panel (contact the Igloo sales department)	35	€/meter
custom colors of bottom front panel (contact the Igloo sales department)	35	€/meter
bottom stainless steel front panel	100	€/meter
exposition area made of stainless steel	605	€/meter
exposition area made of acid resistant stinless steel	965	€/meter
chrome rack shelves in the upper display area	70	€/meter of shelf
movable reticulated partition color coated - different colors available (Igloo pattern book)	90	€/pcs
movable reticulated chrome partition	140	€/pcs
electronically switched energy-efficient fans (2.50 - qty 5 / 3.75 - qty 5)	190	€/pcs
front buffer with stainless steel profile	185	€/meter
no thermostat - 2 x temperature sensor NTC [10kΩ]	-35	€/set
powder painted evaporator	105	€/meter
top outlets of the cooling circuitry	90	€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	870	€/set
pressure sensor (recommended for EEV)*	220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445	€/meter
*more information - IGLOO sales department		

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025

06

freezing counters and islands


BASIA NEO M 157
SANTIAGO M 159
KING AT M 161
VARIO 3 M 163
VARIANT M 70 (PLUG IN) 165
VARIANT M 70 (REMOTE) 167
VARIANT M 80 (PLUG IN) 169
VARIANT M 80 (REMOTE) 171
VARIO M 173



BASIA NEO M

-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
BASIA NEO M (PLUG-IN)					
BN130M	BASIA NEO 1.25 M	1330	350	0,9	6550
BN140M	BASIA NEO 1.56 M	1650	450	1,2	7740
BN150M	BASIA NEO 1.88 M	1960	550	1,4	9020
BN160M	BASIA NEO 2.50 M	2580	740	1,6	10940



Standard equipment	PLUG-IN
internal freezing aggregate	+
dynamic cooling (ventilated)	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel	+
worktop - stainless steel	+
silver or gold aluminium profiles (IGLOO pattern book)	+
curved front glass openable	+
night blinds made of plexi glass	+
LED lamp (color of choice: white, confectionery or pink)	+
bumper – different colors available (IGLOO pattern book)	+
double insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (Carel)	+
condenser impurity or fan operation failure alarm	+


Options	PLUG-IN	
device without ABS sides prepared for multiplexing (mod/A)	-265	€/pcs
INOX external housing - REAR	+245	€/meter
INOX external housing - FRONT / SIDES	+290	€/meter
powder coated external housing - FRONT / SIDES - custom RAL *	+90	€/meter
powder coated display area - (IGLOO pattern book)	0	€/meter
INOX AISI304 display area	+145	€/meter
powder coated evaporator	+105	€/meter
granite worktop – grey	+90	€/meter
granite worktop – balmoral	+135	€/meter
granite worktop – black	+230	€/meter
set of wheels (castors)	+220	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	+135	€/meter
runner for small movable table	+60	€/meter
small movable table for scale or cash register (400x500 mm)	+230	€/pcs
" * " please contact IGLOO Sales Department		

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



SANTIAGO M

-20 / -12°C



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SANTIAGO M (PLUG-IN)					
SA101M	SANTIAGO M 1.4W	1380	240	0,9	7700
SA102M	SANTIAGO M 1.7W	1680	300	1,2	8600
SA103M	SANTIAGO M 2.1W	2010	360	1,4	10230
SA104M	SANTIAGO M 2.5W	2540	400	1,6	11520

Devices variants		PLUG-IN	
ML	wooden melamine front + base panel (IGLOO pattern book - ML), without bumper	+370	€/meter
DRE	wooden front + base panel (IGLOO pattern book - DC / DR / TR), without bumper	+495	€/meter
CUSTOM	for individual projects (drop in unit, without front panel, powder coated base - (IGLOO pattern book))	-40	€/meter

Standard equipment	PLUG-IN
internal freezing aggregate	+
dynamic cooling (ventilated)	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel	+
grey granite worktop (thickness 20 mm)	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+
curved front glass - telescopic lifting system	+
night blinds made of plexi glass	+
LED lamp (color of choice: white, confectionery or pink)	+
bumper – different colors available (IGLOO pattern book)	+
double insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (Carel)	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
device without side panels prepared for multiplexing (MOD/A)	-270	€/pcs
INOX external housing - REAR	+245	€/meter
INOX external housing - FRONT	+315	€/meter
powder coated external housing - FRONT - custom RAL *	+90	€/meter
INOX AISI304 display area	+220	€/meter
powder painted evaporator	+105	€/meter
granite worktop – balmoral	+75	€/meter
granite worktop – black	+175	€/meter
INOX worktop	0	€/meter
wire basket coated (1.4 - 4 pcs / 1.7 - 5pcs / 2.1 - 6pcs / 2.5 - 8 pcs)	+130	€/pcs
set of wheels (castors)	+220	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
customer front shelf (aluminum profile) - (IGLOO pattern book) - no bumper PCV	+135	€/meter
customer front shelf (wooden profile) - (IGLOO pattern book - DR) - no bumper PCV	+255	€/meter
runner for small movable table	+60	€/meter
small movable table for scale or cash register (400x500 mm)	+230	€/pcs

" * " please contact IGLOO Sales Department

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




KING AT M


-18 / -12°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING AT M (PLUG-IN)					
KG100MAT	KING M 0.79 AT	890	460	2	7730
KG102MAT	KING M 1.6 AT	1660	920	4	11450
KING AT M (REMOTE)					
KG100MAT-c	KING M 0.79 AT-mod/C	790	460	2	4300
KG102MAT-c	KING M 1.6 AT-mod/C	1560	920	4	7640

KING AT M



KING AT M REMOTE



Standard equipment	PLUG-IN	REMOTE
energy efficient cooling aggregate HITACHI placed on the back of the device	+	-
powered only by external aggregate	-	+
dynamic cooling (ventilated)	+	+
multiplexable device	O	+
insulated side panels made of white coated steel - thickness : 40 mm	+	O
ecological polyurethane foam insulation	+	+
opened top panel illuminated with LED lightining - different plexiglass colors available (IGLOO pattern book)	+	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+	+
rack interior with coloured sheet - selectable colour (IGLOO pattern book)	+	+
6 levels of display shelves with possibility to change the hanging height and angle + lower base shelf	+	+
price stripes - selectable colour (IGLOO pattern book)	+	+
self-closing hinged door with insulated glass - selectable opening direction	+	+
automatic defrost	+	+
automatic condensate pump (up to 0,6m height)	+	+
internal top and side illumination – LED lights	+	+
electronic temperature controller with digital display (Carel IR33)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-430	S	€/pcs
insulated side panels made of coated steel - selectable colour (IGLOO pattern book)	S	+995	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	+75	+75	€/set
insulated side panels made of stainless steel	+165	+1160	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	+65	+65	€/meter
front panel color - selectable colour (IGLOO pattern book)	+185	+185	€/meter
base and front panel made of white coated steel (after consultation with the IGLOO Sales Department)	0	0	€/meter
top full panel made of stainless steel	+80	+80	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	+165	+165	€/meter
interior made of stainless steel	+300	+300	€/meter
interior made of acid resistant steel	+515	+515	€/meter
chrome reticulated shelves	+385	+385	€/meter
exposition shelves on frame made of powder painted steel - selectable colour (IGLOO pattern book)	0	0	€/meter
exposition shelves made of stainless steel	+155	+155	€/meter
exposition shelf made of acid-resistant stainless steel	+265	+265	€/meter
good securing fence	+30	+30	€/meter of shelf
powder painted evaporator	+105	+105	€/meter
fixed partition made of PETG (plexiglass)	+230	+230	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




VARIO 3 M


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 M L (REMOTE)					
VRM330.900L	VARIO 3 M 1.56 90L-mod/C (2D)	1562	1070	3,9	10380
VRM350.900L	VARIO 3 M 2.34 90L-mod/C (3D)	2343	1600	5,9	13950
VRM360.900L	VARIO 3 M 3.12 90L-mod/C (4D)	3124	2130	7,8	16690
VRM370.900L	VARIO 3 M 3.90 90L-mod/C (5D)	3905	2660	9,8	20170
VRM330.1100L	VARIO 3 M 1.56 110L-mod/C (2D)	1562	1450	4,5	10470
VRM350.1100L	VARIO 3 M 2.34 110L-mod/C (3D)	2343	2170	6,7	14210
VRM360.1100L	VARIO 3 M 3.12 110L-mod/C (4D)	3124	2890	8,90	17120
VRM370.1100L	VARIO 3 M 3.90 110L-mod/C (5D)	3905	3610	11,1	20760
VARIO 3 M H (REMOTE)					
VRM330.900H	VARIO 3 M 1.56 90H-mod/C (2D)	1562	1210	4,6	11060
VRM350.900H	VARIO 3 M 2.34 90H-mod/C (3D)	2343	1810	6,9	14620
VRM360.900H	VARIO 3 M 3.12 90H-mod/C (4D)	3124	2410	9,1	17350
VRM370.900H	VARIO 3 M 3.90 90H-mod/C (5D)	3905	3010	11,4	20810
VRM330.900H	VARIO 3 M 1.56 110H-mod/C (2D)	1562	1630	6,3	11140
VRM350.900H	VARIO 3 M 2.34 110H-mod/C (3D)	2343	2450	9,4	14870
VRM360.900H	VARIO 3 M 3.12 110H-mod/C (4D)	3124	3270	12,6	17770
VRM370.900H	VARIO 3 M 3.90 110H-mod/C (5D)	3905	4080	15,7	21400


VARIO 3 M 90L
REMOTE




VARIO 3 M 90H
REMOTE



VARIO 3 M 110L
REMOTE



VARIO 3 M 110H
REMOTE



Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
energy-saving electronically commutated fans	+
ecological polyurethane foam insulation	+
passive hinged doors with combined glass - full transparent	+
hinged doors self-closer	+
heated door frame	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior made of coated steel - different colors available (IGLOO pattern book)	+
6 levels of display shelves * with the possibility of changing the height and angle of suspension + bottom base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
automatic defrost (electric heaters)	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature controller with digital display (IGLOO) + electronic temperature recorder with software	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent*	+
top outlets of the cooling circuitry	+

Options	REMOTE	
insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)	+1330	€/set
insulated side panels made of stainless steel	+1525	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	+85	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	+40	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	+40	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	+135	€/meter
device interior and exposition shelves made of stainless steel	+705	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	+1125	€/meter
powder painted evaporator	+105	€/meter
fixed partition made of PETG (plexiglass)	+255	€/pcs
display space thermometer	+40	€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	+870	€/set
pressure sensor (recommended for EEV)*	+220	€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	+445	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIANT M 70 (PLUG IN)


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT M 70 - L (PLUG IN)					
VTM330.700L	VARIANT M 1.56 70L (2D)	1565	740	2,97	11910
VTM350.700L	VARIANT M 2.34 70L (3D)	2345	1110	4,46	15165
VTM360.700L	VARIANT M 3.12 70L (4D)	3125	1480	5,94	18660
VARIANT M 70 - H (PLUG IN)					
VTM330.700H	VARIANT M 1.56 70H (2D)	1565	840	3,55	12460
VTM350.700H	VARIANT M 2.34 70H (3D)	2345	1255	5,32	15755
VTM360.700H	VARIANT M 3.12 70H (4D)	3125	1670	7,10	19355

VARIANT M 70L



VARIANT M 70H



Standard equipment

			L	H
built-in condensing unit / plug-in			+	+
dynamic cooling			+	+
automatic electric defrosting			+	+
automatic evaporation of condensate			+	+
electronic temperature controller with digital display	IGLOO / CAREL		+	+
powder coated display area	IGLOO pattern book		+	+
rows of adjustable wire shelves	RAL9010 / RAL9005 / RAL 7040		4	5
LED lighting	vertical internal	- IGLOO pattern book	+	+
energy saving EC fans			+	+
powder coated external housing	IGLOO pattern book		+	+
price stripes	IGLOO pattern book		+	+
shelf fence			+	+
energy saving hinged doors			+	+
powder coated side panels	IGLOO pattern book		+	+
display area thermometer			+	+
polyurethane thermal insulation CFC free			+	+
condenser pollution alarm			+	+

Options

	L	H	
device without side panels prepared for multiplexing (MOD/A)	-790	-855	€/set
powder coated partition panel - selectable colour (IGLOO pattern book)	400	450	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	100	115	€/meter
INOX display area	240	285	€/meter
INOX AISI304 display area	360	425	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
fixed partition made of plexiglass	220	245	€/pcs
movable wire divider coated	55		€/pcs
pull-out wire basket coated (1.56 - 2 pcs / 2.34 - 3 pcs / 3.12 - 4 pcs)	365		€/pcs
set of wheels (model 1.56)	260		€/set
powder painted evaporator	105		€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




VARIANT M 70 (REMOTE)


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT M 70 - L (REMOTE)					
VTM330.700L-c	VARIANT M 1.56 70L-mod/C (2D)	1565	840	3,55	8265
VTM350.700L-c	VARIANT M 2.34 70L-mod/C (3D)	2345	1255	5,32	11055
VTM360.700L-c	VARIANT M 3.12 70L-mod/C (4D)	3125	1670	7,10	14575
VARIANT M 70 - H (REMOTE)					
VTM330.700H-c	VARIANT M 1.56 70H-mod/C (2D)	1565	930	4,13	8795
VTM350.700H-c	VARIANT M 2.34 70H-mod/C (3D)	2345	1395	6,20	11665
VTM360.700H-c	VARIANT M 3.12 70H-mod/C (4D)	3125	1860	8,25	15240

VARIANT M 70L



VARIANT M 70H



Standard equipment

			L	H
remote condensing unit / remote			+	+
dynamic cooling			+	+
automatic electric defrosting			+	+
siphoned condensate drain			+	+
electronic temperature controller with digital display	IGLOO / CAREL		+	+
powder coated display area	IGLOO pattern book		+	+
rows of adjustable wire shelves	RAL9010 / RAL9005 / RAL 7040		5	6
LED lighting	vertical internal	- IGLOO pattern book	+	+
energy saving EC fans			+	+
mechanical expansion valve	HFC, HFO/HFC		+	+
powder coated external housing	IGLOO pattern book		+	+
price stripes	IGLOO pattern book		+	+
shelf fence			+	+
energy saving hinged doors			+	+
bottom outlets of the cooling circuitry			+	+
display area thermometer			+	+
polyurethane thermal insulation CFC free			+	+

Options

	L	H	
powder coated side panels - selectable colour (IGLOO pattern book)	785	855	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	400	450	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	110	130	€/meter
INOX display area	345	375	€/meter
INOX AISI304 display area	485	545	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
fixed partition made of plexiglass	230	260	€/pcs
movable wire divider coated	55		€/pcs
pull-out wire basket coated (1.56 - 2 pcs / 2.34 - 3 pcs / 3.12 - 4 pcs)	365		€/pcs
powder painted evaporator	105		€/meter
condensate pump (up to 0,6m height)	340		€/pcs
top outlets of the cooling circuitry	90		€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	870		€/set
pressure sensor (recommended for EEV)*	220		€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445		€/meter

*more information - IGLOO sales department

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




VARIANT M 80 (PLUG IN)


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT M 80 - L (PLUG IN)					
VTM330.800L	VARIANT M 1.56 80L (2D)	1565	940	3,76	12220
VTM350.800L	VARIANT M 2.34 80L (3D)	2345	1405	5,63	15465
VTM360.800L	VARIANT M 3.12 80L (4D)	3125	1880	7,50	19110
VARIANT M 80 - H (PLUG IN)					
VTM330.800H	VARIANT M 1.56 80H (2D)	1565	1060	4,50	12755
VTM350.800H	VARIANT M 2.34 80H (3D)	2345	1590	6,70	16120
VTM360.800H	VARIANT M 3.12 80H (4D)	3125	2120	8,97	19830

VARIANT M 80L



VARIANT M 80H



Standard equipment			L	H
built-in condensing unit / plug-in			+	+
dynamic cooling			+	+
automatic electric defrosting			+	+
automatic evaporation of condensate			+	+
electronic temperature controller with digital display	IGLOO / CAREL		+	+
powder coated display area	IGLOO pattern book		+	+
rows of adjustable wire shelves	RAL9010 / RAL9005 / RAL 7040		4	5
LED lighting	vertical internal	- IGLOO pattern book	+	+
energy saving EC fans			+	+
powder coated external housing	IGLOO pattern book		+	+
price stripes	IGLOO pattern book		+	+
shelf fence			+	+
energy saving hinged doors			+	+
powder coated side panels	IGLOO pattern book		+	+
display area thermometer			+	+
polyurethane thermal insulation CFC free			+	+
condenser pollution alarm			+	+

Options	L	H	
device without side panels prepared for multiplexing (mod/A)	-855	-935	€/set
powder coated partition panel - selectable colour (IGLOO pattern book)	445	490	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	110	125	€/meter
INOX display area	280	325	€/meter
INOX AISI304 display area	400	465	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
fixed partition made of plexiglass	235	260	€/pcs
movable wire divider coated	65		€/pcs
pull-out wire basket coated (1.56 - 2 pcs / 2.34 - 3 pcs / 3.12 - 4 pcs)	430		€/pcs
set of wheels (model 1.56)	260		€/set
powder painted evaporator	105		€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




VARIANT M 80 (REMOTE)


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIANT M 80 - L (REMOTE)					
VTM330.800L-c	VARIANT M 1.56 80L-mod/C (2D)	1565	1060	4,50	8460
VTM350.800L-c	VARIANT M 2.34 80L-mod/C (3D)	2345	1590	6,70	11170
VTM360.800L-c	VARIANT M 3.12 80L-mod/C (4D)	3125	2120	8,97	14730
VARIANT M 80 - H (REMOTE)					
VTM330.800H-c	VARIANT M 1.56 80H-mod/C (2D)	1565	1180	5,23	8950
VTM350.800H-c	VARIANT M 2.34 80H-mod/C (3D)	2345	1770	7,83	11765
VTM360.800H-c	VARIANT M 3.12 80H-mod/C (4D)	3125	2355	10,44	15405

VARIANT M 80L



VARIANT M 80H



Standard equipment

			L	H
remote condensing unit / remote			+	+
dynamic cooling			+	+
automatic electric defrosting			+	+
siphoned condensate drain			+	+
electronic temperature controller with digital display	IGLOO / CAREL		+	+
powder coated display area	IGLOO pattern book		+	+
rows of adjustable wire shelves	RAL9010 / RAL9005 / RAL 7040		5	6
LED lighting	vertical internal	- IGLOO pattern book	+	+
energy saving EC fans			+	+
mechanical expansion valve	HFC, HFO/HFC		+	+
powder coated external housing	IGLOO pattern book		+	+
price stripes	IGLOO pattern book		+	+
shelf fence			+	+
energy saving hinged doors			+	+
bottom outlets of the cooling circuitry			+	+
display area thermometer			+	+
polyurethane thermal insulation CFC free			+	+

Options

	L	H	
powder coated side panels - selectable colour (IGLOO pattern book)	850	930	€/set
powder coated partition panel with mirrors - selectable colour (IGLOO pattern book)	445	485	€/pcs
powder coated display area - custom powder - (after consultation with the IGLOO Sales Department)	120	130	€/meter
INOX display area	385	410	€/meter
INOX AISI304 display area	525	580	€/meter
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	75		€/meter
INOX external housing	205		€/meter
INOX AISI304 external housing	245		€/meter
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	105		€/meter
fixed partition made of plexiglass	250	280	€/pcs
movable wire divider coated	65		€/pcs
pull-out wire basket coated (1.56 - 2 pcs / 2.34 - 3 pcs / 3.12 - 4 pcs)	430		€/pcs
powder painted evaporator	105		€/meter
condensate pump (up to 0,6m height)	340		€/pcs
top outlets of the cooling circuitry	90		€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	870		€/set
pressure sensor (recommended for EEV)*	220		€/pcs
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	445		€/meter

*more information - IGLOO sales department

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




VARIO M


-22 / -18°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO M - L (REMOTE)					
VRM156.1000L	VARIO M 1.56L mod/C (2D)	1564	1256	4.5	11700
VRM234.1000L	VARIO M 2.34L mod/C (3D)	2342	1884	6.8	15720
VRM312.1000L	VARIO M 3.12L mod/C (4D)	3123	2512	9.1	18980
VRM390.1000L	VARIO M 3.90L mod/C (5D)	3898	3139	11.4	23460
VARIO M - H (REMOTE)					
VRM156.1000H	VARIO M 1.56H mod/C (2D)	1564	1416	5.4	12890
VRM234.1000H	VARIO M 2.34H mod/C (3D)	2342	2109	8.2	17180
VRM312.1000H	VARIO M 3.12H mod/C (4D)	3123	2823	10.9	20330
VRM390.1000H	VARIO M 3.90H mod/C (5D)	3898	3543	13.7	24610

VARIO M - L



VARIO M - H



Standard equipment	L	H
powered only by external aggregate	+	
multiplexable device	+	
dynamic cooling (ventilated)	+	
energy-saving electronically commutated fans	+	
ecological polyurethane foam insulation	+	
hinged doors with combined glass	+	
hinged doors self-closer	+	
heated door frame	+	
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+	
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+	
base plinth made of stainless steel with a floor seal	+	
interior made of coated steel - different colors available (IGLOO pattern book)	+	
levels of plastified reticulated shelves, with height and angle adjustment + base shelf	4	5
price stripes - selectable colour (IGLOO pattern book)	+	
automatic defrost (electric heaters)	+	
display space thermometer	+	
modern LED lighting (lighting colour options: white confectionery, pink)	+	
electronic temperature controller with digital display (Carel IR33)	+	
mechanical expansion valve	+	
siphoned condensate drain – diameter of the connector pipe Ø 40	+	
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+	

Options	REMOTE	
insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)	+1330	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	+85	€/set
insulated side panels made of stainless steel	+1525	€/set
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	+40	€/meter
bottom stainless steel front panel	+100	€/meter
custom colors of top front panel (after consultation with the IGLOO Sales Department)	+40	€/meter
interior made of stainless steel	+640	€/meter
interior made of acid resistant steel	+1045	€/meter
chrome reticulated shelves	+70	€/meter of shelf
powder painted evaporator	+105	€/meter
fixed partition made of PETG (plexiglass)	+255	€/pcs
front buffer with stainless steel profile	+185	€/meter
top outlets of the cooling circuitry	+85	€/pcs
electronic expansion valve - EEV (not included electronic temperature controller)*	+870	€/set
pressure transmitter (recommended for EEV) *	+220	€/pcs
cooling system CO_2 (R744) (only with electronic expansion valve) *	+445	€/meter
*more information - IGLOO sales department		

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl

07

pastry display counters

CUBE W 177
CUBE W OPEN 179
CUBE 2 181
CUBE 2 BAKE 183
CUBE 2 N 185
CUBE 2 OPEN 187
GASTROLINE CUBE (W) 189
GASTROLINE CUBE (W) OPEN 191
INNOVA 193
INNOVA N 195
INNOVA T 197
JAMAJKA W 199
JAMAJKA N 201
JAMAJKA W OPEN 203
JOLA 4 205
JULIA 207
JULIA NADSTAWKA 207
KAMELEO W 209
KAMELEO N 211
PARIS 213
PASTELLA W / FIRTELLA W 215
PASTELLA BAKE / FIRTELLA BAKE 217
PASTELLA N / FIRTELLA N 219
PASTELLA SWEET 221
PASTELLA SWEET N 223



CUBE W


+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE (PLUG-IN)					
CU103.2	CUBE 0.6W 2P	610	320	0,87	3850
CU102.2	CUBE 0.9W 2P	910	480	1,3	4510
CU101.2	CUBE 1.3W 2P	1310	690	1.9	4980
CU103.3	CUBE 0.6W 3P	610	360	1,13	3940
CU102.3	CUBE 0.9W 3P	910	550	1,74	4650
CU101.3	CUBE 1.3W 3P	1310	800	2,55	5170
CUBE (REMOTE)					
CU103.2-c	CUBE 0.6W 2P–mod/C	610	320	0,87	3190
CU102.2-c	CUBE 0.9W 2P–mod/C	910	480	1,3	3760
CU101.2-c	CUBE 1.3W 2P–mod/C	1310	690	1.9	4130
CU103.3-c	CUBE 0.6W 3P–mod/C	610	360	1,13	3280
CU102.3-c	CUBE 0.9W 3P–mod/C	910	550	1,74	3900
CU101.3-c	CUBE 1.3W 3P–mod/C	1310	800	2,55	4320


Devices variants

		PLUG-IN	REMOTE	
CUSTOM	device intended to be built individually (lack of the front panel and sides)	-30	-30	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-120	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+455	-	€/pcs
N 0.6 2P	neutral (ambient device without cooling system and possibility of installing it)	2285	-	€
N 0.9 2P	neutral (ambient device without cooling system and possibility of installing it)	2955	-	€
N 1.3 2P	neutral (ambient device without cooling system and possibility of installing it)	3380	-	€
N 0.6 3P	neutral (ambient device without cooling system and possibility of installing it)	2375	-	€
N 0.9 3P	neutral (ambient device without cooling system and possibility of installing it)	3095	-	€
N 1.3 3P	neutral (ambient device without cooling system and possibility of installing it)	3590	-	€

CUBE W 3P



CUBE W 2P



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	O
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options

	PLUG-IN	REMOTE	
multiplexable device (without sides)	-60	-	€/pcs
sides powder coated - (IGLOO pattern book)	-	+105	€/set
mirror or INOX strip on wooden front panel ML (60 mm)	+100	+100	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+65	+65	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+175	+175	€/meter
INOX internal frame for 0.6 model	+165	+165	€/pcs
INOX internal frame for 0.9 model	+195	+195	€/pcs
INOX internal frame for 1.3 model	+245	+245	€/pcs
humidity control system	+315	+315	€/pcs
INOX bottom shelf	+80	+80	€/meter
wooden bottom internal shelf ML - custom decor - (after consultation with the IGLOO Sales Department)	+80	+80	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+65	+65	€/pcs
medium tray (400mm x 420mm)	+75	+75	€/pcs
big tray (400mm x 510mm)	+75	+75	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
set of wheels (castors)	+275	-	€/set
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+110	+110	€/meter

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




CUBE W OPEN

+5 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE OPEN (PLUG-IN)					
CU103.2/OP	CUBE 0.6W 2P OPEN	610	320	0,87	3840
CU102.2/OP	CUBE 0.9W 2P OPEN	910	480	1,3	4280
CU101.2/OP	CUBE 1.3W 2P OPEN	1310	690	1.9	4770
CU103.3/OP	CUBE 0.6W 3P OPEN	610	360	1,13	3930
CU102.3/OP	CUBE 0.9W 3P OPEN	910	550	1,74	4410
CU101.3/OP	CUBE 1.3W 3P OPEN	1310	800	2,55	4970
CUBE OPEN (REMOTE)					
CU103.2/OP-c	CUBE 0.6W 2P OPEN–mod/C	610	320	0,87	3180
CU102.2/OP-c	CUBE 0.9W 2P OPEN–mod/C	910	480	1,3	3510
CU101.2/OP-c	CUBE 1.3W 2P OPEN–mod/C	1310	690	1.9	3910
CU103.3/OP-c	CUBE 0.6W 3P OPEN–mod/C	610	360	1,13	3270
CU102.3/OP-c	CUBE 0.9W 3P OPEN–mod/C	910	550	1,74	3650
CU101.3/OP-c	CUBE 1.3W 3P OPEN–mod/C	1310	800	2,55	4100

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device intended to be built individually (lack of the front panel)	-30	-30	€/meter

CUBE W OPEN 3P



CUBE W OPEN 2P



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	O
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
front glass screen (h. 120 mm)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-60	-	€/pcs
sides powder coated - (IGLOO pattern book)	-	+105	€/set
mirror or INOX strip on wooden front panel ML (60 mm)	+100	+100	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+65	+65	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+175	+175	€/meter
INOX internal back of device	+115	+115	€/meter
INOX internal frame for 0.6 model	+165	+165	€/pcs
INOX internal frame for 0.9 model	+195	+195	€/pcs
INOX internal frame for 1.3 model	+245	+245	€/pcs
INOX bottom shelf	+80	+80	€/meter
wooden bottom internal shelf ML - custom decor - (after consultation with the IGLOO Sales Department)	+80	+80	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+65	+65	€/pcs
medium tray (400mm x 420mm)	+75	+75	€/pcs
big tray (400mm x 510mm)	+75	+75	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
set of wheels (castors)	+275	-	€/set

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




CUBE 2

+2 / +15°C


ID	Name	Length [mm]	The area of shelves [m2]	Price €
CUBE 2 (PLUG-IN)				
CU203.2	CUBE 2 0.6W 2P	640	0,95	4640
CU202.2	CUBE 2 0.9W 2P	940	1,47	5530
CU201.2	CUBE 2 1.3W 2P	1340	2,15	6330
CU295.2	CUBE 2 NZ90W 2P	1470	1,08	8430
CU203.3	CUBE 2 0.6W 3P	640	1,13	5240
CU202.3	CUBE 2 0.9W 3P	940	1,74	6180
CU201.3	CUBE 2 1.3W 3P	1340	2,55	7090
CU295.3	CUBE 2 NZ90W 3P	1470	1,57	9210
CUBE 2 (REMOTE)				
CU203.2-c	CUBE 2 0.6W 2P mod/C	600	0,95	3940
CU202.2-c	CUBE 2 0.9W 2P mod/C	900	1,47	4640
CU201.2-c	CUBE 2 1.3W 2P mod/C	1300	2,15	5320
CU295.2-c	CUBE 2 NZ90W 2P mod/C	1450	1,08	7600
CU203.3-c	CUBE 2 0.6W 3P mod/C	600	1,13	4410
CU202.3-c	CUBE 2 0.9W 3P mod/C	900	1,74	5180
CU201.3-c	CUBE 2 1.3W 3P mod/C	1300	2,55	5950
CU295.3-c	CUBE 2 NZ90W 3P mod/C	1450	1,57	8370

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter
HALF OPEN	device with the hole in the front glass for self service	+250	+250	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-115	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+450	+450	€/pcs

CUBE 2 3P



CUBE 2 2P



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+
dynamic cooling with automatic defrost	+	+
external housing made of coated steel – different colors available (IGLOO pattern book)	+	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+
back sliding doors with combined glass (Cube 2 0.6 – hinged doors with choice of door opening direction))	+	+
kick plinth made of painted steel – different colors available (IGLOO pattern book)	+	+
glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom shelf made of stainless steel	+	+
top internal LED illumination front frame LED illumination	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	+

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-95		€/pcs
INOX internal frame	+180	+180	€/meter
INOX kick plinth	+60	+60	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+40	+40	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+165	+165	€/meter
additional each shelf LED illumination	+125	+125	€/meter of shelf
humidity control system	+315	+315	€/pcs
fixed partition for connecting heating and cooling devices	+420	+420	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
set of wheels (castors)	+275		€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+110	+110	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




CUBE 2 BAKE

+2 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE 2 BAKE					
CU203.2NB	CUBE 2 0.6N BAKE 2P	640	104	0,6	3310
CU202.2NB	CUBE 2 0.9N BAKE 2P	940	155	0,9	3870
CU201.2NB	CUBE 2 1.3N BAKE 2P	1340	225	1,3	4640
CU203.3NB	CUBE 2 0.6N BAKE 3P	640	104	0,6	3890
CU202.3NB	CUBE 2 0.9N BAKE 3P	940	155	0,9	4490
CU201.3NB	CUBE 2 1.3N BAKE 3P	1340	225	1,3	5400

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter

CUBE 2 BAKE 3P



CUBE 2 BAKE 2P



Standard equipment	BAKE
ambient device without cooling system and possibility of installing it	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
wooden rack	+
stainless crumb trays	+
bakery tray rack 400x600 (0.6 - 6 pcs.; 0.9 - 6 pcs.; 1.3 - 12 pcs.)	+
socket with fuse	+
glass exposition shelves with height and angle adjustment placed on the frame	+
back sliding doors with combined glass (Cube 2 0.6 – hinged doors with choice of door opening direction))	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+

Options	BAKE	
multiplexable device (without sides)	-95	€/pcs
INOX internal frame	+175	€/meter
INOX kick plinth	+60	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+50	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+165	€/meter
additional shelf illumination – LED light	+125	€/meter of shelf
set of wheels (castors)	+275	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




CUBE 2 N


ID	Name	Length [mm]	The area of shelves [m2]	Price €
CUBE 2 N				
CU203.2N	CUBE 2 0.6N 2P	640	0,95	3310
CU202.2N	CUBE 2 0.9N 2P	940	1,47	3870
CU201.2N	CUBE 2 1.3N 2P	1340	2,15	4640
CU295.2N	CUBE 2 NZ90N 2P	1470	1,08	6410
CU203.3N	CUBE 2 0.6N 3P	640	1,13	3890
CU202.3N	CUBE 2 0.9N 3P	940	1,74	4490
CU201.3N	CUBE 2 1.3N 3P	1340	2,55	5400
CU295.3N	CUBE 2 NZ90N 3P	1470	1,57	7180

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter

CUBE N 3P



CUBE N 2P



Standard equipment	CUBE 2 N
ambient device without cooling system and possibility of installing it	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
back sliding doors with combined glass (Cube 2 0.6 – hinged doors with choice of door opening direction))	+
kick plinth made of painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves with height and angle adjustment placed on the frame	+
bottom shelf made of stainless steel	+
top internal LED illumination front frame LED illumination	

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-90	-	€/pcs
INOX internal frame	+180	+180	€/meter
INOX kick plinth	+45	+45	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+40	+40	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+165	+165	€/meter
additional each shelf LED illumination	+125	+125	€/meter of shelf
set of wheels (castors)	+275	-	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in CUBE 2 0.6 hinged door with Venetian mirror)	+110	+110	€/meter

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




CUBE 2 OPEN

+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE 2 OPEN (PLUG-IN)					
CU203.2O	CUBE 2 0.6W 2P OPEN	640	250	0,95	4530
CU202.2O	CUBE 2 0.9W 2P OPEN	940	390	1,47	5410
CU201.2O	CUBE 2 1.3W 2P OPEN	1340	570	2,15	6210
CU203.3O	CUBE 2 0.6W 3P OPEN	640	360	1,13	5130
CU202.3O	CUBE 2 0.9W 3P OPEN	940	550	1,74	6070
CU201.3O	CUBE 2 1.3W 3P OPEN	1340	800	2,55	6980
CUBE 2 OPEN (REMOTE)					
CU203.2O-c	CUBE 2 0.6W 2P OPEN mod/C	600	250	0,95	3830
CU202.2O-c	CUBE 2 0.9W 2P OPEN mod/C	900	390	1,47	4530
CU201.2O-c	CUBE 2 1.3W 2P OPEN mod/C	1300	570	2,15	5200
CU203.3O-c	CUBE 2 0.6W 3P OPEN mod/C	600	360	1,13	4290
CU202.3O-c	CUBE 2 0.9W 3P OPEN mod/C	900	550	1,74	5070
CU201.3O-c	CUBE 2 1.3W 3P OPEN mod/C	1300	800	2,55	5850

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+
dynamic cooling with automatic defrost	+	+
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)	+	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+
internal and external back of the device made of painted steel (IGLOO pattern book)	+	+
kick plinth made of painted steel (IGLOO pattern book)	+	+
glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom shelf made of stainless steel	+	+
top internal LED illumination front frame LED illumination	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-90	-	€/pcs
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+235	+235	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+60	+60	€/meter
front panel powder coated - (IGLOO pattern book)	+50	+50	€/meter
INOX internal frame	+235	+235	€/meter
INOX internal back of device	+165	+165	€/meter
INOX kick plinth	+130	+130	€/meter
manual night blind	+135	+135	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
set of wheels (castors)	+275	-	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




GASTROLINE CUBE (W)

+5 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE CUBE (PLUG-IN)					
GC103.2	GASTROLINE CUBE 0.6W 2P	610	320	0,87	3820
GC102.2	GASTROLINE CUBE 0.9W 2P	910	480	1,3	4100
GC101.2	GASTROLINE CUBE 1.3W 2P	1310	690	1.9	4480
GC103.3	GASTROLINE CUBE 0.6W 3P	610	360	1,13	4070
GC102.3	GASTROLINE CUBE 0.9W 3P	910	550	1,74	4460
GC101.3	GASTROLINE CUBE 1.3W 3P	1310	800	2,55	5040
GASTROLINE CUBE (REMOTE)					
GC103.2-c	GASTROLINE CUBE 0.6W 2P–mod/C	610	320	0,87	3190
GC102.2-c	GASTROLINE CUBE 0.9W 2P–mod/C	910	480	1,3	3360
GC101.2-c	GASTROLINE CUBE 1.3W 2P–mod/C	1310	690	1.9	3640
GC103.3-c	GASTROLINE CUBE 0.6W 3P–mod/C	610	360	1,13	3420
GC102.3-c	GASTROLINE CUBE 0.9W 3P–mod/C	910	550	1,74	3720
GC101.3-c	GASTROLINE CUBE 1.3W 3P–mod/C	1310	800	2,55	4160

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device intended to be built individually (lack of the front panel)	-30	-30	€/meter
HALF OPEN	device with the hole in the front glass for self service	+260	+260	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-120	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+455	-	€/pcs
N 0.6 2P	neutral (ambient device without cooling system and possibility of installing it)	2085	-	€/pcs
N 0.9 2P	neutral (ambient device without cooling system and possibility of installing it)	2205	-	€/pcs
N 1.3 2P	neutral (ambient device without cooling system and possibility of installing it)	2435	-	€/pcs
N 0.6 3P	neutral (ambient device without cooling system and possibility of installing it)	2330	-	
N 0.9 3P	neutral (ambient device without cooling system and possibility of installing it)	2580	-	
N 1.3 3P	neutral (ambient device without cooling system and possibility of installing it)	2975	-	

GASTROLINE CUBE 3P



GASTROLINE CUBE 2P



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	O
wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
straight front glass	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
2 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
back sliding doors with combined glass (GASTROLINE CUBE 0.6 - hinged doors with choice of door opening direction)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-60	-	€/pcs
sides powder coated - (IGLOO pattern book)	-	+105	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+65	+65	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+175	+175	€/meter
INOX internal frame for 0.6 model	+165	+165	€/pcs
INOX internal frame for 0.9 model	+195	+195	€/pcs
INOX internal frame for 1.3 model	+245	+245	€/pcs
humidity control system	+315	+315	€/pcs
INOX bottom shelf	+80	+80	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+65	+65	€/pcs
medium tray (400mm x 420mm)	+75	+75	€/pcs
big tray (400mm x 510mm)	+75	+75	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
set of wheels (castors)	+275	+275	€/set
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+110	+110	€/meter


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



GASTROLINE CUBE (W) OPEN

+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE CUBE OPEN (PLUG-IN)					
GC103.2O	GASTROLINE CUBE 0.6W 2P OPEN	610	320	0,87	3880
GC102.2O	GASTROLINE CUBE 0.9W 2P OPEN	910	480	1,3	3960
GC101.2O	GASTROLINE CUBE 1.3W 2P OPEN	1310	690	1.9	4360
GC103.3O	GASTROLINE CUBE 0.6W 3P OPEN	610	360	1,13	4130
GC102.3O	GASTROLINE CUBE 0.9W 3P OPEN	910	550	1,74	4340
GC101.3O	GASTROLINE CUBE 1.3W 3P OPEN	1310	800	2,55	4900
GASTROLINE CUBE OPEN (REMOTE)					
GC103.2O-c	GASTROLINE CUBE 0.6W 2P OPEN–mod/C	610	320	0,87	3210
GC102.2O-c	GASTROLINE CUBE 0.9W 2P OPEN–mod/C	910	480	1,3	3360
GC101.2O-c	GASTROLINE CUBE 1.3W 2P OPEN–mod/C	1310	690	1.9	3520
GC103.3O-c	GASTROLINE CUBE 0.6W 3P OPEN–mod/C	610	360	1,13	3460
GC102.3O-c	GASTROLINE CUBE 0.9W 3P OPEN–mod/C	910	550	1,74	3740
GC101.3O-c	GASTROLINE CUBE 1.3W 3P OPEN–mod/C	1310	800	2,55	4070



Devices variants

		PLUG-IN	REMOTE	
CUSTOM	device intended to be built individually (lack of the front panel)	-30	-30	€/meter

Standard equipment

	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	O
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)	+	+
2 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
front glass screen (h. 120 mm)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options

	PLUG-IN	REMOTE	
multiplexable device (without sides)	-60	-	€/pcs
sides powder coated - (IGLOO pattern book)	-	+105	€/set
mirror or INOX strip on wooden front panel ML	+100	+100	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+65	+65	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
front panel powder coated - (IGLOO pattern book)	+175	+175	€/meter
INOX internal back of device	+115	+115	€/meter
INOX internal frame for 0.6 model	+165	+165	€/pcs
INOX internal frame for 0.9 model	+195	+195	€/pcs
INOX internal frame for 1.3 model	+245	+245	€/pcs
INOX bottom shelf	+80	+80	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+65	+65	€/pcs
medium tray (400mm x 420mm)	+75	+75	€/pcs
big tray (400mm x 510mm)	+75	+75	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
set of wheels (castors)	+275	-	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




INNOVA

+2 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
INNOVA (PLUG-IN)					
INN70.110	INNOVA 70.110	700	245	1	5570
INN100.110	INNOVA 100.110	1000	362	1	6700
INN140.110	INNOVA 140.110	1400	513	1,3	7810
INN70.140	INNOVA 70.140	700	395	1,2	6410
INN100.140	INNOVA 100.140	1000	582	1,8	7560
INN140.140	INNOVA 140.140	1400	825	2,5	8620
INN100.170	INNOVA100.170	1000	582	2,35	9610
INN140.170	INNOVA140.170	1400	1072	3,25	10780
INNNZ45.110	INNOVA NZ45.110	-	500	1,4	7630
INNNZ45.140	INNOVA NZ45.140	-	636	1,75	8340
INNOVA (REMOTE)					
INN70.110-c	INNOVA 70.110-mod/C	700	245	1	4900
INN100.110-c	INNOVA 100.110-mod/C	1000	362	1	5930
INN140.110-c	INNOVA 140.110-mod/C	1400	513	1,3	6910
INN70.140-c	INNOVA 70.140-mod/C	700	395	1,2	5750
INN100.140-c	INNOVA 100.140-mod/C	1000	582	1,8	6760
INN140.140-c	INNOVA 140.140-mod/C	1400	825	2,5	7760
INN110.170-c	INNOVA 100.170-mod/C	1000	582	2,35	8660
INN140.170-c	INNOVA 140.170-mod/C	1400	1072	3,25	9550
INNNZ45.110-c	INNOVA NZ45.110-mod/C	-	500	1,4	6880
INNNZ45.140-c	INNOVA NZ45.140-mod/C	-	636	1,75	7590
INNOVA (BEMAR)					
INN100.140B	INNOVA BEMAR 100.140	1000	582	1,8	7430
INN140.140B	INNOVA BEMAR 140.140	1400	825	2,5	8770
INNOVA (HOT)					
INN70.140H	INNOVA G 70.140	700	395	1,2	7170
INN100.140H	INNOVA G 100.140	1000	582	1,8	8070
INN140.140H	INNOVA G 140.140	1400	825	2,5	9320

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+445	+445	€/pcs
HALF OPEN	device with the hole in the front glass for self service (for cooling devices)	+255	+255	€/meter


INNOVA 170



INNOVA 140



INNOVA 110



Standard equipment	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLU-G-IN	INNOVA (W) RE-MOTE
internal cooling aggregate R290	-	-	+	-
dynamic cooling with automatic defrost	-	-	+	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+	+	+
innovative system of withdrawable front with electromagnetic lock	+	+	+	+
external wooden elements – different colors available (IGLOO pattern book)	+	+	+	+
wooden top worktop – different colors available (IGLOO pattern book)	-	+	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+	+	+
bottom shelf made of stainless steel	-	+	+	+
glass exposition shelves with height and angle adjustment placed on the frame	-	+	+	+
back sliding doors with combined glass (INNOVA 70 - hinged doors with choice of door opening direction)	-	+	+	+
kick plinth made of stainless steel	+	+	+	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+	+	+	+
exposition area made of acid-resistant stainless steel, prepared for GN containers	+	-	-	-
water level sensor	+	-	-	-
top internal LED illumination front frame LED illumination	-	-	+	+
top lamp with ceramic heaters and oven lightbulbs	+	-	-	-
internal upper and front frame fluorescent lighting	-	+	-	-
automatic condenser vaporization	-	-	+	-
mechanical temperature control unit with temperature sensor	+	+	-	-
electronic temperature controller with digital display (Igloo/Carel)	-	-	+	+
condenser impurity or fan operation failure alarm	-	-	+	-

Options	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLUG-IN	INNOVA (W) REMOTE	
multiplexable device	-75	-75	-75	-	€/pcs
top granite worktop color – grey (thickness: 20 mm)	-	+115	+115	+115	€/meter
top granite worktop color – balmoral (thickness: 20 mm)	-	+220	+220	+220	€/meter
top granite worktop color – black (thickness: 20 mm)	-	+365	+365	+365	€/meter
internal frame made of stainless steel (does not apply to aluminum shelf frame)	-	+180	+180	+180	€/meter
humidity control system	-	-	+315	+315	€/set
additional each shelf LED illumination	-	-	+125	+125	€/meter of shelf
electronic temperature recorder + software	-	-	+125	+125	€/set
temperature recorder wire	-	-	+45	+45	€/pcs
set of wheels (castors)	+265	+275	+275	-	€/set
gastronomic container GN 1/1 - depth 150 mm	+60	-	-	-	€/pcs
gastronomic container GN 1/3 - depth 150 mm	+30	-	-	-	€/pcs
gastronomic container GN 1/6 - depth 150 mm	+25	-	-	-	€/pcs
gastronomic container GN 2/4 - depth 150 mm	+45	-	-	-	€/pcs
additional crossbar for GN container	+30	+30	-	-	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in model 70, hinged door with Venetian mirror)	-	+110	+110	+110	€/meter

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




INNOVA N


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
INNOVA - NEUTRAL					
INN-N70.110	INNOVA N 70.110	700	245	1	4490
INN-N100.110	INNOVA N 100.110	1000	362	1	4930
INN-N140.110	INNOVA N 140.110	1400	513	1	5480
INN-N70.140	INNOVA N 70.140	700	395	1	5480
INN-N100.140	INNOVA N 100.140	1000	582	1,8	5910
INN-N140.140	INNOVA N 140.140	1400	825	2,5	6170
INN-N100.170	INNOVA N 100.170	1000	582	2,35	6940
INN-N140.170	INNOVA N 140.170	1400	1072	3,25	7660
INNNZ45.110	INNOVA NZ45.110	~1350	500	1,4	5810
INNNZ45.140	INNOVA NZ45.140	~1350	636	1,75	6530

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-30	-30	€/meter
HALF OPEN	device with the hole in the front glass for self service (for cooling devices)	+105	+105	€/meter


INNOVA 170



INNOVA 140



INNOVA 110



Standard equipment	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLUG-IN	INNOVA (W) REMOTE
internal cooling aggregate R290	-	-	+	-
dynamic cooling with automatic defrost	-	-	+	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+	+	+
innovative system of withdrawable front with electromagnetic lock	+	+	+	+
external wooden elements – different colors available (IGLOO pattern book)	+	+	+	+
wooden top worktop – different colors available (IGLOO pattern book)	-	+	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+	+	+
bottom shelf made of stainless steel	-	+	+	+
glass exposition shelves with height and angle adjustment placed on the frame	-	+	+	+
back sliding doors with combined glass (INNOVA 70 - hinged doors with choice of door opening direction)	-	+	+	+
kick plinth made of stainless steel	+	+	+	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+	+	+	+
exposition area made of acid-resistant stainless steel, prepared for GN containers	+	-	-	-
water level sensor	+	-	-	-
top internal LED illumination front frame LED illumination	-	-	+	+
top lamp with ceramic heaters and oven lightbulbs	+	-	-	-
internal upper and front frame fluorescent lighting	-	+	-	-
automatic condenser vaporization	-	-	+	-
mechanical temperature control unit with temperature sensor	+	+	-	-
electronic temperature controller with digital display (Igloo/Carel)	-	-	+	+
condenser impurity or fan operation failure alarm	-	-	+	-

Options	NEUTRAL	
multiplexable device	-75	€/pcs
top granite worktop color – grey (thickness: 20 mm)	+115	€/meter
top granite worktop color – balmoral (thickness: 20 mm)	+220	€/meter
top granite worktop color – black (thickness: 20 mm)	+365	€/meter
internal frame made of stainless steel (does not apply to aluminum shelf frame)	+180	€/set
additional each shelf LED illumination	+125	€/meter of shelf
set of wheels (castors)	+275	€/set
rear sliding door made of double-glazed units with Venetian mirror (INNOVA 70, hinged door with Venetian mirror)	+105	€/meter

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




INNOVA T

+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
INNOVA T (PLUG-IN)					
INN-T74	INNOVA T 74	740	820	1,7	7070

Devices variants

		PLUG-IN	
CUSTOM	device prepared for individual design	-30	€/meter



Standard equipment

	PLUG-IN
internal cooling aggregate R290	+
dynamic cooling with automatic defrost	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+
external wooden elements – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of stainless steel	+
glass exposition shelves with height adjustment placed on the frame	+
back hinged doors with combined glass (choice of door opening direction)	+
kick plinth made of stainless steel	+
housing with base from staff side made of black coated steel	+
front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
rotating glass shelves (without height adjustment)	+715	€/set
internal frame made of stainless steel	+295	€/set
additional glass shelf + handle set	+105	€/set
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
set of wheels (castors)	+275	€/set
hinged door with venetian mirror	+130	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




JAMAJKA W

+5 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JAMAJKA (PLUG-IN)					
JA103	JAMAJKA 0.6W	700	203	0,96	3960
JA102	JAMAJKA 0.9W	1000	305	1,5	4490
JA101	JAMAJKA 1.3W	1400	440	2,1	5000
JAMAJKA (REMOTE)					
JA103-c	JAMAJKA 0.6W-mod/C	610	203	0,96	3300
JA102-c	JAMAJKA 0.9W-mod/C	910	305	1,5	3720
JA101-c	JAMAJKA 1.3W-mod/C	1310	440	2,1	4120

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (without wooden housing)	-280	-130	€/meter
RETRO	external wooden veneered housing with decorative elements	+120	+120	€/meter
TREND	wooden external housing in trend style	+215	+215	€/meter
INOX	external housing made of stainless steel	+175	+175	€/meter
HALF OPEN	device with the hole in the front glass for self service	+290	+290	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-120	-	€/meter
PRALINES	Operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+455	-	€/pcs


JAMAJKA W OPEN




JAMAJKA W OPEN RETRO



JAMAJKA W OPEN TREND



JAMAJKA W OPEN INOX



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
wooden external housing – different colors available (IGLOO pattern book)	+	+
wooden side panels – different colors available (IGLOO pattern book)	+	O
glass side panels or combined glass divider for multiplexable devices	+	+
curved front glass openable	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom wooden shelf – different colors available (IGLOO pattern book)	+	+
back sliding doors with combined glass (JAMAJKA 0.6 hinged doors with choice of door opening direction)	+	+
upper interior lighting + additional illumination of each shelf – LED lighting (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without wooden side panels prepared for multiplexing (mod/A)	-190	-	€/pcs
wooden side panels – different colors available (IGLOO pattern book)	-	+420	€/set
internal frame made of stainless steel for 0.6 model	+165	+165	€/pcs
internal frame made of stainless steel for 0.9 model	+195	+195	€/pcs
internal frame made of stainless steel for 1.3 model	+245	+245	€/pcs
bottom shelf made of stainless steel	+80	+80	€/meter
humidity control system	+315	+315	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 375mm)	+70	+70	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in JAMAJKA 0.6 hinged door)	+110	+110	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




JAMAJKA N

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JAMAJKA N					
JA103N	JAMAJKA 0.6N	700	203	0,96	2510
JA102N	JAMAJKA 0.9N	1000	305	1,5	2710
JA101N	JAMAJKA 1.3N	1400	440	2,1	3020
JANZ45N	JAMAJKA NZ45N	1230	270	1,33	2880
JANZ90N	JAMAJKA NZ90N	2200	575	2,88	5000
JANW45N	JAMAJKA NW45N	1230	285	1,56	2880
JANW90N	JAMAJKA NW90N	2200	589	2,92	4970

Devices variants

		Neutral	
CUSTOM	device prepared for individual design (without wooden housing)	-270	€/meter
RETRO	external wooden veneered housing with decorative elements	+120	€/meter
TREND	wooden external housing in trend style	+205	€/meter
INOX	external housing made of stainless steel	+170	€/meter
HALF OPEN	device with the hole in the front glass for self service	+285	€/meter

JAMAJKA N



Standard equipment

	Neutral
ambient device without cooling system and possibility of installing it	+
wooden external housing – different colors available (IGLOO pattern book)	+
glass side panels or combined glass divider for multiplexable devices	+
curved front glass openable	+
internal frame painted - different colors available (IGLOO pattern book)	+
glass exposition shelves with height and angle adjustment placed on the frame	+
bottom wooden shelf – different colors available (IGLOO pattern book)	+
back sliding doors with combined glass (JAMAJKA 0.6 hinged doors with choice of door opening direction)	+
bottom housing made of black melamine (wood)	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+

Options

	NEUTRAL	
device without wooden side panels prepared for multiplexing (mod/A)	-190	€/pcs
wooden side panels – different colors available (IGLOO pattern book)	-	€/set
internal frame made of stainless steel for 0.6 model	+165	€/pcs
internal frame made of stainless steel for 0.9 model	+195	€/pcs
internal frame made of stainless steel for 1.3 model	+245	€/pcs
bottom shelf made of stainless steel	+80	€/meter
small tray (400mm x 375mm)	+70	€/pcs
bottom tray (400mm x 520mm)	+75	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+110	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




JAMAJKA W OPEN

+5 / +15°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JAMAJKA OPEN (PLUG-IN)					
JA103O	JAMAJKA 0.6 W OPEN	700	264	1,02	3960
JA102O	JAMAJKA 0.9 W OPEN	1000	396	1,57	4490
JA101O	JAMAJKA 1.3 W OPEN	1400	572	2,3	5000
JAMAJKA OPEN (REMOTE)					
JA103O-c	JAMAJKA 0.6 W OPEN - mod/C	610	264	1,02	3300
JA102O-c	JAMAJKA 0.9 W OPEN - mod/C	910	396	1,57	3740
JA101O-c	JAMAJKA 1.3 W OPEN - mod/C	1310	572	2,3	4130

Devices variants		PLUG-IN	REMOTE	
CUSTOM	udevice prepared for individual design (without wooden housing)	-275	-125	€/meter
RETRO	external wooden veneered housing with decorative elements	+120	+120	€/meter
TREND	wooden external housing in trend style	+210	+210	€/meter
INOX	external housing made of stainless steel	+175	+175	€/meter


JAMAJKA W OPEN




JAMAJKA W OPEN RETRO



JAMAJKA W OPEN TREND



JAMAJKA W OPEN INOX



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	O	+
dynamic cooling (ventilated)	+	+
wooden external housing – different colors available (IGLOO pattern book)	+	+
wooden side panels – different colors available (IGLOO pattern book)	+	O
glass side panels or combined glass divider for multiplexable devices	+	+
front glass screen (h. 120 mm)	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom wooden shelf – different colors available (IGLOO pattern book)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without wooden side panels prepared for multiplexing (mod/A)	-190	-	€/pcs
wooden side panels – different colors available (IGLOO pattern book)	-	+430	€/set
internal back of device made of stainless steel	+120	+120	€/meter
internal frame made of stainless steel for 0.6 model	+180	+180	€/pcs
internal frame made of stainless steel for 0.9 model	+205	+205	€/pcs
internal frame made of stainless steel for 1.3 model	+255	+255	€/pcs
bottom shelf made of stainless steel	+80	+80	€/meter
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




JOLA 4


+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 4 (PLUG-IN)					
JO100MAL	JOLA 4/MAL	750	600	1,5	3480
JO100DRE	JOLA 4/DRE	750	600	1,5	4270
JO100DRE/ RETRO	JOLA 4/RETRO	750	600	1,5	4330
JO100DRE/ TREND	JOLA 4/TREND	750	600	1,5	4390


JOLA 4 MAL



JOLA 4 RETRO



JOLA 4 TREND



Standard equipment	Jola 4 MAL	Jola 4 RETRO	Jola 4 TREND	Jola 4 DRE
internal cooling aggregate R290	+	+	+	+
dynamic cooling (ventilated)	+	+	+	+
four side glazed device	+	+	+	+
wooden external housing – different colors available (IGLOO pattern book)	-	+	+	+
hinged doors with combined glass – choice of door opening direction	+	+	+	+
internal housing made of stainless steel	+	+	+	+
external housing made of coated steel – different colors available (Igloo pattern book)	+	-	-	-
5 glass shelves, with height adjustment	+	+	+	+
5 glass shelves, with height adjustment	+	+	+	+
device leveling legs	+	+	+	+
automatic defrost	+	+	+	+
automatic condenser vaporization	+	+	+	+
electronic temperature controller with digital display (IGLOO)	+	+	+	+
condenser impurity or fan operation failure alarm	+	+	+	+

Options	PLUG-IN	
external housing made of stainless steel	+315	€/pcs
rotating glass shelves system	+625	€/pcs
set of wheels (castors)	+275	€/set
additional glass shelf + set of brackets	+80	€/pcs
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
door lock with key	+80	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl


v.2.0.2 | 09.2025



JULIA

+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JULIA (PLUG-IN)					
JU100	JULIA 1.3	1290	480	2,15	3500
JU101	JULIA 1.9	1900	720	3,25	4720
JU102	JULIA 2.5	2520	960	4,35	6230




Standard equipment	PLUG-IN
internal cooling aggregate R290	+
static cooling	+
housing with base panel from staff side made of stinaless steel	+
base and front panel made of painted steel – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
internal housing made of stainless steel	+
back sliding doors with combined glass	+
worktop - stainless steel	+
curved front glass openable	+
interior illumination – LED lights (confectionary color)	+
2 levels of white plastified reticulated shelves + lower base shelf	+
insulated plastic sides - selectable colour (IGLOO colour chart)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
housing with base panel from staff side made of stinaless steel	+220	€/meter
internal housing made of acid resistant stainless steel	+240	€/meter
front panel color - different colors available (IGLOO pattern book)	+125	€/meter
base made of stainless steel	+100	€/meter
front panel made of acid-resistant stainless steel	+200	€/meter
base made of acid-resistant stainless steel	+165	€/meter
worktop - acid-resistant stainless steel	+100	€/meter
chrome reticulated shelves	+90	€/meter
additional illumination of 2 levels of shelves - LED lights (confectionery color)	+265	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs



JULIA NADSTAWKA

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JULIA NADSTAWKA					
JN01	JULIA NADSTAWKA 1.3	1210	110	0,7	500
JN02	JULIA NADSTAWKA 1.9	1820	190	1,1	660



Standard equipment	PLUG-IN
exposition area made of painted steel – different colors available (IGLOO pattern book)	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
curved front glass	+

Options	NEUTRAL	
exposition area made of stainless steel	+90	€/meter
additional exposition glass shelf	+90	€/meter
internal LED lights	+115	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl





KAMELEO W

+5 / +15°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KAMELEO (PLUG-IN)					
JA103K	KAMELEO 0.6W	705	334	1,2	4760
JA102K	KAMELEO 0.9W	1005	496	1,8	5000
JA101K	KAMELEO 1.3W	1405	715	2,6	5550
KAMELEO (REMOTE)					
JA103K-c	KAMELEO 0.6W–mod/C	625	334	1,2	4030
JA102K-c	KAMELEO 0.9W–mod/C	925	496	1,8	4140
JA101K-c	KAMELEO 1.3W–mod/C	1325	715	2,6	4590

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device intended to be built individually (lack of the front panel and sides)	-185	-130	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-120	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+450	-	€/pcs





Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	-	+
dynamic cooling (ventilated)	+	+
wooden front panel and kick plinth - different colors available (IGLOO pattern book)	+	+
small and thin wooden side panels – different colors available (IGLOO pattern book)	+	-
glass side panels or combined glass divider for multiplexable devices	+	+
curved front glass openable	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom shelf made of stainless steel	+	+
back sliding doors with combined glass (KAMELEO 0.6 - hinged doors with choice of door opening direction)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without wooden side panels prepared for multiplexing (mod/A)	-325	-	€/pcs
small and thin wooden side panels – different colors available (IGLOO pattern book)	-	+775	€/set
additional base plinth – different colors available (IGLOO pattern book)	+90	+90	€/meter
additional front panel – different colors available (IGLOO pattern book)	+225	+225	€/meter
additional side panels – different colors available (IGLOO pattern book)	+410	+410	€/set
additional thin side panels – different colors available (IGLOO pattern book)	+350	+350	€/set
internal frame made of stainless steel for 0.6 model	+165	+165	€/pcs
internal frame made of stainless steel for 0.9 model	+195	+195	€/pcs
internal frame made of stainless steel for 1.3 model	+245	+245	€/pcs
humidity control system	+315	+315	€/pcs
electronic temperature recorder + software	+125	+125	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 420mm)	+75	+75	€/pcs
medium tray (400mm x 510mm)	+75	+75	€/pcs
big tray (400mm x 590mm)	+80	+80	€/pcs
bottom tray (400mm x 520mm)	+75	+75	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in KAMELEO 0.6 hinged door)	+110	+110	€/meter


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



KAMELEO N

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KAMELEO N					
JA103KN	KAMELEO 0.6N	700	203	0,96	2900
JA102KN	KAMELEO 0.9N	1000	305	1,5	3070
JA10K1N	KAMELEO 1.3N	1400	440	2,1	3410
JANZ90KN	KAMELEO NZ90N	2200	575	2,88	5180

Devices variants		Neutral	
CUSTOM	udevice prepared for individual design (without wooden housing)	-185	€/meter



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	-	+
dynamic cooling (ventilated)	+	+
wooden front panel and kick plinth - different colors available (IGLOO pattern book)	+	+
small and thin wooden side panels – different colors available (IGLOO pattern book)	+	-
glass side panels or combined glass divider for multiplexable devices	+	+
curved front glass openable	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver, gold or black (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom shelf made of stainless steel	+	+
back sliding doors with combined glass (KAMELEO 0.6 - hinged doors with choice of door opening direction)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	Neutral	
device without wooden side panels prepared for multiplexing (mod/A)	-290	€/pcs
wooden side panels – different colors available (IGLOO pattern book)	-	€/set
additional base plinth – different colors available (IGLOO pattern book)	+90	€/meter
additional front panel – different colors available (IGLOO pattern book)	+225	€/meter
additional side panels – different colors available (IGLOO pattern book)	+410	€/set
additional thin side panels – different colors available (IGLOO pattern book)	+350	€/set
internal frame made of stainless steel for 0.6 model	+165	€/pcs
internal frame made of stainless steel for 0.9 model	+195	€/pcs
internal frame made of stainless steel for 1.3 model	+245	€/pcs
small tray (400mm x 420mm)	+75	€/pcs
medium tray (400mm x 510mm)	+75	€/pcs
big tray (400mm x 590mm)	+80	€/pcs
bottom tray (400mm x 520mm)	+75	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in KAMELEO 0.6 hinged door)	+110	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




PARIS

+4 / +10°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PARIS (PLUG-IN)					
PRS120	PARIS 0.94	980	56	0,56	3530
PRS130	PARIS 1.25	1290	75	0,8	3920
PRS140	PARIS 1.56	1605	94	0,9	4360
PRS150	PARIS 1.88	1915	113	1,1	5190
PRS160	PARIS 2.50	2540	150	1,50	6200
PRS170	PARIS 3.13	3170	188	1,90	7080
PRS180	PARIS 3.75	3790	225	2,30	8150
PRS195	PARIS NZ90	-	75	0,80	5450
PRS120Z	PARIS 0.94 Z	980	185	0,56	4490
PRS130Z	PARIS 1.25 Z	1290	290	0,8	4910
PRS140Z	PARIS 1.56 Z	1605	325	0,9	5450
PRS150Z	PARIS 1.88 Z	1915	410	1,1	6380
PRS160Z	PARIS 2.50 Z	2540	532	1,50	7430
PRS170Z	PARIS 3.13 Z	3170	583	1,90	8870
PRS180Z	PARIS 3.75 Z	3790	1026	2,30	10030
PARIS (REMOTE)					
PRS120-c	PARIS 0.94 - mod/C	938	56	0,56	2890
PRS130-c	PARIS 1.25 - mod/C	1250	75	0,8	3200
PRS140-c	PARIS 1.56 - mod/C	1563	94	0,9	3510
PRS150-c	PARIS 1.88 - mod/C	1875	113	1,1	4320
PRS160-c	PARIS 2.50 - mod/C	2500	150	1,50	5290
PRS170-c	PARIS 3.13 - mod/C	3125	188	1,90	6440
PRS180-c	PARIS 3.75 - mod/C	3750	225	2,30	7290
PRS195-c	PARIS NZ90 - mod/C	-	75	0,80	4760
PRS120Z-c	PARIS 0.94 Z - mod/C	938	185	0,56	3880
PRS130Z-c	PARIS 1.25 Z - mod/C	1250	290	0,8	4300
PRS140Z-c	PARIS 1.56 Z - mod/C	1563	325	0,9	4840
PRS150Z-c	PARIS 1.88 Z - mod/C	1875	410	1,1	5780
PRS160Z-c	PARIS 2.50 Z - mod/C	2500	532	1,50	6700
PRS170Z-c	PARIS 3.13 Z - mod/C	3125	583	1,90	8000
PRS180Z-c	PARIS 3.75 Z - mod/C	3750	1026	2,30	9150

Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (lack of the front panel and sides)	-90	-35	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	440	440	€/pcs

PARIS



PARIS Z



Standard equipment		PLUG-IN	REMOTE
built-in condensing unit / plug-in		+	-
remote condensing unit / remote		-	+
dynamic cooling		+	+
automatic off-cycle defrosting		+	+
automatic evaporation of condensate		+	-
electronic temperature controller with digital display	IGLOO / CAREL	+	+
INOX display area		+	+
MELAMINE storage area	IGLOO pattern book	+	+
PES coated storage area	model "Z" -RAL9010	+	+
LED lighting	IGLOO pattern book	+	+
AC fans		+	+
MELAMINE external housing	FRONT - IGLOO pattern book	+	+
powder coated external housing	REAR - IGLOO pattern book	+	+
INOX worktop		+	+
straight front glass	openable	+	+
profile AL.	IGLOO pattern book	+	+
MELAMINE sides	IGLOO pattern book	+	-
sliding back doors	model "Z"- 0.94 - hinged, NZ90 - no door	+	+
INOX / MELAMINE base plinth	FRONT / REAR	+	+
polyurethane thermal insulation CFC free		+	+
condenser pollution alarm		+	+

Options	NZ90 [m]	PLUG-IN	REMOTE	
wooden sides (IGLOO pattern book - ML)		-	+165	€/set
multiplexable device (without sides)		-70	-	€/set
powder coated external housing - REAR - custom powder - (after consultation with the IGLOO Sales Department)	0,5	+105	+105	€/meter
INOX external housing - REAR	0,5	+245	+245	€/meter
INOX AISI304 external housing - REAR	0,5	+285	+285	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	2	+80	+80	€/meter
wooden sides ML - custom decor - (after consultation with the IGLOO Sales Department)		+185	+185	€/set
wooden front panel (IGLOO pattern book - DC / DR / TR)	2	+255	+255	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)		+325	+325	€/set
powder coated display area - (IGLOO pattern book)		0	0	€/meter
INOX AISI304 display area	1,25	+95	+95	€/meter
INOX AISI304 worktop grey	0,8	+80	+80	€/meter
granite worktop grey	0,8	+80	+80	€/meter
granite worktop balmoral	0,8	+105	+105	€/meter
granite worktop black	0,8	+185	+185	€/meter
INOX storage area		+115	+115	€/meter
INOX AISI304 storage area		+185	+185	€/meter
sliding wooden doors system ML - REAR - (IGLOO pattern book)		+115	+115	€/meter
humidity control system		+315	+315	€/pcs
night blinds made of plexi glass	1,5	+100	+100	€/meter
powder coated evaporator	1,25	+105	+105	€/meter
electric heaters for evaporator defrost	1,25	+125	+125	€/meter
movable partition of display area (glass)		+75	+75	€/pcs
fixed partiton of display area (glass)		+90	+90	€/pcs
set of wheels (castors) - (model 0.94 / 1.25)		+275	-	€/set
set of wheels (castors) - (model 1.56 / 1.88 / 2.50 / 3.13 / 3.75)		+405	-	€/set
LED lighting of base plinth	2,2	+90	+90	€/meter
display area thermometer		+40	+40	€/pcs
runner for small movable table	0,4	+60	+60	€/meter
small movable table for scale or cash register (400x500mm)		+230	+230	€/pcs

Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



FIRTELLA W PASTELLA W

The presented device contains elements of additional equipment

PASTELLA W / FIRTELLA W


+4 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA (PLUG-IN)					
PST90W	PASTELLA 0.9 W	930	94	0,52	4370
PST130W	PASTELLA 1.3 W	1330	138	0,77	5360
PASTELLA (REMOTE)					
PST90W-c	PASTELLA 0.9 W mod/C	860	94	0,52	3680
PST130W-c	PASTELLA 1.3 W mod/C	1260	138	0,77	4510
FIRTELLA (PLUG-IN)					
FRT90W	FIRTELLA 0.9 W	930	94	0,52	4370
FRT130W	FIRTELLA 1.3 W	1330	138	0,77	5360
FIRTELLA (REMOTE)					
FRT90W-c	FIRTELLA 0.9 W mod/C	860	94	0,52	3680
FRT130W-c	FIRTELLA 1.3 W mod/C	1260	138	0,77	4510


Devices variants

		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (lack of the front panel and sides)	-85	-30	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) (+30 ÷ +60°C)	-115	-	€/meter
FLAT	horizontal exposition area	0	0	€/meter


PASTELLA W




PASTELLA W FLAT



FIRTELLA W



FIRTELLA W FLAT



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
openable front glass with bending radius R20	+	+
dynamic cooling with automatic defrost	+	+
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)	+	+
side panels made of melamine plate – different colors available (IGLOO pattern book)	+	-
grey granite worktop (thickness 20 mm)	+	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+
display space from color-coated sheet – colors to choose from (IGLOO pattern book)	+	+
socket with fuse	+	+
internal top illumination - LED light	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	+
bakery tray rack 400x600 - (0.9 - none; 1.3 - 10 pcs.)	+	+

Options

	PLUG-IN	REMOTE	
multiplexable device (without sides)	-75	-	€/pcs
wooden sides (IGLOO pattern book - ML)	-	+150	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+75	+75	€/meter
INOX display area	+80	+80	€/meter
INOX AISI304 display area	+130	+130	€/meter
plexi night blinds - modlue 0.9	+235	+235	€/set
plexi night blinds - modlue 1.3	+285	+285	€/set
granite worktop - balmoral (thickness : 20 mm)	+75	+75	€/meter
granite worktop - black (thickness : 20 mm)	+175	+175	€/meter
device without granite worktop	-50	-50	€/meter
small movable table for scale or cash register (400x500mm) - worktop variants to choose from: black polyethylene / INOX	+280	+280	€/pcs
high bracket of the cash register or scale on a fixed profile - worktop variants to choose from: black polyethylene / INOX	+145	+145	€/set
high fixed partiton of display area (glass)	+90	+90	€/pcs
permanent partition, insulated, to connect heating and cooling devices	+355	+355	€/pcs
permanent glass partition to connect CUBE devices	+235	+235	€/pcs
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	+315	+315	€/set
electronic temperature recorder + software	+125	+125	€/pcs
additional LED-illuminated shelf	+255	+255	€/meter of shelf
temperature recorder wire	+45	+45	€/pcs
set of wheels (castors)	+275	-	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



PASTELLA BAKE FIRTELLA BAKE

The presented device contains elements of additional equipment


PASTELLA BAKE / FIRTELLA BAKE +4 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA BAKE					
PST90NB	PASTELLA 0.9N BAKE	930	94	0,52	2920
PST130NB	PASTELLA 1.3N BAKE	1330	138	0,77	3380
PSTNZ90NB	PASTELLA NZ90 N BAKE	1300	164	0,91	5170
FIRTELLA BAKE					
FRT90NB	FIRTELLA 0.9N BAKE	930	94	0,52	2920
FRT130NB	FIRTELLA 1.3N BAKE	1330	138	0,77	3380
FRTNZ90NB	FIRTELLA NZ90 N BAKE	1300	164	0,91	5170


Devices variants

CUSTOM	device prepared for individual design (lack of the front panel and sides)	-85	€/meter
FLAT	horizontal exposition area	0	€/meter


PASTELLA BAKE




PASTELLA BAKE FLAT



FIRTELLA BAKE



FIRTELLA BAKE FLAT



Standard equipment	PLUG-IN
ambient device without cooling system and possibility of installing it	+
openable front glass with bending radius R20	+
wooden melamine external housing – different colours available (IGLOO pattern book)	+
side panels made of melamine plate – different colors available (IGLOO pattern book)	+
grey granite worktop (thickness 20 mm)	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
wooden rack	+
stainless crumb trays	+
oven tray rack - (0.9 - 10pcs; 1.3 - 20pcs)	+
socket with fuse	+
internal top illumination - LED light	+

Options	NZ90	PLUG-IN	
multiplexable device (without sides)	-	-65	€/pcs
wooden sides (IGLOO pattern book - ML)	-	S	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	2,2	+70	€/meter
plexi night blinds - modlue 0.9	2	+225	€/set
plexi night blinds - modlue 1.3	2	+265	€/set
granite worktop - balmoral (thickness : 20 mm)	-	+70	€/meter
granite worktop - black (thickness : 20 mm)	-	+165	€/meter
device without granite worktop	1	-45	€/meter
small movable table for scale or cash register (400x500mm) - worktop variants to choose from: black polyethylene/stainless steel	1	+265	€/pcs
high bracket of the cash register or scale on a fixed profile - worktop variants to choose from: black polyethylene/stainless steel	1	+135	€/set
high fixed partiton of display area (glass)	-	+85	€/pcs
permanent partition, insulated, to connect heating and cooling devices	-	+330	€/pcs
permanent glass partition to connect CUBE devices	-	+220	€/pcs
wooden front panel (IGLOO pattern book - DC / DR / TR)	2,2	+220	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	-	+295	€/set
additional LED-illuminated shelf on the frame	2,2	+240	€/meter of shelf
set of wheels (castors)	-	+260	€/pcs

IGLOO since 1986 Stary Wiśnicz 289 32-720 Nowy Wiśnicz, Poland tel.: +48 14/ 662 19 10 e-mail: info@igloo.pl



The presented device contains elements of additional equipment

PASTELLA N / FIRTELLA N


+4 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA N					
PST90N	PASTELLA 0.9 N	930	94	0,52	2490
PST130N	PASTELLA 1.3 N	1330	138	0,77	2950
PSTNZ90N	PASTELLA NZ90 N	1300	164	0,91	4720
FIRTELLA N					
FRT90N	FIRTELLA 0.9 N	930	94	0,52	2490
FRT130N	FIRTELLA 1.3 N	1330	138	0,77	2950
FRTNZ90N	FIRTELLA NZ90 N	1300	164	0,91	4720


Devices variants

CUSTOM	device prepared for individual design (lack of the front panel and sides)	-85	€/meter
FLAT	horizontal exposition area	0	€/meter


PASTELLA N




PASTELLA N FLAT



FIRTELLA N



FIRTELLA N FLAT



Standard equipment	PASTELLA N
ambient device without cooling system and possibility of installing it	+
openable front glass with bending radius R20	+
bottom housing made of black melamine (wood)	+
side panels made of melamine plate – different colors available (IGLOO pattern book)	+
grey granite worktop (thickness 20 mm)	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
exposition area made from coated steel - colour of choice (IGLOO pattern book)	+
socket with fuse	+
internal top illumination - LED light	+

Options	NZ90	PLUG-IN	
multiplexable device (without sides)	-	-75	€/pcs
wooden sides (IGLOO pattern book - ML)	-	-	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	2,2	+75	€/meter
INOX display area	2	+80	€/meter
INOX AISI304 display area	2	+130	€/meter
plexi night blinds - modlue 0.9	-	+235	€/set
plexi night blinds - modlue 1.3	-	+285	€/set
granite worktop - balmoral (thickness : 20 mm)	1	+75	€/meter
granite worktop - black (thickness : 20 mm)	1	+175	€/meter
device without granite worktop	1	-50	€/meter
high fixed partiton of display area (glass)	-	+90	€/pcs
permanent partition, insulated, to connect heating and cooling devices	-	+355	€/pcs
permanent glass partition to connect CUBE devices	-	+235	€/pcs
wooden front panel (IGLOO pattern book - DC / DR / TR)	2,2	+235	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	-	+315	€/set
additional LED-illuminated shelf on the frame	2,2	+255	€/meter of shelf
set of wheels (castors)	-	+275	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl


v.2.0.2 | 09.2025



PASTELLA SWEET

+4 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA SWEET (PLUG-IN)					
PSTS60W	PASTELLA SWEET 0.6W	660	215	0.9	4240
PSTS90W	PASTELLA SWEET 0.9W	960	395	1.2	5070
PSTS130W	PASTELLA SWEET 1.3W	1360	582	1.8	5860
PASTELLA SWEET (REMOTE)					
PSTS60W-c	PASTELLA SWEET 0.6W mod/C	600	215	0.9	3800
PSTS90W-c	PASTELLA SWEET 0.9W mod/C	900	395	1.2	4270
PSTS130W-c	PASTELLA SWEET 1.3W mod/C	1300	582	1.8	4940



Devices variants		PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (lack of the front panel and sides)	-55	-30	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+445	+445	€/pcs

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
openable front glass with bending radius R20	+	+
dynamic cooling with automatic defrost	+	+
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)	+	+
side panels made of melamine plate – different colors available (IGLOO pattern book)	+	-
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+
bottom shelf made of painted steel – different colors available (IGLOO pattern book)	+	+
upper interior lighting + backlight of each shelf LED	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	+

Options	PLUG-IN	REMOTE	
multiplexable device (without sides)	-75	-	€/pcs
wooden sides (IGLOO pattern book - ML)	-	+150	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+50	+50	€/meter
INOX bottom shelf	+80	+80	€/meter
INOX AISI304 bottom shelf	+130	+130	€/meter
permanent glass partition to connect PASTELLA devices	+175	+175	€/pcs
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	+315	+315	€/set
electronic temperature recorder + software	+125	+125	€/pcs
temperature recorder wire	+45	+45	€/pcs
set of wheels (castors)	+275	-	€/pcs
humidity control system	+315	+315	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




PASTELLA SWEET N

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA SWEET N					
PSTS60N	PASTELLA SWEET 0.6N	660	215	0.9	2450
PSTS90N	PASTELLA SWEET 0.9N	960	395	1.2	3020
PSTS130N	PASTELLA SWEET 1.3N	1360	582	1.8	3560

Devices variants

CUSTOM	device prepared for individual design (lack of the front panel and sides)	-50	€/meter



Standard equipment

	PASTELLA SWEET N
ambient device without cooling system and possibility of installing it	+
openable front glass with bending radius R20	+
bottom housing made of black melamine (wood)	+
side panels made of melamine plate – different colors available (IGLOO pattern book)	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of painted steel – different colors available (IGLOO pattern book)	+
socket with fuse	+
upper interior lighting + backlight of each shelf LED	+

Options

	PLUG IN	REMOTE	
multiplexable device (without sides)	-75	-	€/pcs
wooden sides (IGLOO pattern book - ML)	-	+150	€/set
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+50	+50	€/meter
INOX bottom shelf	+75	+80	€/meter
INOX AISI304 bottom shelf	+130	+130	€/meter
permanent glass partition to connect PASTELLA devices	+175	+175	€/pcs
wooden front panel (IGLOO pattern book - DC / DR / TR)	+235	+235	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	+315	+315	€/set
set of wheels (castors)	+275		€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl

08

ice-cream dispensers

ADRIA ICE 227
ARUBA 229
ARUBA 2 231
CUBE 2 DEEP ICE 233
CUBE 2 ICE 235
GELATO 2 237
INNOVA DEEP ICE 239
INNOVA ICE 241
KAMELEO ICE 243
WOJTEK 245




The presented device contains elements of additional equipment

ADRIA ICE

-20 / -10°C

ID	Name	Length [mm]	Price €
ADRIA ICE (PLUG-IN)			
AR130ICE	ADRIA ICE 1.25	1250	9210



Standard equipment	PLUG-IN
agregat Internal	+
dynamic cooling with automatic defrost	+
dual cooling system for temperature stability	+
elements made of double-glazed units with silkscreen printing in RAL 7042	+
exposition area made of polished stainless steel	+
up to 14 VGN containers	+
dual LED upper lighting	+
manual night blind	+
device prepared for individual design	+
device powered with an ecological refrigerant R-290	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
audible alarm on the condenser pollution	+

Options	PLUG-IN	
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
temperature recorder wire	+45	€/pcs
set of wheels (castors)	+275	€/set
stainless steel container 165x360 mm	+45	€/pcs
external metal housing - selectable colour (IGLOO pattern book)	+230	€/pcs
external wooden housing in trend style - selectable colour (IGLOO pattern book)	+435	€/pcs
external wooden veneered housing - selectable colour (IGLOO pattern book)	+385	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




ARUBA


-20 / -10°C


ID	Name	Length [mm]	Price €
ARUBA (PLUG-IN)			
AB101	ARUBA 1.25	1 385	9210
AB102	ARUBA 2.5	2 635	14610


Devices variants

		PLUG-IN	
CUSTOM	device prepared for individual design	-230	€/meter
RETRO	external wooden veneered housing with decorative elements - selectable colour (IGLOO pattern book)	+155	€/meter
TREND	external wooden housing in trend style - selectable colour (IGLOO pattern book)	+220	€/meter









Standard equipment

	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
wooden external housing – different colors available (IGLOO pattern book)	+
glass sides	+
curved front glass - telescopic lifting system	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 1.25 = 14 flavours, ARUBA 2.5 = 28 flavours)	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual night blind	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
stainless steel container 360x165x120 mm	+45	€/pcs
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




ARUBA 2


-20 / -10°C

ID	Name	Length [mm]	Price €
ARUBA 2 (PLUG-IN)			
AB200	ARUBA 2/1.0	1 070	6820
AB201	ARUBA 2/1.25	1 385	7820

Devices variants

		PLUG-IN	
CUSTOM	device prepared for individual design	-225	€/meter
RETRO	external wooden veneered housing with decorative elements - selectable colour (IGLOO pattern book)	+150	€/meter
TREND	external wooden housing in trend style - selectable colour (IGLOO pattern book)	+210	€/meter
STRAIGHT GLASS	device with straight front glass	+45	€/pcs





Standard equipment


	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
wooden external housing – different colors available (IGLOO pattern book)	+
glass sides	+
curved front glass - telescopic lifting system	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours)	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual shutter (from the personnel side)	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
stainless steel container 360x165x120 mm	+45	€/pcs
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025




CUBE 2 DEEP ICE


-20 / -10°C

ID	Name	Length [mm]	Price €
CUBE 2 DEEP ICE (PLUG-IN)			
CU2-ICE140.14	CUBE 2 DEEP ICE 140	1400	11230
CU2-ICE175.18	CUBE 2 DEEP ICE 175	1750	13980

Devices variants		PLUG-IN	
CUSTOM	device prepared for individual design	-30	€/meter




CUBE 2 DEEP ICE 14



STANDARD ICE-CREAM TUBS


360 x 165 mm




BIG ICE-CREAM TUBS

360 x 250 mm

CUBE 2 DEEP ICE 18



STANDARD ICE-CREAM TUBS 360 x 165 mm




BIG ICE-CREAM TUBS 360 x 250 mm

Standard equipment	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling with automatic defrost	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel prepared for containers 165 mm x 360 mm	+
kick plinth made of stainless steel	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+
manual night blind	+
top internal LED illumination front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
exposition area prepared for containers (250mm x 360 mm) (6 flavours)	0	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
set of wheels (castors)	+275	€/set
stainless steel container 165x360 mm	+45	€/pcs
stainless steel container 250x360 mm	+50	€/pcs
temperature recorder wire	+45	€/pcs
night blinds made of polycarbonate	+90	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



CUBE 2 ICE


-20 / -10°C

ID	Name	Length [mm]	Height [mm]	Price €
CUBE 2 ICE (PLUG-IN)				
CU2-ICE140.140	CUBE 2 ICE 140.140	1400	1400	10350
CU2-ICE140.120	CUBE 2 ICE 140.120	1400	1200	9650


Devices variants

		PLUG-IN	
CUSTOM	device prepared for individual design	-30	€/meter


CUBE 2 ICE 1200




CUBE 2 ICE 1400



CUBE 2 ICE 10



standard ice-cream tubs
360 x 165 mm



big ice-cream tubs
360 x 250 mm

Standard equipment

	PLUG-IN
freezing unit powered by the ecological refrigerant R290	+
dynamic cooling with automatic defrost	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel przygotowana pod pojemniki 165 x 360 mm	+
kick plinth made of stainless steel	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+
manual night blind	+
top internal LED illumination front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
night blinds made of polycarbonate	+105	€/meter
exposition area prepared for containers (250mm x 360 mm) (6 flavours)	0	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
set of wheels (castors)	+275	€/set
stainless steel container 165x360 mm	+45	€/pcs
stainless steel container 250x360 mm	+50	€/pcs
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



The presented device contains elements of additional equipment


GELATO 2


-20 / -10°C


ID	Name	Length [mm]	Price €
GELATO 2 (PLUG-IN)			
GT200	GELATO 2/06	900	5260
GT202	GELATO 2/08	1 150	6810
GT201	GELATO 2/10	1 400	8790


Devices variants


		PLUG-IN	
CUSTOM	device prepared for individual design (without work top and external housing)	-390	€/meter











Standard equipment

	PLUG-IN
freezing unit based on a reciprocating compressor powered by ecological refrigerant R290	+
external housing and rear wind girder with coloured sheet - selectable colour (IGLOO colour chart)	+
stainless steel and polished sheet work table with the openings for round cuvettes ø200x250 (7L) - (6 flavours, 10 flavours)	+
internal tubes made of stainless steel containing 2 round cuvettes ø200x250 (7L)	+
masking rings made of stainless steel - polished	+
flat covers, insulated, made of stainless steel - polished	+
organic polyurethane foam insulation	+
stainless steel plinth - polished	+
tool-less access to the condenser	+
electronic temperature controller with digital display (IGLOO)	+
audible alarm on the condenser pollution	+
adjustable feet (± 10mm)	+
*more information - IGLOO sales department	

Options

	PLUG-IN	
bent tempered glass extension with the mounting system for GELATO 2/06	+630	€/set
bent tempered glass extension with the mounting system for GELATO 2/08	+665	€/set
bent tempered glass extension with the mounting system for GELATO 2/10	+735	€/set
external housing and rear wind girder with custom-coloured sheet (after consultation with the Igloo sales department)	+105	€/meter
external housing and rear wind girder made of stainless steel	+395	€/meter
external housing and rear wind girder made of stainless steel	+665	€/meter
external housing - TREND (rear wind girder - polished stainless steel)	+765	€/meter
external housing - DRE (rear wind girder - polished stainless steel)	+830	€/meter
stainless steel work table with the openings for round cuvettes ø200x250 (7L) - (6 flavours)	+275	€/pcs
stainless steel work table with the openings for round cuvettes ø200x250 (7L) - (8 flavours)	+350	€/pcs
stainless steel work table with the openings for round cuvettes ø200x250 (7L) - (10 flavours)	+405	€/pcs
round container ø200x250 (7L) with antirotation (AR) system made of stainless steel - polished	+90	€/pcs
surcharge for the decorative insulated cover made of stainless steel - polished	+385	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
electronic temperature controller with digital display (IGLOO) + electronic temperature recorder with software	+125	€/set
set of castors	+275	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




INNOVA DEEP ICE


-20 / -10°C

ID	Name	Length [mm]	Height [mm]	Price €
INNOVA DEEP ICE (PLUG-IN)				
INN-ICE140.14	INNOVA DEEP ICE 140 14	1400	1400	12580
INN-ICE175.18	INNOVA DEEP ICE 175 18	1750	1400	15330

Devices variants		PLUG-IN	
CUSTOM	device prepared for individual design	-30	€/meter




INNOVA ICE DEEP 14



STANDARD ICE-CREAM TUBS


360 x 165 mm




BIG ICE-CREAM TUBS

360 x 250 mm

INNOVA ICE DEEP 18



STANDARD ICE-CREAM TUBS 360 x 165 mm



BIG ICE-CREAM TUBS 360 x 250 mm

Standard equipment	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling with automatic defrost	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+
innovative system of withdrawable front with electromagnetic lock	+
external wooden elements – different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flavours)	+
kick plinth made of stainless steel	+
housing with base from staff side made of black coated steel	+
manual night blind	+
front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
exposition area prepared for containers (250mm x 360 mm) (6 flavours)	0	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
set of wheels (castors)	+275	€/set
stainless steel container 165x360 mm	+45	€/pcs
stainless steel container 250x360 mm	+50	€/pcs
temperature recorder wire	+45	€/pcs
night blinds made of polycarbonate	+90	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025





INNOVA ICE

-20 / -10°C


ID	Name	Length [mm]	Price €
INNOVA ICE (PLUG-IN)			
INN-ICE140	INNOVA ICE 140	1400	11210

Devices variants		PLUG-IN	
CUSTOM	device prepared for individual design	-30	€/meter





standard ice-cream tubs
360 x 165 mm



big ice-cream tubs
360 x 250 mm

Standard equipment	PLUG-IN
freezing unit powered by the ecological refrigerant R290	+
dynamic cooling with automatic defrost	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+
innovative system of withdrawable front with electromagnetic lock	+
external wooden elements – different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flavours)	+
kick plinth made of stainless steel	+
housing with base from staff side made of black coated steel	+
manual night blind	+
top internal LED illumination front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
night blinds made of polycarbonate	+105	€/meter
exposition area prepared for containers (250mm x 360 mm) (6 flavours)	0	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
set of wheels (castors)	+275	€/set
stainless steel container 165x360x120 mm	+45	€/pcs
stainless steel container 250x360x80 mm	+50	€/pcs
temperature recorder wire	+45	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




KAMELEO ICE


-20 / -10°C

ID	Name	Length [mm]	Price €
KAMELEO ICE (PLUG-IN)			
JA101KM	KAMELEO 1.3 ICE	1400	8730


Devices variants

		PLUG-IN	
CUSTOM	device prepared for individual design	-245	€/pcs





standard ice-cream tubs
360 x 165 mm



big ice-cream tubs
360 x 250 mm

Standard equipment

	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
wooden front panel and kick plinth - different colors available (IGLOO pattern book)	+
small and thin wooden side panels – different colors available (IGLOO pattern book)	+
glass side panels or combined glass divider for multiplexable devices	+
bent front glass unit with silk – screen printing	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flavours)	+
worktop - stainless steel	+
internal frame and anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual night blind	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
device without wooden side panels prepared for multiplexing (mod/A)	-325	€/pcs
additional base plinth – different colors available (IGLOO pattern book)	+120	€/pcs
additional front panel – different colors available (IGLOO pattern book)	+295	€/pcs
additional side panels – different colors available (IGLOO pattern book)	+410	€/set
additional thin side panels – different colors available (IGLOO pattern book)	+350	€/set
internal frame made of stainless steel	+170	€/pcs
scoop washer container	+80	€/pcs
scoop washer container with water flow system	+420	€/pcs
stainless steel container 360x165x120 mm	+45	€/pcs
exposition area made of stainless steel prepared for containers (360x250) (6 flavours)	0	€/pcs
stainless steel container 360x250x80 mm		+50
internal backlight advertising panel	+315	€/pcs
internal backlight price panel	+170	€/pcs
temperature recorder wire	+45	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl




WOJTEK

-20 / -10°C


ID	Name	Length [mm]	Price €
WOJTEK (PLUG-IN)			
WO100	WOJTEK 1.0W	1050	5060
WO101	WOJTEK 1.7W	1710	7950





standard ice-cream tubs

360 x 165 mm



standard ice-cream tubs

360 x 165 mm

Standard equipment	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO color guide)	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (WOJTEK 1.0 = 8 flavours, WOJTEK 1.7 = 14 flavours)	+
insulated plastic sides + glass sides - selectable colour (IGLOO colour chart)	+
curved front glass openable	+
ecological polyurethane foam insulation	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual night blind	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
housing with base panel from staff side made of stinaless steel	+300	€/meter
front panel made of stainless steel	+155	€/meter
base panel made of stainless steel	+95	€/meter
scoop washer container	+85	€/pcs
scoop washer container with water flow system	+420	€/pcs
stainless steel container 360x165x120 mm	+45	€/pcs
temperature recorder wire	+45	€/pcs

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025

09

gastro display units

GASTROLINE 249
GASTROLINE PREMIUM 251
GASTROLINE PREMIUM EX 253
GASTROLINE PREMIUM SWEET 253
IBIZA 255
JULIA GASTRO 257
KASIA 259
PETRO 261
PETRO SELECT 263
WYSPA FRESH 265
ROBBEN (HEATED DISPLAY CASE) 267




GASTROLINE

+2 / +8°C


ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE (PLUG-IN)					
GL107	GASTROLINE 1.0	1 000	240	0,5	3270
GL100	GASTROLINE 1.5	1 500	386	0,8	3680
GL101	GASTROLINE 2.0	2000	576	1	4270
GL102	GASTROLINE 2.5	2500	726	1,2	5320
GL103W	GASTROLINE 0.8 W	800	195	0,4	3390
GL107W	GASTROLINE 1.0 W	1 000	245	0,5	3660
GL104W	GASTROLINE 1.2 W	1 200	290	0,7	4050
GL100W	GASTROLINE 1.5 W	1 500	365	0,8	4470
GL101W	GASTROLINE 2.0 W	2000	485	1,0	5240

Devices variants		PLUG-IN	
CUSTOM	device without front panel	-40	€/meter
BAIN-MARIE	heated water tank/well INOX AISI304 (+30 ÷ +90°C) - available modlues 1.0 / 1.5 / 2.0	-100	€/meter
BAIN-MARIE Z	heated water tank/well INOX AISI304 (+30 ÷ +90°C) + heated storage chamber (+30 ÷ +60°C) - available modlues 1.0 / 1.5 / 2.0	0	€/meter
OPEN	device with self-service stainless steel sheet extension with glass screens (i.a., no night-time covers and no additional glass shelf)	+235	€/meter


GASTROLINE




GASTROLINE W




GASTROLINE OPEN




GASTROLINE OPEN BEMAR




GASTROLINE BEMAR




GASTROLINE BEMAR Z




GASTROLINE 1.0




GASTROLINE 1.5



GASTROLINE 2.0



GASTROLINE 2.5



Standard equipment	PLUG-IN
internal cooling aggregate	+
dynamic cooling (ventilated)	+
external housing made of black coated steel	+
wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book)	+
glass top with straight front glass	+
frame prepared for GN containers	+
storage chamber made of white coated steel with adjustable shelf	+
hinged back doors	+
ecological polyurethane foam insulation	+
worktop – granite grey (thickness : 30 mm, depth: 800 mm)	+
internal top illumination – LED lamp	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
powder coated external housing - (IGLOO pattern book)	0	€/meter
INOX external housing	+360	€/meter
INOX AISI304 external housing	+595	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+90	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+325	€/meter
front panel INOX	+190	€/meter
front panel INOX AISI304	+300	€/meter
worktop – granite balmoral (thickness : 30 mm, depth: 800 mm)	+195	€/meter
worktop – granite black (thickness : 30 mm, depth: 800 mm)	+455	€/meter
worktop – granite grey (thickness : 30 mm, depth: 900 mm)	+60	€/meter
worktop – granite balmoral (thickness : 30 mm, depth: 900 mm)	+265	€/meter
worktop – granite black (thickness : 30 mm, depth: 900 mm)	+560	€/meter
storage chamber INOX with adjustable height shelf (in Gastroline 1.0 - no shelf)	+260	€/meter
storage chamber INOX AISI304 with adjustable height shelf (in Gastroline 1.0 - no shelf)	+405	€/meter
night blinds made of plexi glass	+115	€/meter
additional exposition glass shelf	+100	€/meter
customer front shelf (INOX AISI304 profile)	+230	€/meter
customer front folding shelf (INOX AISI304 profile)	+275	€/meter
set of wheels (castors)	+225	€/meter
INOX base plinth	+55	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
gastronomic container GN 1/1 – depth 100 mm	+50	€/pcs
gastronomic container GN 2/4 – depth 100 mm	+45	€/pcs
additional crossbar for GN container	+30	€/pcs
ceramic heaters + oven light bulbs (instead of regular lighting) placed in the stainless steel gantry (applies only to BEMAR variant)	+220	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025



GASTROLINE PREMIUM


+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE PREMIUM (PLUG-IN)					
GLP100	GASTROLINE PREMIUM 0.8	840	370	0,4	3830
GLP110	GASTROLINE PREMIUM 1.0	1040	470	0,5	4060
GLP120	GASTROLINE PREMIUM 1.2	1240	565	0,7	4330
GLP130	GASTROLINE PREMIUM 1.5	1540	875	0,8	4890
GLP140	GASTROLINE PREMIUM 2.0	2040	1220	1,0	5670


Devices variants		PLUG-IN	
CUSTOM	device without front panel and sides	-45	€/meter
BAIN-MARIE	heated water tank/well INOX AISI304 (+30 ÷ +90°C)	-260	€/meter
BAIN-MARIE Z	heated water tank/well INOX AISI304 (+30 ÷ +90°C) + heated storage chamber (+30 ÷ +60°C)	0	€/meter

The presented device contains elements of additional equipment


GASTROLINE PREMIUM




GASTROLINE PREMIUM 0.8




GASTROLINE PREMIUM 1.0




GASTROLINE PREMIUM 1.2




GASTROLINE PREMIUM 1.5




GASTROLINE PREMIUM 2.0




GASTROLINE PREMIUM Z



GASTROLINE PREMIUM BEMAR



GASTROLINE PREMIUM BEMAR Z



Standard equipment		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic evaporation of condensate		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
LED lighting	IGLOO pattern book	+
AC fans		+
powder coated external housing	IGLOO pattern book	+
granite worktop	grey	+
front panel and sides made of MELAMINE	IGLOO pattern book	+
glass top with straight front glass		+
frame prepared for GN containers		+
hinged back doors		+
INOX base plinth		
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options	PLUG-IN	
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	+105	€/meter
INOX external housing	+245	€/meter
INOX AISI304 external housing	+285	€/meter
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+90	€/meter
wooden sides ML - custom decor - (after consultation with the IGLOO Sales Department)	+125	€/set
wooden front panel (IGLOO pattern book - DC / DR / TR)	+325	€/meter
wooden sides (IGLOO pattern book - DC / DR / TR)	+245	€/set
granite worktop balmoral	+205	€/meter
granite worktop black	+490	€/meter
INOX storage area	+115	€/meter
INOX AISI304 storage area	+185	€/meter
night blinds made of plexi glass	+195	€/meter
additional exposition glass shelf	+100	€/meter
customer front shelf (INOX AISI304 profile)	+230	€/meter
customer front folding shelf (INOX AISI304 profile)	+275	€/meter
powder coated evaporator	+105	€/meter
set of wheels (castors)	+260	€/set
LED lighting of base plinth	+90	€/meter
gastronomic container GN 1/1 – depth 150 mm	+55	€/pcs
gastronomic container GN 2/4 – depth 150 mm	+50	€/pcs
additional crossbar for GN container	+30	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



GASTROLINE PREMIUM EX


+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE PREMIUM EX (PLUG-IN)					
GLP110EX	GASTROLINE PREMIUM EX 1.0	1 000	170	0,48	4090
GLP130EX	GASTROLINE PREMIUM EX 1.5	1500	270	0,75	5130
GLP140EX	GASTROLINE PREMIUM EX 2.0	2000	365	1,0	6360

Devices variants

		PLUG-IN	
CUSTOM	device without front panel	-35	€/meter

GASTROLINE PREMIUM EX



Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic evaporation of condensate		+
electronic temperature controller with digital display	IGLOO / CAREL	+
INOX display area		+
PES coated storage area	RAL9010	+
internal glass display shelf	1	+
LED lighting	IGLOO pattern book	+
AC fans		+
powder coated internal frame	IGLOO pattern book	+
powder coated external housing	IGLOO pattern book	+
granite worktop	grey	+
front panel made of MELAMINE	IGLOO pattern book	+
straight front glass		+
sliding plexiglass covers		+
hinged back doors		+
INOX base plinth		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options

	PLUG-IN	
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+70	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+250	€/meter
granite worktop balmoral	+110	€/meter
granite worktop black	+260	€/meter
additional internal glass display shelf	+115	€/meter
set of wheels (castors)	+270	€/set
LED lighting of base plinth	+90	€/meter




GASTROLINE PREMIUM SWEET

+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROLINE PREMIUM SWEET (PLUG-IN)					
GLP060SW	GASTROLINE PREMIUM SWEET 0.6W	600	100	0,6	3870
GLP110SW	GASTROLINE PREMIUM SWEET 1.0W	1000	172	1,05	4530

GASTROLINE PREMIUM SWEET



Standard equipment

		PLUG-IN
built-in condensing unit / plug-in		+
dynamic cooling		+
automatic off-cycle defrosting		+
automatic evaporation of condensate		+
electronic temperature controller with digital display	IGLOO / CAREL	+
powder coated display area	IGLOO pattern book	+
rows of adjustable glass shelves	2	+
LED lighting	upper internal + shelves IGLOO pattern book	+
AC fans		+
powder coated internal frame	IGLOO pattern book	+
powder coated external housing	IGLOO pattern book	+
front panel made of MELAMINE	IGLOO pattern book	+
straight front glass		+
sliding back doors	model 0.6 - hinged	+
INOX base plinth		+
polyurethane thermal insulation CFC free		+
condenser pollution alarm		+

Options

	PLUG-IN	
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+75	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+260	€/meter
set of wheels (castors)	+280	€/set
LED lighting of base plinth	+95	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl





IBIZA


+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
IBIZA (PLUG-IN)					
IB02	IBIZA 0.6	560	90	0,28	2 040
IB01	IBIZA 0.9	900	160	0,45	2 450

Devices variants		PLUG-IN	
HOT DOG	e.g., full stainless worktop, refrigerated storage drawers, interior made of stainless steel	+715	€/meter
OPEN	device for self service with adjustable expostion shelf, witho-ut back door, with small straight glass, without plexi night blinds - available length 1.0	2085	€
STRAIGHT GLASS	device with top glass with straight front glass	+35	€/meter







Standard equipment	PLUG-IN
internal cooling aggregate	+
dynamic cooling (ventilated)	+
external housing made of coated steel – different colors available (Igloo pattern book)	+
glass top with curved front glass (not openable)	+
frame prepared for GN containers	+
storage chamber made of white coated steel	+
hinged back doors	+
ecological polyurethane foam insulation	+
worktop - stainless steel	+
night blinds made of plexi glass	+
internal top illumination – LED lamp	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display	+

Options	PLUG-IN	
external housing color – different colors available (IGLOO pattern book)	+125	€/meter
external housing made of stainless steel	+280	€/meter
external housing made of coated steel	+465	€/meter
worktop made of polythelyne	+60	€/meter
worktop - acid-resistant stainless steel	+75	€/meter
storage chamber made of stainless steel	+240	€/meter
storage chamber made of acid – resistant stainless steel	+375	€/meter
additional exposition glass shelf	+105	€/meter
set of wheels (castors)	+175	€/set
gastronomic container GN 1/4 - depth 65 mm	+20	€/pcs
gastronomic container GN 1/4 - depth 150 mm	+25	€/pcs
additional crossbar for GN container	+25	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



JULIA GASTRO

+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JULIA GASTRO (PLUG-IN)					
JUG090	JULIA GASTRO 0.9	900	340	1,50	3235
JUG100	JULIA GASTRO 1.3	1290	480	2,15	3820
JUG101	JULIA GASTRO 1.9	1900	720	3,25	5040
JUG102	JULIA GASTRO 2.5	2520	960	4,35	6695



Standard equipment

built-in condensing unit / plug-in	
static cooling	
automatic off-cycle defrosting	
automatic evaporation of condensate	
electronic temperature controller with digital display	IGLOO / CAREL
INOX display area	
rows of adjustable wire shelves plastic coated	2 - IGLOO pattern book
LED lighting	upper internal - IGLOO pattern book
powder coated external housing	IGLOO pattern book
INOX worktop	
straight front glass	tilt down opening
profile AL'	IGLOO pattern book
powder coated side panels with INOX mirror	IGLOO pattern book
rear sliding doors	
polyurethane thermal insulation CFC free	
condenser pollution alarm	

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




KASIA


+2 / +8°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KASIA (PLUG-IN)					
KA100TS	KASIA 1.0	990	57	0,5	2120
KA101TS	KASIA 1.3	1 300	77	0,67	2590
KA102TS	KASIA 1.5	1500	90	0,77	2775
KA103TS	KASIA 1.7	1700	100	0,88	2955
KA104TS	KASIA 1.9	1950	120	1,02	3070


Devices variants

		PLUG-IN	
Z	device with cooled storage chamber, with sliding doors (KASIA 1.0 - storage chamber with hinged doors)	+545	€/meter
GRZ	device with heated water bemar (without: plexi night blinds, storage chamber, additional glass shelf) - does not apply to KASIA 1.9	+490	€/meter
Z GRZ	device with a water bain-marie and a storage compartment with sliding doors (in KASIA 1.0 hinged door); (i.a., no night-time covers and no possibility to select an additional glass shelf) - not applicable to KASIA 1.9	+750	€/meter
Z GASTRO	device with wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book) and grey granite worktop and storage chamber with sliding doors (KASIA 1.0 - storage chamber with hinged doors)	+890	€/meter







Kasia 1.0




Kasia 1.3




Kasia 1.5



Kasia 1.7



Kasia 1.9



Standard equipment

	PLUG-IN
internal cooling aggregate	+
static cooling	+
external top housing made of coated steel – different colors available (Igloo pattern book)	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel, prepared for GN containers	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
curved front glass openable	+
night blinds made of plexi glass	+
LED lamp (color of choice: white, confectionery or meaty “deep pink”)	+
automatic defrost	+
codenser outlet to container	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options


	PLUG-IN	
external top housing color – different colors available (IGLOO pattern book)	+80	€/meter
external top housing made of stainless steel	+125	€/meter
external bottom housing color – different colors available (IGLOO pattern book)	+100	€/meter
external bottom housing made of stainless steel	+145	€/meter
exposition area made of acid resistant stinless steel	+85	€/meter
worktop - acid-resistant stainless steel	+75	€/meter
additional exposition glass shelf	+100	€/meter
set of wheels (castors)	+230	€/meter
automatic condenser vaporization (gas evaporator)	+50	€/pcs
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
gastronomic container GN 1/1 - depth 40 mm	+40	€/pcs
gastronomic container GN 1/4 - depth 40 mm	+25	€/pcs
additional crossbar for GN container	+30	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



PETRO

+2 / +10°C



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PETRO (PLUG-IN)					
PR100	PETRO 0.6	600	240	0,8	4215
PR101	PETRO 0.9	900	370	1,2	4870
PETRO OPEN (PLUG-IN)					
PR100O	PETRO 0.6 OPEN	600	240	0,8	3905
PR101O	PETRO 0.9 OPEN	900	370	1,2	4560

Standard equipment

	PETRO
internal cooling aggregate	+
device powered with an ecological refrigerant R-290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves on frame	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
bent front glass unit with silk-screen black, white or gray screen, RAL 7042 print	+
side glass with silk-screen printing black, white or gray RAL 7042	+
back sliding doors with combined glass (PETRO 0.6 - hinged doors with choice of door opening direction)	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+
condenser impurity or fan operation failure alarm	+

Options

	PETRO	
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	+150	€/meter
INOX external housing	+340	€/meter
wooden front panel (IGLOO pattern book - ML)	+140	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+285	€/meter
powder coated interior - custom powder - (after consultation with the IGLOO Sales Department)	+110	€/meter
INOX interior and frame	+315	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs

Standard equipment

	PETRO OPEN
internal cooling aggregate	+
device powered with an ecological refrigerant R-290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves on frame	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
side glass with silk-screen printing black, white or gray RAL 7042	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+
condenser impurity or fan operation failure alarm	+

Options

	PETRO OPEN	
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	+155	€/meter
INOX external housing	+345	€/meter
wooden front panel (IGLOO pattern book - ML)	+140	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+290	€/meter
powder coated interior - custom powder - (after consultation with the IGLOO Sales Department)	+115	€/meter
INOX interior and frame	+320	€/meter
powder coated exposition shelves on frame - (IGLOO pattern book)	+50	€/meter of shelf
INOX exposition shelves on frame	+85	€/meter of shelf
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



PETRO SELECT

+2 / +10°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PETRO SELECT (PLUG-IN)					
PR100S	PETRO 0.6 SELECT	600	240	1	3905
PR101S	PETRO 0.9 SELECT	900	370	1,2	4560
PETRO SELECT - CORNER NEUTRAL					
PRSNZ90NL	PETRO SELECT CORNER NEUTRAL LEFT 90°	725	0,6	560	
PRSNZ90NP	PETRO SELECT CORNER NEUTRAL RIGHT 90°	725	0,6	560	



Standard equipment	PETRO SELECT
internal cooling aggregate	+
device powered with an ecological refrigerant R-290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves on frame	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
side glass with silk-screen printing black, white or gray RAL 7042	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+
condenser impurity or fan operation failure alarm	+

Options	PETRO SELECT	
powder coated external housing - custom powder - (after consultation with the IGLOO Sales Department)	+150	€/meter
INOX external housing	+340	€/meter
wooden front panel (IGLOO pattern book - ML)	+140	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+285	€/meter
powder coated interior - custom powder - (after consultation with the IGLOO Sales Department)	+110	€/meter
INOX interior and frame	+315	€/meter
powder coated exposition shelves on frame - (IGLOO pattern book)	+50	€/meter of shelf
INOX exposition shelves on frame	+85	€/meter of shelf
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs

Standard equipment	PETRO SELECT - CORNER NEUTRAL
left or right version	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
exposition shelves on frame made of powder painted steel – different colors available (IGLOO pattern book)	+
price stripes 80 mm length – different colors available (IGLOO pattern book)	+
condenser impurity or fan operation failure alarm	+

Options	PETRO SELECT - CORNER NEUTRAL	
external housing made of stainless steel	+150	€/pcs
stainless steel frame	+125	€/pcs
exposition shelves made of stainless steel	+145	€/set


IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



WYSPA FRESH

+4 / +10°C

ID	Name	Length [mm]	The area of shelves [m2]	Price €
WYSPA FRESH (PLUG-IN)				
FR150	Wyspa Fresh 150	1500	2,1	10895
FR185	Wyspa Fresh 185	1850	2,9	12450



Standard equipment

	FRESH
internal cooling aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
external and internal housing made of coated steel sheet in a colour from the IGLOO pattern book	+
front panel made of laminate	+
exposition shelves with height adjustment	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
interior lighting + additional illumination of each shelf - LED lights	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

Options

	PLUG-IN	
custom external housing color – (after consultation with the IGLOO Sales Department)	+170	€/meter
external housing made of stainless steel	+355	€/meter
custom interior colour – (after consultation with the IGLOO Sales Department)	+110	€/meter
interior and frame made of stainless steel sheet	+290	€/meter
custom color of exposition shelves on frame – (after consultation with the IGLOO Sales Department)	+55	€/meter
exposition shelves on frame made of stainless steel	+85	€/meter
powder painted evaporator	+105	€/meter
electronic temperature recorder + software	+125	€/set
temperature recorder wire	+45	€/pcs
set of wheels (castors)	+275	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl


v.2.0.2 | 09.2025



ROBBEN (HEATED DISPLAY CASE)

+30 / +60°C

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ROBBEN (PLUG-IN)					
RN101.4P	ROBBEN 1.0	960	820	2	5710



Standard equipment

	PLUG-IN
system of heated display shelves	+
side glass with silk-screen printing	+
base and front panel made of colored coated steel – different colors available (Igloo pattern book)	+
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	+
interior and display shelves made of stainless steel	+
price slats - selectable colour (IGLOO colour chart)	+
buffer with closed stainless steel profile	+
upper interior lighting + backlight of each shelf	+
electronic temperature controller with digital display	+

Options

	PLUG-IN	
side mirrors	0	€/pcs
base sheets (front and side) made of stainless steel	+235	€/meter
interior and display shelves made of acid – resistant stainless steel	+445	€/meter
front display basket of stainless steel	+200	€/meter
front display basket of acid – resistant stainless steel	+330	€/meter
set of wheels (castors)	+280	€/set
1-phase power supply (2 plugs)	+225	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl

v.2.0.2 | 09.2025

10

cash counters and bakery display units


HORNADA 271
COUNTER BASIA NEO 273
COUNTER PICO 273
COUNTER MONIKA 275
COUNTER CUBE 2 LS 277
COUNTER CUBE 2 LS P 277
COUNTER GASTROLINE LS 279
COUNTER GASTROLINE PREMIUM LS 279
COUNTER INNOVA LS 281
COUNTER INNOVA LS P 281
COUNTER JAMAJKA 283
COUNTER SUMBA 283
COUNTER PARIS 285
COUNTER PASTELLA PS 287
COUNTER PASTELLA LS/P2 287
COUNTER PROXIMA 289
COUNTER SAMOS 289
COUNTER SANTIAGO 291
COUNTER LUZON 291
TADEUSZ 293




HORNADA

ID	Name	Length [mm]	The area of shelves [m2]	Price €
HORNADA				
HR100	HORNADA 800	800	1,76	1660
HR101	HORNADA 1600 DP	1 600	3,52	3340

HORNADA 800



HORNADA 1600



Standard equipment	HORNADA
bottom cabinet with movable shelf made of melamine (wood) – different colors available (IGLOO pattern book)	+
wooden grate on hanging shelves with the possibility of changing the height and angle of suspension	+
internal frame painted - different colors available (IGLOO pattern book)	+
PETG plastic fence for the goods (vivak)	+
stainless steel crumb trays	+
backlighting of each shelf - variants to choose from (IGLOO pattern book)	+

Options	Price €	
back of the device made of mirrors	+230	€/meter
additional movable shelf illumination – LED light	+175	€/meter
bottom cabinet with hinged doors made of melamine	0	€/meter
top front panel with illumination – LED light	+225	€/meter

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025




COUNTER BASIA NEO

ID	Name	Length [mm]	Price €
COUNTER BASIA NEO			
LS/BN400	LADA BASIA NEO/0.4	400	610
LS/BN500	LADA BASIA NEO/0.5	500	720
LS/BN600	LADA BASIA NEO/0.6	600	800
LS/BN700	LADA BASIA NEO/0.7	700	910
LS/BN800	LADA BASIA NEO/0.8	800	1025
LS/BN900	LADA BASIA NEO/0.9	900	1165
LS/BN1000	LADA BASIA NEO/1.0	1000	1275
LS/BN1100	LADA BASIA NEO/1.1	1100	1370
LS/BN1200	LADA BASIA NEO/1.2	1200	1480
LS/BN1300	LADA BASIA NEO/1.3	1300	1595
LS/BN1400	LADA BASIA NEO/1.4	1400	1705
LS/BN1500	LADA BASIA NEO/1.5	1500	1820
LS/BNNW	LADA BASIA NEO NW90	-	3225
LS/BNNZ	LADA BASIA NEO NZ90	-	3340



COUNTER PICO

ID	Name	Length [mm]	Price €
COUNTER PICO			
LS/MO2/400	LADA PICO 0.4	400	520
LS/MO2/500	LADA PICO 0.5	500	620
LS/MO2/600	LADA PICO 0.6	600	730
LS/MO2/700	LADA PICO 0.7	700	815
LS/MO2/800	LADA PICO 0.8	800	920
LS/MO2/900	LADA PICO 0.9	900	1015
LS/MO2/1000	LADA PICO 1.0	1000	1130
LS/MO2/1100	LADA PICO 1.1	1100	1215
LS/MO2/1200	LADA PICO 1.2	1200	1325
LS/MO2/1300	LADA PICO 1.3	1300	1415
LS/MO2/1400	LADA PICO 1.4	1400	1510
LS/MO2/1500	LADA PICO 1.5	1500	1615




Standard equipment

	BASIA 2
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+

Options

	BASIA 2
insulated plastic side LEFT - selectable colour (IGLOO pattern book)	165
insulated plastic side RIGHT - selectable colour (IGLOO pattern book)	165
worktop – stainless steel	0
worktop – granite balmoral (thickness : 20 mm)	250
worktop – granite black (thickness : 20 mm)	415



Devices variants

		Price €	
DRE	i.a., wooden front panel, base made of stainless steel, no bumper	+455	€/meter

Standard equipment

	PICO
external housing with furniture panels - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+

Options


	PICO	
ABS side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+185	€/pcs
LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book)	+230	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+260	€/meter
worktop – granite black (thickness : 20 mm)	+410	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



COUNTER MONIKA

ID	Name	Length [mm]	Price €
COUNTER MONIKA			
LS/MO400	LADA MONIKA 2/0.4	400	510
LS/MO500	LADA MONIKA 2/0.5	500	570
LS/MO600	LADA MONIKA 2/0.6	600	645
LS/MO700	LADA MONIKA 2/0.7	700	730
LS/MO800	LADA MONIKA 2/0.8	800	815
LS/MO900	LADA MONIKA 2/0.9	900	905
LS/MO1000	LADA MONIKA 2/1.0	1000	990
LS/MO1100	LADA MONIKA 2/1.1	1100	1080
LS/MO1200	LADA MONIKA 2/1.2	1200	1185
LS/MO1300	LADA MONIKA 2/1.3	1300	1250
LS/MO1400	LADA MONIKA 2/1.4	1400	1330
LS/MO1500	LADA MONIKA 2/1.5	1500	1415



Standard equipment	MONIKA
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+


Options	MONIKA	
ABS side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+180	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+255	€/meter
worktop – granite black (thickness : 20 mm)	+405	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



COUNTER CUBE 2 LS

ID	Name	Length [mm]	Price €
COUNTER CUBE 2			
LS/CU203	CUBE 2 LS60	640	3240
LS/CU202	CUBE 2 LS90	940	3580
LS/CU201	CUBE 2 LS130	1340	4005




Standard equipment	CUBE 2 LS
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - granite grey	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of painted steel (IGLOO pattern book)	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+
single electrical outlet	+

Options	Price €	
multiplexable device	-70	€/pcs
top granite worktop color – balmoral (thickness: 20 mm)	+225	€/meter
top granite worktop color – black (thickness: 20 mm)	+380	€/meter
internal frame made of stainless steel (does not apply to aluminum shelf frame)	+175	€/set
base plinth made of stainless steel with a floor seal	+60	€/meter
set of wheels (castors)	+275	€/set
additional electrical outlet	+50	€/pcs



COUNTER CUBE 2 LS P

ID	Name	Length [mm]	Price €
COUNTER CUBE 2 P			
LS/CU203P	CUBE 2 LS60 P	600	1475
LS/CU202P	CUBE 2 LS90 P	900	1615
LS/CU201P	CUBE 2 LS130P	1300	1750
LS/CU290P	CUBE 2 LSNW90 P	-	2510




Standard equipment	CUBE 2 LS P
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - granite grey	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of painted steel (IGLOO pattern book)	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+
single electrical outlet	+

Options	Price €	
top granite worktop color – balmoral (thickness: 20 mm)	+230	€/meter
top granite worktop color – black (thickness: 20 mm)	+390	€/meter
set of wheels (castors)	+280	€/set
additional electrical outlet	+50	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



COUNTER GASTROLINE LS




ID	Name	Length [mm]	Price €
COUNTER GASTROLINE/ COUNTER CUBE			
LS/GL50	LADA GASTROLINE 0.5	500	675
LS/GL60	LADA GASTROLINE 0.6	600	790
LS/GL70	LADA GASTROLINE 0.7	700	900
LS/GL80	LADA GASTROLINE 0.8	800	1005
LS/GL90	LADA GASTROLINE 0.9	900	1130
LS/GL100	LADA GASTROLINE 1.0	1000	1220
LS/GL110	LADA GASTROLINE 1.1	1100	1335
LS/GL120	LADA GASTROLINE 1.2	1200	1445
LS/GL130	LADA GASTROLINE 1.3	1300	1565
LS/GL140	LADA GASTROLINE 1.4	1400	1660
LS/GL150	LADA GASTROLINE 1.5	1500	1770
LS/GLNW90.130	LADA GASTROLINE NW90	1300	2235
LS/GLNZ90.130	LADA GASTROLINE NZ90	1300	2330

Standard equipment	CUBE	GASTROLINE
external housing made of black melamine (wood)	+	+
wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book)		+
wooden melamine front panel – different colors available (IGLOO pattern book)	+	
slide-out drawer	+	+
grey granite worktop (thickness 30 mm)	+	+

Options	NZ90 [mb]		
wooden front panel (IGLOO pattern book - DC / DR / TR)	2,2	+340	€/meter
front panel INOX	2,2	+210	€/meter
front panel INOX AISI304	2,2	+335	€/meter
worktop – granite balmoral (thickness : 30 mm, depth: 800 mm)	2,2	+245	€/meter
worktop – granite black (thickness : 30 mm, depth: 800 mm)	2,2	+480	€/meter
worktop – granite grey (thickness : 30 mm, depth: 900 mm)	0,5	+55	€/meter
worktop – granite Balmoral (thickness : 30 mm, depth: 900 mm)	0,5	+315	€/meter
worktop – granite black (thickness : 30 mm, depth: 900 mm)	0,5	+585	€/meter
customer front shelf (INOX AISI304 profile)	2,2	+245	€/meter
customer front folding shelf (INOX AISI304 profile)	2,2	+275	€/meter
set of wheels (castors)	-	+275	€/set
INOX base plinth with a floor seal	2,2	+50	€/meter
glass extension	2,2	+325	€/meter
glass top with illumination – LED light	2,2	+520	€/meter



COUNTER GASTROLINE PREMIUM LS



ID	Name	Length [mm]	Price €
COUNTER GASTROLINE PREMIUM			
LS/GLP50	LADA GASTROLINE PREMIUM 0.5	500	980
LS/GLP60	LADA GASTROLINE PREMIUM 0.6	600	1120
LS/GLP70	LADA GASTROLINE PREMIUM 0.7	700	1265
LS/GLP80	LADA GASTROLINE PREMIUM 0.8	800	1390
LS/GLP90	LADA GASTROLINE PREMIUM 0.9	900	1525
LS/GLP100	LADA GASTROLINE PREMIUM 1.0	1000	1645
LS/GLP110	LADA GASTROLINE PREMIUM 1.1	1100	1765
LS/GLP120	LADA GASTROLINE PREMIUM 1.2	1200	1875
LS/GLP130	LADA GASTROLINE PREMIUM 1.3	1300	1970
LS/GLP140	LADA GASTROLINE PREMIUM 1.4	1400	2060
LS/GLP150	LADA GASTROLINE PREMIUM 1.5	1500	2145
LS/GLPNZ90.130	LADA GASTROLINE PREMIUM NZ90	-	3285

Standard equipment	GASTROLINE GRAND
external housing made of MELAMINE - different decors available (IGLOO pattern book)	+
front panel made of MELAMINE - different decors available (IGLOO pattern book)	+
slide-out drawer	+
granit worktop - grey	+
INOX base plinth	+


Options	GASTROLINE GRAND	
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+90	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+325	€/meter
granite worktop – balmoral	+205	€/meter
granite worktop – black	+590	€/meter
set of wheels (castors)	+260	€/set
LED lighting of base plinth	+90	€/meter
lock to slide-out drawer	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl



COUNTER INNOVA LS

ID	Name	Length [mm]	Price €
COUNTER INNOVA			
INN-LS70	INNOVA LS70	700	3820
INN-LS100	INNOVA LS100	1000	4265
INN-LS140	INNOVA LS140	1400	4660




Standard equipment	INNOVA LS
external glass elements made of combined glass with black silkscreen	+
innovative system of withdrawable front with electromagnetic lock	+
external wooden elements – different colors available (IGLOO pattern book)	+
wooden top worktop – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of stainless steel	+
kick plinth made of stainless steel	+
bottom housing made of black melamine (wood)	+
top internal LED illumination front frame LED illumination	+
single electrical outlet	+

Options	INNOVA LS	
multiplexable device	-70	€/pcs
top granite worktop color – grey (thickness: 20 mm)	+120	€/meter
top granite worktop color – balmoral (thickness: 20 mm)	+225	€/meter
top granite worktop color – black (thickness: 20 mm)	+365	€/meter
internal frame made of stainless steel (does not apply to aluminum shelf frame)	+175	€/set
set of wheels (castors)	+275	€/set
additional socket	+50	€/pcs



COUNTER INNOVA LS P

ID	Name	Length [mm]	Price €
COUNTER INNOVA LS P			
INN-LS-P70	INNOVA LS70 P	700	1670
INN-LS-P100	INNOVA LS100 P	1 000	1860
INN-LS-P140	INNOVA LS140 P	1400	2025



Standard equipment	INNOVA LS P
external wooden elements – different colors available (IGLOO pattern book)	+
wooden top table - different colors available (IGLOO pattern book)	+
full slide-out drawer	+
kick plinth made of stainless steel	+
black melamine plate housing	+
double electrical outlet	+


Options	INNOVA LS P	
top granite worktop color – grey (thickness: 20 mm)	+330	€/meter
top granite worktop color – balmoral (thickness: 20 mm)	+580	€/meter
top granite worktop color – black (thickness: 20 mm)	+965	€/meter
set of wheels (castors)	+275	€/set

since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



COUNTER JAMAJKA

ID	Name	Length [mm]	Price €
COUNTER JAMAJKA			
LS/JA790	LADA JAMAJKA 0.79	790	1170
LS/JA1060	LADA JAMAJKA 1.06	1060	1690
LS/JA1300	LADA JAMAJKA 1.3	1300	1820
LS/JA1700	LADA JAMAJKA 1.7	1700	2275
LS/JANW90	LADA JAMAJKA NW90	1500	3210
LS/JANZ90	LADA JAMAJKA NZ90	1500	3645



Standard equipment	JAMAJKA
wooden housing with sides - selectable colour (IGLOO pattern book)	+
wooden top table	+
curved front glass openable	+
internal glass display shelf	+
interior illumination - LED lights (confectionary color)	+
socket	+

Options	JAMAJKA	
worktop – granite grey (thickness : 20 mm)	+165	€/meter
worktop – granite balmoral (thickness : 20 mm)	+255	€/meter
worktop – granite black (thickness : 20 mm)	+385	€/meter
additional shelf illumination - LED light	+145	€/meter
additional customer wooden front shelf	+155	€/meter




COUNTER SUMBA

ID	Name	Length [mm]	Price €
COUNTER SUMBA			
LS/SU500	LADA SUMBA 0.5	500	850
LS/SU800	LADA SUMBA 0.8	800	1270
LS/SU1000	LADA SUMBA 1.0	1000	1550
LS/SU1200	LADA SUMBA 1.2	1200	1820
LS/SU1500	LADA SUMBA 1.5	1500	2215

Devices variants

RETRO	external wooden veneered housing with decorative elements	+130	€/meter
TREND	wooden external housing in trend style	+175	€/meter



Standard equipment	SUMBA
external housing with furniture panels - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+


Options	Price €	
ABS side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+195	€/pcs
LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book)	+235	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+260	€/meter
worktop – granite black (thickness : 20 mm)	+410	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



COUNTER PARIS

ID	Name	Length [mm]	Price €
COUNTER PARIS			
LS/PRS50	LADA PARIS 0.5	500	815
LS/PRS60	LADA PARIS 0.6	600	945
LS/PRS70	LADA PARIS 0.7	700	1075
LS/PRS80	LADA PARIS 0.8	800	1190
LS/PRS90	LADA PARIS 0.9	900	1315
LS/PRS100	LADA PARIS 1.0	1000	1425
LS/PRS110	LADA PARIS 1.1	1100	1545
LS/PRS120	LADA PARIS 1.2	1200	1655
LS/PRS130	LADA PARIS 1.3	1300	1755
LS/PRS140	LADA PARIS 1.4	1400	1855
LS/PRS150	LADA PARIS 1.5	1500	1955



Standard equipment	PARIS
external housing made of MELAMINE - selectable decors (IGLOO pattern book)	+
front panel made of MELAMINE - selectable decors (IGLOO pattern book)	+
slide-out drawer (does not apply to model 0.5)	+
granit worktop - grey	+
INOX base plinth	+


Options	Price €	
wooden front panel ML - custom decor - (after consultation with the IGLOO Sales Department)	+80	€/meter
wooden front panel (IGLOO pattern book - DC / DR / TR)	+260	€/meter
wooden side LEFT or RIGHT ML - custom decors - (after consultation with the IGLOO Sales Department)	+85	€/pcs
wooden side LEFT or RIGHT (IGLOO pattern book - DC / DR / TR)	+165	€/pcs
granite worktop – balmoral	+245	€/meter
granite worktop – black	+490	€/meter
LED lighting of base plinth	+95	€/meter
lock to slide-out drawer	+75	€/pcs

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
e-mail: info@igloo.pl
v.2.0.2 | 09.2025



COUNTER PASTELLA PS

ID	Name	Length [mm]	Price €
COUNTER PASTELLA / PS			
LS/PST50	LADA PASTELLA 0.5 - PS	500	715
LS/PST60	LADA PASTELLA 0.6 - PS	600	835
LS/PST70	LADA PASTELLA 0.7 - PS	700	945
LS/PST80	LADA PASTELLA 0.8 - PS	800	1060
LS/PST90	LADA PASTELLA 0.9 - PS	900	1175
LS/PST100	LADA PASTELLA 1.0 - PS	1000	1285
LS/PST110	LADA PASTELLA 1.1 - PS	1100	1405
LS/PST120	LADA PASTELLA 1.2 - PS	1200	1530
LS/PST130	LADA PASTELLA 1.3 - PS	1300	1635
LS/PST140	LADA PASTELLA 1.4 - PS	1400	1750
LS/PST150	LADA PASTELLA 1.5 - PS	1500	1870



Standard equipment

	PLUG-IN
external housing made of black melamine (wood) - different colors available (IGLOO pattern book)	+
front panel made of melamine board - different colors available (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.5.)	+
grey granite worktop (thickness 20 mm)	+


Options

	Price €	
wooden front panel (IGLOO pattern book - DC / DR / TR)	+260	€/meter
wooden sides LEFT or RIGHT (IGLOO pattern book - ML)	+70	€/pcs
wooden sides LEFT or RIGHT (IGLOO pattern book - DC / DR / TR)	+150	€/pcs
worktop - granite balmoral (thickness : 20 mm)	+215	€/meter
worktop – granite black (thickness : 20 mm)	+445	€/meter
socket	+45	€/pcs
LED lighting of base front - selectable colour (IGLOO pattern book)	+80	€/meter
set of wheels (castors)	+245	€/set



COUNTER PASTELLA LS/P2

ID	Name	Length [mm]	Price €
COUNTER PASTELLA / PS2			
LS/PS2T50	LADA PASTELLA 0.5 - PS2	500	745
LS/PS2T60	LADA PASTELLA 0.6 - PS2	600	870
LS/PS2T70	LADA PASTELLA 0.7 - PS2	700	995
LS/PS2T80	LADA PASTELLA 0.8 - PS2	800	1110
LS/PS2T90	LADA PASTELLA 0.9 - PS2	900	1235
LS/PS2T100	LADA PASTELLA 1.0 - PS2	1000	1355
LS/PS2T110	LADA PASTELLA 1.1 - PS2	1100	1480
LS/PS2T120	LADA PASTELLA 1.2 - PS2	1200	1605
LS/PS2T130	LADA PASTELLA 1.3 - PS2	1300	1720
LS/PS2T140	LADA PASTELLA 1.4 - PS2	1400	1835
LS/PS2T150	LADA PASTELLA 1.5 - PS2	1500	1960



Standard equipment

	PLUG-IN
external housing made of black melamine (wood) - different colors available (IGLOO pattern book)	+
front panel made of melamine board - different colors available (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.5.)	+
grey granite worktop (thickness 20 mm)	+

Options


	Price €	
wooden front panel (IGLOO pattern book - DC / DR / TR)	+260	€/meter
wooden sides LEFT or RIGHT (IGLOO pattern book - ML)	+70	€/pcs
wooden sides LEFT or RIGHT (IGLOO pattern book - DC / DR / TR)	+150	€/pcs
worktop - granite balmoral (thickness : 20 mm)	+215	€/meter
worktop – granite black (thickness : 20 mm)	+445	€/meter
socket	+45	€/pcs
LED lighting of base front - selectable colour (IGLOO pattern book)	+80	€/meter
set of wheels (castors)	+245	€/set

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



COUNTER PROXIMA

ID	Name	Length [mm]	Price €
COUNTER PROXIMA			
LS/PRX50	LADA PROXIMA 0.5	500	730
LS/PRX60	LADA PROXIMA 0.6	600	835
LS/PRX70	LADA PROXIMA 0.7	700	955
LS/PRX80	LADA PROXIMA 0.8	800	1065
LS/PRX90	LADA PROXIMA 0.9	900	1200
LS/PRX100	LADA PROXIMA 1.0	1000	1310
LS/PRX110	LADA PROXIMA 1.1	1100	1435
LS/PRX120	LADA PROXIMA 1.2	1200	1545
LS/PRX130	LADA PROXIMA 1.3	1300	1680
LS/PRX140	LADA PROXIMA 1.4	1400	1785
LS/PRX150	LADA PROXIMA 1.5	1500	1890




Standard equipment	PROXIMA
external housing made of MELAMINE - selectable decors (IGLOO pattern book)	+
powder coated front panel - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to model 0.5)	+
granit worktop - grey	+
socket	+

Options		
LEFT or RIGHT side made of MELAMINE - different decors available (IGLOO pattern book)	+150	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral	+290	€/meter
worktop – granite black	+495	€/meter
front bumper (INOX AISI304 profiles)	+190	€/meter
lock to slide-out drawer	+75	€/pcs



COUNTER SAMOS

ID	Name	Length [mm]	Price €
COUNTER SAMOS			
LS/SA2/400	LADA SAMOS 0.4	400	675
LS/SA2/500	LADA SAMOS 0.5	500	815
LS/SA2/600	LADA SAMOS 0.6	600	955
LS/SA2/700	LADA SAMOS 0.7	700	1095
LS/SA2/800	LADA SAMOS 0.8	800	1245
LS/SA2/900	LADA SAMOS 0.9	900	1380
LS/SA2/1000	LADA SAMOS 1.0	1000	1495
LS/SA2/1100	LADA SAMOS 1.1	1100	1625
LS/SA2/1200	LADA SAMOS 1.2	1200	1785
LS/SA2/1300	LADA SAMOS 1.3	1300	1895
LS/SA2/1400	LADA SAMOS 1.4	1400	2030
LS/SA2/1500	LADA SAMOS 1.5	1500	2150
LS/SA2/NW	LADA SAMOS NW90	-	3530
LS/SA2/NZ	LADA SAMOS NZ90	-	3665



Standard equipment	SAMOS
external housing with furniture panels - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+


Options		
ABS side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+205	€/pcs
LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book)	+260	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+305	€/meter
worktop – granite black (thickness : 20 mm)	+510	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl




COUNTER SANTIAGO


ID	Name	Length [mm]	Price €
COUNTER SANTIAGO			
LS/SA400	LADA SANTIAGO 0.4	400	630
LS/SA500	LADA SANTIAGO 0.5	500	750
LS/SA600	LADA SANTIAGO 0.6	600	880
LS/SA700	LADA SANTIAGO 0.7	700	1015
LS/SA800	LADA SANTIAGO 0.8	800	1130
LS/SA900	LADA SANTIAGO 0.9	900	1245
LS/SA1000	LADA SANTIAGO 1.0	1000	1355
LS/SA1100	LADA SANTIAGO 1.1	1100	1495
LS/SA1200	LADA SANTIAGO 1.2	1200	1610
LS/SA1300	LADA SANTIAGO 1.3	1300	1720
LS/SA1400	LADA SANTIAGO 1.4	1400	1840
LS/SA1500	LADA SANTIAGO 1.5	1500	1960
LS/SANW	LADA SANTIAGO NW90	1500	3315
LS/SANZ	LADA SANTIAGO NZ90	1500	3435



COUNTER LUZON

ID	Name	Length [mm]	Price €
COUNTER LUZON			
LS/LU400	LADA LUZON 0.4	400	670
LS/LU500	LADA LUZON 0.5	500	790
LS/LU600	LADA LUZON 0.6	600	905
LS/LU700	LADA LUZON 0.7	700	1030
LS/LU800	LADA LUZON 0.8	800	1150
LS/LU900	LADA LUZON 0.9	900	1300
LS/LU1000	LADA LUZON 1.0	1000	1415
LS/LU1100	LADA LUZON 1.1	1100	1550
LS/LU1200	LADA LUZON 1.2	1200	1670
LS/LU1300	LADA LUZON 1.3	1300	1810
LS/LU1400	LADA LUZON 1.4	1400	1930
LS/LU1500	LADA LUZON 1.5	1500	2045
LS/LUNW	LADA LUZON NW90	1500	3495
LS/LUNZ	LADA LUZON NZ90	1500	3610





Standard equipment

	COUNTER SANTIAGO
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+

Options

	COUNTER SANTIAGO	
insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+235	€/pcs
LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book)	+280	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+320	€/meter
worktop – granite black (thickness : 20 mm)	+510	€/meter

Standard equipment

	LUZON
external housing with furniture panels - selectable colour (IGLOO pattern book)	+
slide-out drawer (does not apply to the table with length 0.4 and 0.5.)	+
bumper – different colors available (IGLOO pattern book)	+
worktop - granite grey (thickness: 20 mm)	+
socket	+

Options


	COUNTER LUZON	
insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book)	+205	€/pcs
LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book)	+255	€/pcs
worktop – stainless steel	0	€/meter
worktop – granite Balmoral (thickness : 20 mm)	+290	€/meter
worktop – granite black (thickness : 20 mm)	+490	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl



TADEUSZ

ID	Name	Length [mm]	The area of shelves [m2]	Price €
TADEUSZ				
TD100	TADEUSZ 0.7	700	1	1 770
TD101	TADEUSZ 0.8	800	2	1 940
TD102	TADEUSZ 0.9	900	2	2 090
TD103	TADEUSZ 1.0	1000	2	2 300
TD104	TADEUSZ 1.1	1100	2	2 480
TD105	TADEUSZ 1.2	1200	3	2 670
TD106	TADEUSZ 1.3	1300	2,72	2 870
TD107	TADEUSZ 1.4	1400	2,93	3 070
TD108	TADEUSZ 1.5	1500	3,15	3 270
TD109	TADEUSZ 1.6	1600	3,36	3 480
TD110	TADEUSZ 1.7	1700	3,57	3 680
TD111	TADEUSZ 1.8	1800	3,79	3 860
TD112	TADEUSZ 1.9	1900	4	4 050
TD113	TADEUSZ 2.0	2000	4,22	4 250
TD114	TADEUSZ 2.1	2100	4,43	4 430
TD115	TADEUSZ 2.2	2200	4,64	4 640
TD116	TADEUSZ 2.3	2300	4,86	4 800
TD117	TADEUSZ 2.4	2400	5,07	4 980
TD118	TADEUSZ 2.5	2500	5,29	5 180



Standard equipment	TADEUSZ
bottom cabinet with sliding doors made of melamine (wood) (height 550 mm) – different colors available (IGLOO pattern book)	+
frame made of aluminum profiles anodised color silver or gold (IGLOO pattern book)	+
exposition shelves made of gold or silver anodised tubular aluminum profile (IGLOO pattern book)	+
top mirror	+
grey granite worktop (thickness 20 mm)	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+

Options	TADEUSZ	
device without bottom cabinet	-165	€/meter
bottom cabinet (height 900 mm)	0	€/meter
bottom cabinet with movable shelf made of melamine (wood) - selectable colour (IGLOO pattern book)	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+165	€/meter
worktop – granite black (thickness : 20 mm)	+360	€/meter
exposition shelves made of closed profile (30x20 mm)	+200	€/meter
additional movable shelf illumination – LED light (confectionary color)	+170	€/meter
back of the device made of melamine - selectable colour (IGLOO pattern book)	+105	€/meter
back of the device made of mirrors (angle suspended)	+245	€/meter

IGLOO since 1986
Stary Wiśnicz 289
32-720 Nowy Wiśnicz, Poland
tel.: +48 14/ 662 19 10
v.2.0.2 | 09.2025
e-mail: info@igloo.pl